

HOW MANY BIVALENT COVID-19 VACCINES SHOULD I HAVE?



SWIPE >>>

SHOULD I GET A BIVALENT COVID-19 VACCINE?



The CDC recommends that all people ages 6 months and older receive at least one bivalent COVID-19 vaccine, even if you have already received a "booster" vaccine.


Some groups of people, including people ages 65+ or those who are moderately or severely immunocompromised, are eligible to receive two or more bivalent vaccines. Talk to your doctor to find the best plan for you.



FOR RECOMMENDATIONS BY AGE



AGES 6 MONTHS - 4 YEARS OLD



Vaccination Status

Recommended Vaccine(s)

Unvaccinated
Against
COVID-19



(2) Bivalent Moderna
or
(3) Bivalent Pfizer

Received (1) or (2)
Doses of
Monovalent Moderna
Vaccine



(1) Bivalent Moderna

Received (1)
Dose of
Monovalent Pfizer
Vaccine



(2) Bivalent Pfizer

Received (2) or (3)
Doses of
Monovalent Pfizer
Vaccine



(1) Bivalent Pfizer

If your child is between the ages of 6 months and 4 years old and has already received **one bivalent COVID-19 vaccine**, an additional bivalent vaccine dose is not needed at this time.

Special considerations for moderately or severely immunocompromised children can be discussed with your primary care provider.

AGE 5 YEARS OLD



Vaccination Status

Recommended Vaccine(s)

Unvaccinated
Against
COVID-19



(2) Bivalent Moderna
or
(1) Bivalent Pfizer

Received (1) or (2)
Doses of
Monovalent Moderna
Vaccine



(1) Bivalent Moderna
or
(1) Bivalent Pfizer

Received (1) or more
Doses of
Monovalent Pfizer
Vaccine




(1) Bivalent Pfizer

If your child is 5 years old and has already received **one bivalent COVID-19 vaccine**, an additional bivalent vaccine dose is not needed at this time.

Special considerations for moderately or severely immunocompromised children can be discussed with your primary care provider.

AGES 6 TO 64 YEARS OLD



Vaccination Status

No previous
COVID-19
vaccines



Recommended Vaccine

One or More
Monovalent
Pfizer or
Moderna
Vaccines



One Bivalent
COVID-19 Vaccine
(Pfizer or Moderna)


One or More
Novavax or J&J
Vaccine



One bivalent vaccine is recommended for people ages 6 - 64 years old who are not immunocompromised and who have not yet received a bivalent mRNA dose, regardless of COVID 19 vaccination history.

People in this group who have already received a bivalent vaccine do not require an additional bivalent vaccine.

SOME INDIVIDUALS MAY BE ELIGIBLE FOR AN ADDITIONAL BIVALENT COVID-19 VACCINE



- People aged 65 years and older may get 1 additional updated COVID-19 bivalent booster dose 4 or more months after the 1st updated COVID-19 vaccine.
- People who are moderately or severely immunocompromised may get 1 additional updated COVID-19 booster dose 2 or more months after the 1st updated COVID-19 vaccine. Talk to your healthcare provider about additional updated booster doses.