

**Thurston County Community Planning and Economic Development
Department
Community Planning Division**

**THURSTON COUNTY PLANNING
COMMISSION**

PUBLIC HEARING DRAFT

December 1, 2021

**Low Impact Development (LID)
Code Amendment**

- Section I: Title 20, Chapter 20.03 Structure, Interpretations and Definitions**
Section II: Title 20, Chapter 20.07 Lot, Yard, Use and Structure Regulations
Section III: Title 20, Chapter 20.30 Planned Residential Development
Section IV: Title 20, Chapter 20.30A Planned Rural Residential Development (PRRD)
Section V: Title 23, Chapter 23.04 Residential Districts

Deleted Text: ~~Strikethrough~~ Proposed Changes: Underlined
Staff Comments: *Italics* Unaffected Omitted Text ...

The proposed amendments contained herein are included on the 2020/2021 Official Development Code Docket Item A-7. Development Code Docket # A-7 is legislative proposal with an intentionally narrow focus on addressing inconsistencies in the code and providing additional flexibility where the adopted regulations have proven to be impractical to meet in certain circumstances. This document is comprised of five (5) chapters that will be affected, which will include new/revised definitions, references, and revisions to existing regulations. This proposed code change would provide further flexibility to all parties involved during the review process. The areas of flexibility included in this proposal are to allow hard surface credits to be applied for lots 2.5 acre or less; Lots needing long access driveways; Ken Lake Special Overlay District; and 10% impervious surface limits on large rural lots.

I. Thurston County Code Chapter 20.03 TCC (STRUCTURE, INTERPRETATIONS AND DEFINITIONS) shall be amended for consistency with the Drainage Design and Erosion Control Manual to read as follows:

...

20.03.040 – Definitions.

...

44.6 “Effective Impervious Surface” as defined in the Thurston County Drainage Design and Erosion Control Manual (DDECM).

...

53.5 “Full dispersion” means stormwater runoff dispersed in accordance with the Thurston County Drainage Design and Erosion Control Manual (DDECM).

...

62. "Hard surface" as defined in the Thurston County Drainage Design and Erosion Control Manual (DDECM).

...

68.2 “Impervious surface” as defined in the Thurston County Drainage Design and Erosion Control Manual (DDECM).

...

68.3 “Ineffective Impervious Surfaces” as defined in the Thurston County Drainage Design and Erosion Control Manual (DDECM).

...

102.5 “Pervious surface” as defined in the Thurston County Drainage Design and Erosion Control Manual (DDECM).

...

II. Thurston County Code Chapter 20.07 TCC (LOT, YARD, USE AND STRUCTURE REGULATIONS) shall be amended to read as follows:

...

20.07.090 – Hard and Impervious Surface Limits.

1. General standards. In addition to the hard surface coverage limits specified in this title, the following standards shall apply:
 - a. The total area of hard surfaces shall not include;

- i. Access easements serving neighboring property and driveways to the extent that they extend beyond the street setback due to location within an access panhandle or due to the application of requirements to locate features over which the applicant does not have control.
 - ii. Ineffective impervious surfaces.
 - b. Pervious pavement surfaces may be calculated at seventy-five percent area for the purpose of calculating total hard surface area.
 - c. On any lot over two and one-half acres in area, an additional five percent of the lot area may be used for buildings related to agricultural or forestry practices.
 - d. Hard surfaces rendered nonconforming by the coverage limits of this title may be replaced ~~within the existing footprint, and must comply with the~~ Thurston County Drainage Design and Erosion Control Manual (DDECM) BMPs LID.01 – Native Vegetation Protection, Reforestation, and Maintenance; and LID.02 – Post-Construction Soil Quality and Depth, but may not be expanded.
 - e. The hard surface coverage area for any lot may be increased beyond the total amount permitted in this chapter subject to approval of a special use permit under Chapter 20.54.
 2. General standards. In addition to the hard surface coverage limits specified in this title, the following standards shall apply
 - a. Credits apply ~~only to lots two and one-half acres or larger~~ in the following zones: LTA, LTF, RR 1/5, RRR 1/5, R 1/10, R 1/20, UR 1/5, RL 1/2, RL 1/1, RL 2/1, R 3-6/1, R 4-16, MGSA.
 - b. Hard surface coverage limits specified in this title may be increased by fifty percent under any one of the following circumstances:
 - i. Soils on the site allow for, and site design utilizes, full dispersion of stormwater runoff, done in accordance with the Thurston County DDECM, Chapter 15.05.
 - ii. A minimum of thirty percent of trees or native vegetation is retained on the site as shown in a landscape plan, as specified in Chapter 20.45. A maximum of twenty percent of this retained vegetation may be within a critical area or critical area buffer. Retained trees shall be recorded on a form provided by the department, the final plat, and in the abbreviated drainage plan as applicable.
 - iii. The development is a Planned Residential Development (PRD), TCC 20.30, or a Planned Rural Residential Development (PRRD), TCC 20.30A.
 - bc. Hard surface coverage limits specified in this title may be increased by one hundred percent under the following circumstances:
 - i. A minimum of sixty-five percent of trees or native vegetation is retained on the site as shown in a landscape plan, as specified in Chapter 20.45. Retained trees shall be recorded on a form provided by the department, the final plat, and in the abbreviated drainage plan as applicable.

- ed. An additional one thousand square feet of hard surface area may be permitted above the coverage limit for each six thousand five hundred square feet of retained trees and native vegetation that are outside of any designated critical area or buffer. Retained trees shall meet the standards of Section 20.45.020 and be recorded on a form provided by the department, the final plat, and in the abbreviated drainage plan as applicable.
- de. An additional one thousand square feet of hard surface area may be permitted above the coverage limit for each three thousand two hundred fifty square feet of retained trees and native vegetation that are outside of but connected to any designated critical area or buffer. Retained trees shall meet the standards of Section 20.45.020 and shall be recorded on a form provided by the department, the final plat, and in the abbreviated drainage plan as applicable.
- ef. An additional one thousand square feet of hard surface area may be permitted above the coverage limit for each three thousand two hundred fifty square feet of trees and native vegetation that are replanted within any degraded riparian habitat area, as specified in Chapter 24.35, or wetland buffer, as specified in Chapter 24.30. A restoration plan must be prepared by a qualified biologist or other qualified professional, as specified in Chapter 24.35.310. At the time of planting, evergreen trees shall be at least four feet tall and deciduous trees shall be at least one and one-half-inch caliper. New plantings shall consist of tree species native and appropriate to the area and shall be planted between October to February. Restored areas and replanted trees shall be recorded on a form provided by the department, the final plat, and in the abbreviated drainage plan as applicable. The county may also require that a watering, maintenance and monitoring plan be submitted to ensure their survival.

...

III. Thurston County Code Chapter 20.30 TCC (PLANNED RESIDENTIAL DEVELOPMENT) shall be amended to read as follows:

...

20.30.050 – Development Standards.

The following standards shall govern the interpretation and administration of this section:

...

- 5. Maximum Coverage. ~~Individual lots within a PRD are exempt from building and hard surface coverage limits established for the underlying zone, however, the PRD as a whole, including streets, access ways and other paved surfaces~~ Individual lots shall not exceed the percentage permitted by the underlying zone.

...

IV. Thurston County Code Chapter 20.30A TCC (PLANNED RURAL RESIDENTIAL DEVELOPMENT (PRRD)) shall be amended to read as follows:

20.30A.070 – Development Standards.

The following standards shall govern the interpretation and administration of this section:

...

3. Maximum Coverage by ~~Individual lots within a PRD are exempt from building and hard surface coverage limits established for the underlying zone, however, the PRD as a whole, including streets, access ways and other paved surfaces~~ Individual lots shall not exceed the percentage permitted by the underlying zone.

...

V. Thurston County Code Chapter 23.04 TCC (RESIDENTIAL DISTRICTS) shall be amended to read as follows:

...

23.04.080 – Residential districts' development standards.

The Table 4.04 identifies the basic standards for development in each residential district contained in this chapter. The sections referenced in Table 4.04 refer to the list of additional regulations below.

A. Maximum Housing Densities.

...

**Table 4.04
Residential Development Standards**

District	R-5	RLI 2—4	R4	R 4—8	R 6—12	MR 7—13	MR 10—18	RM-18	Additional Regulations
Maximum housing density (in units per acre)	½	4	4	8	12	24	30	24	23.04.080A
...									
Maximum hard surface	45% or 10,000 sf (whichever is less) 6% = lots 4 acres or more	2,500 SF provided that up to 6% coverage may be granted by conditional use permit	45% = 70% = Townhouses	55% = 0.25 acre or less 50% = 0.26 acre or more 70% = Townhouses	65% = 0.25 acre or less 50% = 0.26 acres or more 70% = Townhouses	70%	70%	70%	

* Properties in the Ken Lake Impervious Surface Overlay District shall follow the building coverage, hard surface coverage, and impervious surface limits of the R-5 zoning district (Section 23.04.085 TCC).

...

23.04.085 – Ken Lake Impervious Surface Overlay District.

- A. Purpose. The purpose of the Ken Lake Impervious Surface Overlay District is to lessen stormwater impacts to downstream properties from development.
- B. Map. The Ken Lake Overlay District Map shall include all lands depicted on the map named "Ken Lake Overlay District." A copy of this map shall be on file with the department. This shall indicate the boundaries of the overlay district. The overlay district may also be depicted on the official zoning map in lieu of maintaining a separate map.
- C. Standards. The maximum building coverage, hard surface coverage, and impervious surface coverage limits shall be the same as the Residential One Unit per Five Acre (R-5) zoning district.

...