

# Marine Water Quality Summary

## Growing Area: Henderson Inlet

Station: 187

Classification: Approved

Method: SRS

Total Samples: 30

Date Range: 02/28/2019 - 08/03/2021

Range (FC/100 mL): 1.7 - 170.0

E90th (FC/100 mL): 34.8

GeoMean (FC/100 mL): 6.6

Meets Standard: Y

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:28	Flood	6	22	1.8
03/12/2019	Regulatory	10:16	Ebb	7	25	1.7
04/25/2019	Regulatory	10:15	Flood	12	20	4.5
05/09/2019	Regulatory	09:36	Ebb	15	28	13.0
06/25/2019	Regulatory	11:11	Flood	17	28	4.5
07/08/2019	Regulatory	10:24	Flood	16	28	14.0
08/21/2019	Regulatory	10:05	Flood	18	29	11.0
09/17/2019	Regulatory	09:08	Ebb	15	25	23.0
10/16/2019	Regulatory	10:03	Ebb	13	27	17.0
11/07/2019	Regulatory	11:00	Flood	12	29	1.8
12/18/2019	Regulatory	10:33	Flood	9	29	2.0
02/03/2020	Regulatory	12:05	Flood	8	7	4.5
02/18/2020	Regulatory	12:14	Flood	8	21	4.5
03/30/2020	Regulatory	09:58	Flood	9	22	79.0
05/05/2020	Regulatory	16:33	Flood	15	27	1.7
06/03/2020	Regulatory	14:49	Flood	16	27	1.7
07/14/2020	Regulatory	15:34	Ebb	21	27	1.7
08/11/2020	Regulatory	10:58	Flood	18	28	4.5
09/10/2020	Regulatory	10:26	Flood	18	28	17.0
10/19/2020	Regulatory	12:08	Ebb	14	29	17.0
11/17/2020	Regulatory	09:50	Ebb	10	26	170.0
12/03/2020	Regulatory	11:17	Ebb	10	25	4.5
01/06/2021	Regulatory	12:02	Ebb	9	15	33.0
02/16/2021	Regulatory	09:39	Ebb	7	21	17.0
03/03/2021	Regulatory	11:03	Ebb	9	22	2.0
04/20/2021	Regulatory	11:07	Flood	15	19	1.7
05/17/2021	Regulatory	10:49	Ebb	15	24	7.8
06/15/2021	Regulatory	09:41	Ebb	16	23	49.0
07/06/2021	Regulatory	15:07	Flood	19	28	2.0
08/03/2021	Regulatory	13:45	Flood	21	26	2.0

**Station: 190****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 170.0****E90th (FC/100 mL): 28.8****GeoMean (FC/100 mL): 5.3****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:47	Flood	7	27	1.7
03/12/2019	Regulatory	10:32	Ebb	8	27	1.7
04/25/2019	Regulatory	10:30	Flood	11	25	1.7
05/09/2019	Regulatory	09:52	Ebb	15	27	7.8
06/25/2019	Regulatory	11:28	Flood	18	28	2.0
07/08/2019	Regulatory	10:41	Flood	16	28	17.0
08/21/2019	Regulatory	10:19	Flood	19	28	13.0
09/17/2019	Regulatory	09:18	Ebb	15	27	49.0
10/16/2019	Regulatory	10:25	Ebb	13	29	4.0
11/07/2019	Regulatory	11:24	Flood	11	29	1.7
12/18/2019	Regulatory	10:14	Flood	10	29	7.8
02/03/2020	Regulatory	11:47	Flood	8	21	2.0
02/18/2020	Regulatory	11:55	Flood	9	27	1.7
03/30/2020	Regulatory	09:39	Flood	9	26	170.0
05/05/2020	Regulatory	16:54	Flood	16	27	1.7
06/03/2020	Regulatory	15:12	Flood	16	28	1.7
07/14/2020	Regulatory	15:52	Ebb	23	27	1.7
08/11/2020	Regulatory	11:19	Flood	19	28	4.5
09/10/2020	Regulatory	10:09	Flood	18	28	2.0
10/19/2020	Regulatory	12:28	Ebb	14	29	11.0
11/17/2020	Regulatory	10:07	Ebb	10	25	79.0
12/03/2020	Regulatory	11:07	Ebb	10	26	7.8
01/06/2021	Regulatory	12:35	Ebb	9	15	17.0
02/16/2021	Regulatory	09:22	Ebb	8	24	1.7
03/03/2021	Regulatory	11:19	Ebb	9	23	1.8
04/20/2021	Regulatory	11:28	Flood	16	25	1.7
05/17/2021	Regulatory	10:32	Ebb	15	24	13.0
06/15/2021	Regulatory	10:00	Ebb	16	26	27.0
07/06/2021	Regulatory	15:28	Flood	19	29	2.0
08/03/2021	Regulatory	13:24	Flood	21	26	11.0

**Station: 191****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 130.0****E90th (FC/100 mL): 15.3****GeoMean (FC/100 mL): 3.8****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:49	Flood	7	27	1.7
03/12/2019	Regulatory	10:33	Ebb	8	26	1.7
04/25/2019	Regulatory	10:32	Ebb	12	27	1.7
05/09/2019	Regulatory	09:54	Ebb	15	28	2.0
06/25/2019	Regulatory	11:30	Flood	18	28	4.5
07/08/2019	Regulatory	10:43	Flood	17	27	13.0
08/21/2019	Regulatory	10:21	Flood	19	28	6.8
09/17/2019	Regulatory	09:19	Ebb	15	29	4.5
10/16/2019	Regulatory	10:27	Ebb	13	29	4.5
11/07/2019	Regulatory	11:26	Flood	11	29	1.8
12/18/2019	Regulatory	10:12	Flood	9	29	1.7
02/03/2020	Regulatory	11:45	Flood	8	20	1.7
02/18/2020	Regulatory	11:53	Flood	9	27	1.7
03/30/2020	Regulatory	09:31	Flood	9	27	2.0
05/05/2020	Regulatory	16:56	Flood	16	27	1.7
06/03/2020	Regulatory	15:14	Flood	16	28	1.7
07/14/2020	Regulatory	15:54	Ebb	23	27	1.7
08/11/2020	Regulatory	11:21	Flood	19	28	1.7
09/10/2020	Regulatory	10:07	Flood	18	28	13.0
10/19/2020	Regulatory	12:29	Ebb	14	29	23.0
11/17/2020	Regulatory	10:08	Ebb	11	26	130.0
12/03/2020	Regulatory	11:05	Ebb	10	26	7.8
01/06/2021	Regulatory	12:37	Ebb	9	24	7.8
02/16/2021	Regulatory	09:20	Ebb	8	24	6.8
03/03/2021	Regulatory	11:21	Ebb	9	24	1.7
04/20/2021	Regulatory	11:30	Flood	15	24	1.7
05/17/2021	Regulatory	10:30	Ebb	14	25	4.5
06/15/2021	Regulatory	10:02	Ebb	16	27	27.0
07/06/2021	Regulatory	15:30	Flood	19	29	1.7
08/03/2021	Regulatory	13:22	Flood	20	27	2.0

**Station: 192****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 17.0****E90th (FC/100 mL): 8.1****GeoMean (FC/100 mL): 3.1****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	10:03	Flood	10	28	2.0
01/03/2017	Regulatory	10:05	Ebb	7	27	4.5
03/06/2017	Regulatory	09:58	Flood	8	27	1.8
05/17/2017	Regulatory	09:35	Flood	11	24	1.7
06/28/2017	Regulatory	09:48	Ebb	14	28	2.0
08/29/2017	Regulatory	10:44	Flood	17	28	1.7
10/10/2017	Regulatory	09:36	Flood	13	28	4.0
12/12/2017	Regulatory	09:55	Flood	7	27	6.8
01/23/2018	Regulatory	10:02	Flood	7	25	4.5
03/06/2018	Regulatory	10:01	Ebb	7	27	1.8
05/03/2018	Regulatory	09:28	Ebb	13	25	14.0
08/01/2018	Regulatory	09:29	Ebb	17	29	7.8
09/13/2018	Regulatory	09:34	Ebb	15	29	7.8
11/14/2018	Regulatory	10:09	Flood	11	30	1.7
02/28/2019	Regulatory	10:05	Flood	6	25	1.7
04/25/2019	Regulatory	09:55	Flood	12	27	4.5
06/25/2019	Regulatory	10:52	Flood	17	28	2.0
08/21/2019	Regulatory	09:45	Flood	18	29	6.8
10/16/2019	Regulatory	10:48	Ebb	14	29	1.7
12/18/2019	Regulatory	10:56	Flood	9	29	2.0
02/18/2020	Regulatory	12:37	Flood	9	27	1.7
03/30/2020	Regulatory	10:16	Ebb	9	28	2.0
05/05/2020	Regulatory	16:10	Flood	14	28	1.7
07/14/2020	Regulatory	15:12	Flood	21	27	1.7
09/10/2020	Regulatory	10:44	Flood	18	29	2.0
11/17/2020	Regulatory	09:26	Ebb	10	26	17.0
02/16/2021	Regulatory	09:56	Ebb	9	25	2.0
04/20/2021	Regulatory	10:46	Flood	14	25	1.7
06/15/2021	Regulatory	09:22	Ebb	15	27	17.0
08/03/2021	Regulatory	13:09	Flood	20	27	1.8

**Station: 193****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 240.0****E90th (FC/100 mL): 15.7****GeoMean (FC/100 mL): 3.6****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	10:02	Flood	9	26	7.8
01/03/2017	Regulatory	10:07	Ebb	6	28	1.7
03/06/2017	Regulatory	09:59	Flood	7	22	11.0
05/17/2017	Regulatory	09:38	Flood	11	16	2.0
06/28/2017	Regulatory	10:32	Ebb	15	27	9.3
08/29/2017	Regulatory	11:35	Flood	17	29	2.0
10/10/2017	Regulatory	10:13	Flood	13	29	1.7
12/12/2017	Regulatory	09:52	Flood	7	27	4.5
01/23/2018	Regulatory	10:00	Flood	7	23	2.0
03/06/2018	Regulatory	10:02	Ebb	7	27	1.7
05/03/2018	Regulatory	09:30	Ebb	13	27	1.7
08/01/2018	Regulatory	09:30	Ebb	17	27	33.0
09/13/2018	Regulatory	09:31	Flood	15	30	3.7
11/14/2018	Regulatory	10:07	Flood	11	30	2.0
02/28/2019	Regulatory	10:07	Flood	7	25	2.0
04/25/2019	Regulatory	09:57	Flood	12	24	1.7
06/25/2019	Regulatory	10:54	Flood	17	29	1.7
08/21/2019	Regulatory	09:47	Flood	18	29	2.0
10/16/2019	Regulatory	10:51	Ebb	13	29	2.0
12/18/2019	Regulatory	10:58	Flood	9	29	2.0
02/18/2020	Regulatory	12:39	Flood	9	27	1.7
03/30/2020	Regulatory	10:19	Ebb	9	26	14.0
05/05/2020	Regulatory	16:13	Flood	15	28	1.7
07/14/2020	Regulatory	15:10	Flood	23	28	1.7
09/10/2020	Regulatory	10:45	Flood	18	29	7.8
11/17/2020	Regulatory	09:28	Ebb	11	27	15.0
02/16/2021	Regulatory	09:58	Ebb	9	24	2.0
04/20/2021	Regulatory	10:48	Flood	15	25	2.0
06/15/2021	Regulatory	09:20	Ebb	15	23	240.0
08/03/2021	Regulatory	13:59	Flood	21	27	1.7

**Station: 194****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 49.0****E90th (FC/100 mL): 13.7****GeoMean (FC/100 mL): 3.5****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:17	Flood	6	27	1.7
03/12/2019	Regulatory	10:02	Flood	7	25	2.0
04/25/2019	Regulatory	10:05	Flood	12	28	2.0
05/09/2019	Regulatory	09:24	Ebb	15	28	2.0
06/25/2019	Regulatory	11:02	Flood	17	28	1.7
07/08/2019	Regulatory	10:14	Flood	16	28	49.0
08/21/2019	Regulatory	09:55	Flood	18	29	23.0
09/17/2019	Regulatory	08:55	Ebb	15	25	6.8
10/16/2019	Regulatory	10:32	Ebb	13	29	1.7
11/07/2019	Regulatory	10:46	Flood	12	29	7.8
12/18/2019	Regulatory	10:46	Flood	9	29	1.7
02/03/2020	Regulatory	12:18	Flood	8	26	1.7
02/18/2020	Regulatory	12:28	Flood	8	26	1.7
03/30/2020	Regulatory	10:10	Ebb	9	27	7.8
05/05/2020	Regulatory	16:24	Flood	16	27	1.7
06/03/2020	Regulatory	14:38	Flood	16	27	1.7
07/14/2020	Regulatory	15:21	Flood	23	27	1.7
08/11/2020	Regulatory	10:43	Flood	17	29	1.7
09/10/2020	Regulatory	10:37	Flood	18	28	4.5
10/19/2020	Regulatory	11:57	Ebb	14	29	2.0
11/17/2020	Regulatory	09:38	Ebb	10	27	23.0
12/03/2020	Regulatory	11:02	Ebb	9	26	2.0
01/06/2021	Regulatory	11:50	Ebb	9	24	6.8
02/16/2021	Regulatory	09:50	Ebb	9	24	6.8
03/03/2021	Regulatory	10:51	Ebb	9	21	1.7
04/20/2021	Regulatory	10:56	Flood	15	24	1.7
05/17/2021	Regulatory	11:00	Ebb	15	25	4.5
06/15/2021	Regulatory	09:28	Ebb	15	27	49.0
07/06/2021	Regulatory	14:56	Flood	20	28	1.7
08/03/2021	Regulatory	13:54	Flood	21	27	1.7

**Station: 195****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 130.0****E90th (FC/100 mL): 18.7****GeoMean (FC/100 mL): 4.2****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:26	Flood	6	23	1.7
03/12/2019	Regulatory	10:13	Ebb	7	26	11.0
04/25/2019	Regulatory	10:12	Flood	12	27	4.0
05/09/2019	Regulatory	09:33	Ebb	16	25	4.5
06/25/2019	Regulatory	11:08	Flood	18	27	4.5
07/08/2019	Regulatory	10:21	Flood	16	28	33.0
08/21/2019	Regulatory	10:02	Flood	18	28	7.8
09/17/2019	Regulatory	09:06	Ebb	15	29	2.0
10/16/2019	Regulatory	10:11	Ebb	13	29	1.7
11/07/2019	Regulatory	10:58	Flood	12	29	1.7
12/18/2019	Regulatory	10:36	Flood	9	29	1.7
02/03/2020	Regulatory	12:08	Flood	8	15	1.7
02/18/2020	Regulatory	12:18	Flood	8	21	1.7
03/30/2020	Regulatory	10:00	Ebb	10	27	11.0
05/05/2020	Regulatory	16:30	Flood	16	27	1.7
06/03/2020	Regulatory	14:46	Flood	15	27	4.0
07/14/2020	Regulatory	15:31	Flood	22	27	1.7
08/11/2020	Regulatory	10:53	Flood	18	28	2.0
09/10/2020	Regulatory	10:29	Flood	18	28	4.0
10/19/2020	Regulatory	12:06	Ebb	14	29	1.7
11/17/2020	Regulatory	09:47	Ebb	10	26	23.0
12/03/2020	Regulatory	11:15	Ebb	9	26	4.5
01/06/2021	Regulatory	11:59	Ebb	9	18	49.0
02/16/2021	Regulatory	09:41	Ebb	8	24	1.7
03/03/2021	Regulatory	11:01	Ebb	9	24	1.7
04/20/2021	Regulatory	11:04	Flood	16	23	1.7
05/17/2021	Regulatory	10:51	Ebb	14	25	9.3
06/15/2021	Regulatory	09:38	Ebb	16	24	130.0
07/06/2021	Regulatory	15:04	Flood	20	28	2.0
08/03/2021	Regulatory	13:48	Flood	21	26	4.5

**Station: 196****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 27.0****E90th (FC/100 mL): 6.8****GeoMean (FC/100 mL): 2.7****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:10	Flood	6	26	1.7
03/12/2019	Regulatory	10:00	Flood	8	28	1.7
04/25/2019	Regulatory	10:00	Flood	12	27	1.7
05/09/2019	Regulatory	09:22	Ebb	15	28	1.7
06/25/2019	Regulatory	10:57	Flood	17	28	4.5
07/08/2019	Regulatory	10:08	Flood	16	29	7.8
08/21/2019	Regulatory	09:50	Flood	17	29	2.0
09/17/2019	Regulatory	08:50	Flood	15	30	2.0
10/16/2019	Regulatory	10:35	Ebb	13	29	1.7
11/07/2019	Regulatory	10:38	Flood	12	29	4.5
12/18/2019	Regulatory	10:49	Flood	9	29	4.0
02/03/2020	Regulatory	12:21	Flood	8	25	1.7
02/18/2020	Regulatory	12:31	Flood	8	25	1.7
03/30/2020	Regulatory	10:12	Ebb	9	28	1.7
05/05/2020	Regulatory	16:17	Flood	15	27	1.7
06/03/2020	Regulatory	14:35	Flood	16	27	2.0
07/14/2020	Regulatory	15:18	Flood	23	27	1.7
08/11/2020	Regulatory	10:39	Flood	18	29	1.7
09/10/2020	Regulatory	10:39	Flood	18	29	1.7
10/19/2020	Regulatory	11:55	Ebb	14	29	4.5
11/17/2020	Regulatory	09:31	Ebb	11	28	6.8
12/03/2020	Regulatory	11:00	Ebb	9	26	6.8
01/06/2021	Regulatory	11:48	Ebb	9	21	13.0
02/16/2021	Regulatory	09:52	Ebb	9	25	1.7
03/03/2021	Regulatory	10:49	Ebb	9	24	1.7
04/20/2021	Regulatory	10:50	Flood	15	24	2.0
05/17/2021	Regulatory	11:02	Ebb	14	26	2.0
06/15/2021	Regulatory	09:25	Ebb	15	27	27.0
07/06/2021	Regulatory	14:54	Flood	19	28	1.7
08/03/2021	Regulatory	13:56	Flood	21	27	1.7



**Station: 197****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 49.0****E90th (FC/100 mL): 15.1****GeoMean (FC/100 mL): 3.6****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:23	Flood	7	25	1.7
03/12/2019	Regulatory	10:11	Flood	7	26	2.0
04/25/2019	Regulatory	10:09	Flood	12	21	1.7
05/09/2019	Regulatory	09:30	Ebb	15	27	2.0
06/25/2019	Regulatory	11:06	Flood	18	28	11.0
07/08/2019	Regulatory	10:19	Flood	16	28	33.0
08/21/2019	Regulatory	09:59	Flood	18	28	33.0
09/17/2019	Regulatory	09:02	Ebb	15	28	4.5
10/16/2019	Regulatory	10:17	Ebb	13	29	2.0
11/07/2019	Regulatory	10:51	Flood	12	29	1.7
12/18/2019	Regulatory	10:39	Flood	9	29	4.5
02/03/2020	Regulatory	12:11	Flood	8	22	1.7
02/18/2020	Regulatory	12:21	Flood	8	25	1.7
03/30/2020	Regulatory	10:03	Ebb	9	26	7.8
05/05/2020	Regulatory	16:28	Flood	18	27	1.7
06/03/2020	Regulatory	14:43	Flood	17	26	1.7
07/14/2020	Regulatory	15:28	Flood	23	27	1.7
08/11/2020	Regulatory	10:49	Flood	18	29	1.7
09/10/2020	Regulatory	10:32	Flood	18	28	2.0
10/19/2020	Regulatory	12:02	Ebb	14	29	1.7
11/17/2020	Regulatory	09:43	Ebb	11	28	49.0
12/03/2020	Regulatory	11:10	Ebb	10	26	13.0
01/06/2021	Regulatory	11:57	Ebb	9	24	2.0
02/16/2021	Regulatory	09:44	Ebb	8	25	1.7
03/03/2021	Regulatory	10:56	Ebb	9	24	1.7
04/20/2021	Regulatory	11:01	Flood	15	23	2.0
05/17/2021	Regulatory	10:54	Ebb	15	24	11.0
06/15/2021	Regulatory	09:35	Ebb	125	25	34.0
07/06/2021	Regulatory	15:01	Flood	20	28	1.8
08/03/2021	Regulatory	13:26	Flood	21	26	1.7

**Station: 198****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 9.1****GeoMean (FC/100 mL): 2.9****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:19	Flood	7	27	1.7
03/12/2019	Regulatory	10:05	Flood	7	27	1.7
04/25/2019	Regulatory	10:03	Flood	12	27	1.8
05/09/2019	Regulatory	09:27	Ebb	15	28	2.0
06/25/2019	Regulatory	11:00	Flood	17	28	1.7
07/08/2019	Regulatory	10:15	Flood	16	28	21.0
08/21/2019	Regulatory	09:53	Flood	18	28	6.1
09/17/2019	Regulatory	08:57	Ebb	15	29	2.0
10/16/2019	Regulatory	10:30	Ebb	13	29	4.5
11/07/2019	Regulatory	10:44	Flood	12	29	1.7
12/18/2019	Regulatory	10:43	Flood	9	29	2.0
02/03/2020	Regulatory	12:16	Flood	8	24	1.7
02/18/2020	Regulatory	12:26	Flood	8	27	1.7
03/30/2020	Regulatory	10:07	Ebb	9	28	2.0
05/05/2020	Regulatory	16:21	Flood	15	28	1.7
06/03/2020	Regulatory	14:39	Flood	16	28	1.7
07/14/2020	Regulatory	15:23	Flood	23	27	1.7
08/11/2020	Regulatory	10:44	Flood	18	29	2.0
09/10/2020	Regulatory	10:36	Flood	18	28	2.0
10/19/2020	Regulatory	11:58	Ebb	14	29	4.5
11/17/2020	Regulatory	09:36	Ebb	11	27	33.0
12/03/2020	Regulatory	11:04	Ebb	10	26	1.7
01/06/2021	Regulatory	11:52	Ebb	9	23	7.8
02/16/2021	Regulatory	09:47	Ebb	8	25	1.7
03/03/2021	Regulatory	10:52	Ebb	9	24	1.7
04/20/2021	Regulatory	10:54	Flood	15	26	1.7
05/17/2021	Regulatory	10:58	Ebb	14	25	6.8
06/15/2021	Regulatory	09:30	Ebb	15	25	33.0
07/06/2021	Regulatory	14:58	Flood	19	28	1.7
08/03/2021	Regulatory	13:19	Flood	20	27	2.0

**Station: 199****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 11.8****GeoMean (FC/100 mL): 3.2****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:13	Flood	7	26	1.7
03/12/2019	Regulatory	09:58	Flood	8	27	1.7
04/25/2019	Regulatory	10:02	Flood	12	28	1.7
05/09/2019	Regulatory	09:18	Ebb	16	28	1.7
06/25/2019	Regulatory	10:59	Flood	17	28	2.0
07/08/2019	Regulatory	10:02	Flood	16	28	33.0
08/21/2019	Regulatory	09:51	Flood	18	29	13.0
09/17/2019	Regulatory	08:53	Ebb	15	28	2.0
10/16/2019	Regulatory	10:38	Ebb	13	29	1.7
11/07/2019	Regulatory	10:41	Flood	11	29	4.5
12/18/2019	Regulatory	10:52	Flood	9	29	1.7
02/03/2020	Regulatory	12:23	Ebb	8	26	1.7
02/18/2020	Regulatory	12:35	Flood	8	27	1.7
03/30/2020	Regulatory	10:14	Ebb	9	28	27.0
05/05/2020	Regulatory	16:19	Flood	15	28	1.7
06/03/2020	Regulatory	14:32	Flood	16	28	1.7
07/14/2020	Regulatory	15:15	Flood	22	27	1.7
08/11/2020	Regulatory	10:35	Flood	18	29	1.7
09/10/2020	Regulatory	10:41	Flood	18	29	6.8
10/19/2020	Regulatory	11:53	Ebb	14	29	1.7
11/17/2020	Regulatory	09:33	Ebb	10	27	17.0
12/03/2020	Regulatory	10:52	Ebb	9	25	4.5
01/06/2021	Regulatory	11:46	Ebb	9	22	33.0
02/16/2021	Regulatory	09:54	Ebb	9	25	1.7
03/03/2021	Regulatory	10:47	Ebb	9	23	2.0
04/20/2021	Regulatory	10:52	Flood	15	25	1.7
05/17/2021	Regulatory	11:05	Ebb	14	25	2.0
06/15/2021	Regulatory	09:24	Ebb	15	28	11.0
07/06/2021	Regulatory	14:52	Flood	19	28	1.7
08/03/2021	Regulatory	13:14	Flood	20	27	1.8

**Station: 200****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 13.9****GeoMean (FC/100 mL): 3.7****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:21	Flood	7	26	2.0
03/12/2019	Regulatory	10:07	Flood	8	27	1.7
04/25/2019	Regulatory	10:06	Flood	12	27	2.0
05/09/2019	Regulatory	09:28	Ebb	15	25	7.8
06/25/2019	Regulatory	11:04	Flood	17	29	4.0
07/08/2019	Regulatory	10:17	Flood	16	28	33.0
08/21/2019	Regulatory	09:57	Flood	18	28	1.7
09/17/2019	Regulatory	09:00	Ebb	15	28	17.0
10/16/2019	Regulatory	10:20	Ebb	13	29	4.0
11/07/2019	Regulatory	10:48	Flood	12	29	4.0
12/18/2019	Regulatory	10:41	Flood	9	29	1.7
02/03/2020	Regulatory	12:14	Flood	8	24	1.7
02/18/2020	Regulatory	12:24	Flood	8	26	1.7
03/30/2020	Regulatory	10:05	Ebb	9	27	17.0
05/05/2020	Regulatory	16:26	Flood	17	27	1.7
06/03/2020	Regulatory	14:41	Flood	16	27	2.0
07/14/2020	Regulatory	15:26	Flood	24	27	1.7
08/11/2020	Regulatory	10:47	Flood	18	29	2.0
09/10/2020	Regulatory	10:34	Flood	18	28	6.8
10/19/2020	Regulatory	12:00	Ebb	14	29	2.0
11/17/2020	Regulatory	09:41	Ebb	10	27	33.0
12/03/2020	Regulatory	11:08	Ebb	10	25	4.5
01/06/2021	Regulatory	11:54	Ebb	9	23	1.7
02/16/2021	Regulatory	09:46	Ebb	8	25	1.7
03/03/2021	Regulatory	10:54	Ebb	9	22	1.8
04/20/2021	Regulatory	10:59	Flood	15	24	2.0
05/17/2021	Regulatory	10:56	Ebb	15	24	23.0
06/15/2021	Regulatory	09:33	Ebb	15	26	22.0
07/06/2021	Regulatory	15:00	Flood	19	28	1.7
08/03/2021	Regulatory	13:52	Flood	21	26	1.7

**Station: 201****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 49.0****E90th (FC/100 mL): 19.1****GeoMean (FC/100 mL): 4.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:52	Flood	6	27	1.7
03/12/2019	Regulatory	10:35	Ebb	8	26	1.7
04/25/2019	Regulatory	10:34	Ebb	12	26	2.0
05/09/2019	Regulatory	09:56	Ebb	15	28	1.8
06/25/2019	Regulatory	11:33	Flood	18	28	2.0
07/08/2019	Regulatory	10:45	Flood	16	28	11.0
08/21/2019	Regulatory	10:22	Flood	19	28	7.8
09/17/2019	Regulatory	09:21	Ebb	15	29	4.5
10/16/2019	Regulatory	10:41	Ebb	14	29	2.0
11/07/2019	Regulatory	11:28	Flood	11	28	2.0
12/18/2019	Regulatory	10:09	Flood	9	29	1.7
02/03/2020	Regulatory	11:43	Flood	8	22	4.5
02/18/2020	Regulatory	11:50	Flood	8	27	1.7
03/30/2020	Regulatory	09:29	Flood	9	27	1.8
05/05/2020	Regulatory	16:58	Flood	17	27	1.7
06/03/2020	Regulatory	15:16	Flood	16	28	4.5
07/14/2020	Regulatory	15:56	Ebb	23	27	1.7
08/11/2020	Regulatory	11:24	Flood	19	28	7.8
09/10/2020	Regulatory	10:05	Flood	18	28	11.0
10/19/2020	Regulatory	12:31	Ebb	14	29	27.0
11/17/2020	Regulatory	10:10	Ebb	10	25	49.0
12/03/2020	Regulatory	10:57	Ebb	10	25	4.5
01/06/2021	Regulatory	12:40	Ebb	9	20	17.0
02/16/2021	Regulatory	09:18	Ebb	8	19	33.0
03/03/2021	Regulatory	11:23	Ebb	9	23	2.0
04/20/2021	Regulatory	11:32	Flood	15	26	1.7
05/17/2021	Regulatory	10:27	Ebb	15	24	2.0
06/15/2021	Regulatory	10:04	Ebb	16	26	49.0
07/06/2021	Regulatory	15:32	Flood	20	29	1.7
08/03/2021	Regulatory	13:16	Flood	20	27	17.0

**Station: 202****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 79.0****E90th (FC/100 mL): 19.3****GeoMean (FC/100 mL): 4.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	10:32	Flood	9	27	4.5
01/03/2017	Regulatory	10:53	Ebb	6	27	1.7
03/06/2017	Regulatory	10:35	Flood	7	26	13.0
05/17/2017	Regulatory	10:18	Flood	11	20	23.0
06/28/2017	Regulatory	09:46	Ebb	15	27	33.0
08/29/2017	Regulatory	10:41	Flood	18	28	1.7
10/10/2017	Regulatory	09:35	Flood	13	29	4.5
12/12/2017	Regulatory	10:32	Flood	7	27	1.7
01/23/2018	Regulatory	10:41	Ebb	8	27	1.7
03/06/2018	Regulatory	10:53	Ebb	6	27	1.7
05/03/2018	Regulatory	10:12	Ebb	13	26	2.0
08/01/2018	Regulatory	10:12	Ebb	18	28	6.8
09/13/2018	Regulatory	10:26	Ebb	15	29	2.0
11/14/2018	Regulatory	10:54	Flood	10	29	1.8
02/28/2019	Regulatory	10:55	Flood	6	18	1.7
04/25/2019	Regulatory	10:36	Ebb	12	27	1.7
06/25/2019	Regulatory	11:35	Flood	18	27	4.5
08/21/2019	Regulatory	10:24	Flood	18	28	23.0
10/16/2019	Regulatory	10:45	Ebb	14	29	1.8
12/18/2019	Regulatory	10:07	Flood	9	29	1.8
02/18/2020	Regulatory	11:45	Flood	8	26	6.8
03/30/2020	Regulatory	09:27	Flood	9	27	33.0
05/05/2020	Regulatory	17:01	Flood	15	28	1.7
07/14/2020	Regulatory	15:58	Ebb	23	28	2.0
09/10/2020	Regulatory	10:02	Flood	18	28	6.8
11/17/2020	Regulatory	10:12	Ebb	10	26	79.0
02/16/2021	Regulatory	09:15	Ebb	8	23	9.3
04/20/2021	Regulatory	11:34	Flood	15	25	2.0
06/15/2021	Regulatory	10:06	Ebb	16	27	13.0
08/03/2021	Regulatory	13:11	Flood	20	27	1.7

**Station: 203****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 130.0****E90th (FC/100 mL): 10.8****GeoMean (FC/100 mL): 2.9****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	09:58	Flood	10	28	1.7
01/03/2017	Regulatory	10:01	Ebb	8	28	1.7
03/06/2017	Regulatory	09:54	Flood	8	27	6.8
05/17/2017	Regulatory	09:31	Flood	11	25	1.7
06/28/2017	Regulatory	10:36	Ebb	14	28	2.0
08/29/2017	Regulatory	11:39	Flood	16	29	1.7
10/10/2017	Regulatory	10:17	Flood	13	29	1.7
12/12/2017	Regulatory	09:48	Flood	8	29	1.7
01/23/2018	Regulatory	09:55	Flood	8	24	2.0
03/06/2018	Regulatory	09:56	Ebb	7	28	1.7
05/03/2018	Regulatory	09:22	Ebb	12	27	4.0
08/01/2018	Regulatory	09:22	Flood	16	29	4.5
09/13/2018	Regulatory	09:26	Flood	15	29	2.0
11/14/2018	Regulatory	10:03	Flood	11	30	1.8
02/28/2019	Regulatory	10:00	Flood	6	27	1.7
04/25/2019	Regulatory	09:52	Flood	12	28	1.7
06/25/2019	Regulatory	10:48	Flood	17	29	1.7
08/21/2019	Regulatory	09:41	Flood	17	29	4.5
10/16/2019	Regulatory	10:57	Ebb	14	29	4.5
12/18/2019	Regulatory	11:05	Flood	10	29	1.7
02/18/2020	Regulatory	12:44	Flood	9	27	1.7
03/30/2020	Regulatory	10:24	Ebb	9	27	33.0
05/05/2020	Regulatory	16:06	Flood	16	28	1.7
07/14/2020	Regulatory	15:04	Flood	22	28	1.7
09/10/2020	Regulatory	10:50	Flood	18	29	1.7
11/17/2020	Regulatory	09:21	Ebb	11	28	21.0
02/16/2021	Regulatory	10:02	Ebb	9	25	1.7
04/20/2021	Regulatory	10:42	Flood	14	26	2.0
06/15/2021	Regulatory	09:16	Ebb	14	28	130.0
08/03/2021	Regulatory	14:05	Flood	21	27	1.7

**Station: 204****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 6.8****GeoMean (FC/100 mL): 2.5****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	10:00	Flood	10	28	2.0
01/03/2017	Regulatory	10:03	Ebb	7	28	1.7
03/06/2017	Regulatory	09:56	Flood	8	27	2.0
05/17/2017	Regulatory	09:33	Flood	11	24	1.7
06/28/2017	Regulatory	10:34	Ebb	14	28	1.7
08/29/2017	Regulatory	11:37	Flood	16	28	2.0
10/10/2017	Regulatory	10:15	Flood	13	29	2.0
12/12/2017	Regulatory	09:50	Flood	8	28	2.0
01/23/2018	Regulatory	09:57	Flood	8	26	1.7
03/06/2018	Regulatory	09:58	Ebb	7	28	2.0
05/03/2018	Regulatory	09:25	Ebb	12	27	1.7
08/01/2018	Regulatory	09:26	Ebb	16	29	4.5
09/13/2018	Regulatory	09:29	Flood	15	29	2.0
11/14/2018	Regulatory	10:05	Flood	11	30	1.8
02/28/2019	Regulatory	10:03	Flood	7	27	1.7
04/25/2019	Regulatory	09:54	Flood	12	28	2.0
06/25/2019	Regulatory	10:50	Flood	17	29	1.7
08/21/2019	Regulatory	09:43	Flood	17	29	9.3
10/16/2019	Regulatory	10:54	Ebb	13	29	1.7
12/18/2019	Regulatory	11:02	Flood	9	29	1.7
02/18/2020	Regulatory	12:42	Flood	9	27	1.7
03/30/2020	Regulatory	10:22	Ebb	9	28	4.0
05/05/2020	Regulatory	16:08	Flood	14	28	1.7
07/14/2020	Regulatory	15:07	Flood	21	28	1.7
09/10/2020	Regulatory	10:48	Flood	18	29	1.7
11/17/2020	Regulatory	09:23	Ebb	11	27	33.0
02/16/2021	Regulatory	10:00	Ebb	9	24	2.0
04/20/2021	Regulatory	10:44	Flood	14	26	1.7
06/15/2021	Regulatory	09:18	Ebb	14	27	33.0
08/03/2021	Regulatory	14:04	Flood	21	27	1.7



**Station: 205****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 49.0****E90th (FC/100 mL): 15.8****GeoMean (FC/100 mL): 4.3****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	10:34	Ebb	8	29	2.0
01/03/2017	Regulatory	10:56	Ebb	7	28	1.8
03/06/2017	Regulatory	10:37	Flood	7	26	2.0
05/17/2017	Regulatory	10:21	Flood	11	19	4.5
06/28/2017	Regulatory	09:44	Ebb	15	27	13.0
08/29/2017	Regulatory	10:39	Flood	18	27	2.0
10/10/2017	Regulatory	09:32	Flood	13	28	1.7
12/12/2017	Regulatory	10:35	Flood	7	26	4.5
01/23/2018	Regulatory	10:43	Ebb	8	27	2.0
03/06/2018	Regulatory	10:55	Ebb	7	27	1.7
05/03/2018	Regulatory	10:14	Ebb	13	25	1.7
08/01/2018	Regulatory	10:15	Ebb	18	28	13.0
09/13/2018	Regulatory	10:29	Ebb	15	29	7.8
11/14/2018	Regulatory	10:56	Flood	10	29	2.0
02/28/2019	Regulatory	10:57	Flood	6	26	1.7
04/25/2019	Regulatory	10:39	Ebb	12	26	1.7
06/25/2019	Regulatory	11:38	Flood	17	28	11.0
08/21/2019	Regulatory	10:28	Flood	18	29	7.8
10/16/2019	Regulatory	11:02	Ebb	14	29	1.7
12/18/2019	Regulatory	10:05	Flood	9	29	4.5
02/18/2020	Regulatory	11:42	Flood	9	26	11.0
03/30/2020	Regulatory	09:25	Flood	9	27	7.8
05/05/2020	Regulatory	17:03	Flood	16	28	17.0
07/14/2020	Regulatory	16:01	Ebb	22	28	1.7
09/10/2020	Regulatory	10:00	Flood	18	29	4.0
11/17/2020	Regulatory	10:15	Ebb	10	25	49.0
02/16/2021	Regulatory	09:13	Ebb	8	22	23.0
04/20/2021	Regulatory	11:37	Flood	15	25	1.7
06/15/2021	Regulatory	10:08	Ebb	16	27	22.0
08/03/2021	Regulatory	13:06	Flood	19	28	2.0

**Station: 206****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 6.6****GeoMean (FC/100 mL): 2.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	09:55	Flood	10	28	2.0
01/03/2017	Regulatory	09:58	Flood	8	28	1.7
03/06/2017	Regulatory	09:52	Flood	8	27	1.7
05/17/2017	Regulatory	09:29	Flood	11	25	1.8
06/28/2017	Regulatory	10:38	Ebb	14	28	2.0
08/29/2017	Regulatory	11:42	Flood	16	29	1.7
10/10/2017	Regulatory	10:19	Flood	13	29	1.7
12/12/2017	Regulatory	09:46	Flood	8	28	2.0
01/23/2018	Regulatory	09:53	Flood	8	26	1.7
03/06/2018	Regulatory	09:54	Ebb	7	28	1.7
05/03/2018	Regulatory	09:21	Ebb	12	27	6.8
08/01/2018	Regulatory	09:20	Flood	16	29	14.0
09/13/2018	Regulatory	09:23	Flood	15	30	1.7
11/14/2018	Regulatory	10:00	Flood	11	30	4.0
02/28/2019	Regulatory	09:56	Flood	7	27	1.7
04/25/2019	Regulatory	09:49	Flood	12	28	1.7
06/25/2019	Regulatory	10:46	Flood	17	29	2.0
08/21/2019	Regulatory	09:39	Flood	17	29	2.0
10/16/2019	Regulatory	11:39	Ebb	14	29	1.7
12/18/2019	Regulatory	11:09	Flood	10	30	1.7
02/18/2020	Regulatory	12:47	Flood	9	27	1.7
03/30/2020	Regulatory	10:26	Ebb	9	28	2.0
05/05/2020	Regulatory	16:03	Flood	14	28	1.7
07/14/2020	Regulatory	15:02	Flood	21	28	1.7
09/10/2020	Regulatory	10:52	Flood	18	29	2.0
11/17/2020	Regulatory	09:19	Ebb	11	27	17.0
02/16/2021	Regulatory	10:04	Ebb	9	25	1.7
04/20/2021	Regulatory	10:40	Flood	14	26	1.7
06/15/2021	Regulatory	09:14	Ebb	14	27	33.0
08/03/2021	Regulatory	14:08	Flood	22	27	1.7

**Station: 207****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 79.0****E90th (FC/100 mL): 8.7****GeoMean (FC/100 mL): 2.8****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	10:43	Ebb	8	30	2.0
01/03/2017	Regulatory	11:08	Ebb	8	29	1.7
03/06/2017	Regulatory	10:46	Flood	7	27	1.8
05/17/2017	Regulatory	10:31	Ebb	11	25	4.5
06/28/2017	Regulatory	09:31	Flood	13	28	7.8
08/29/2017	Regulatory	10:25	Flood	17	29	2.0
10/10/2017	Regulatory	09:19	Flood	13	29	1.7
12/12/2017	Regulatory	10:45	Flood	8	29	1.7
01/23/2018	Regulatory	10:53	Ebb	8	28	4.0
03/06/2018	Regulatory	11:05	Ebb	7	28	1.8
05/03/2018	Regulatory	10:26	Ebb	12	27	1.7
08/01/2018	Regulatory	10:24	Ebb	17	28	2.0
09/13/2018	Regulatory	10:40	Ebb	14	30	1.7
11/14/2018	Regulatory	11:06	Flood	10	30	1.7
02/28/2019	Regulatory	11:07	Flood	8	28	1.7
04/25/2019	Regulatory	10:48	Ebb	11	27	1.7
06/25/2019	Regulatory	11:50	Flood	16	29	1.7
08/21/2019	Regulatory	10:38	Flood	18	29	13.0
10/16/2019	Regulatory	11:14	Ebb	14	29	1.7
12/18/2019	Regulatory	09:55	Flood	10	30	1.7
02/18/2020	Regulatory	11:33	Flood	9	28	1.7
03/30/2020	Regulatory	09:14	Flood	9	28	7.8
05/05/2020	Regulatory	17:13	Flood	13	29	1.7
07/14/2020	Regulatory	16:11	Ebb	20	28	1.7
09/10/2020	Regulatory	09:50	Flood	16	29	1.7
11/17/2020	Regulatory	10:24	Ebb	11	28	7.8
02/16/2021	Regulatory	09:02	Flood	8	22	9.3
04/20/2021	Regulatory	11:47	Flood	15	25	1.7
06/15/2021	Regulatory	10:17	Ebb	16	26	79.0
08/03/2021	Regulatory	12:55	Flood	17	28	1.7

**Station: 208****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 110.0****E90th (FC/100 mL): 23.2****GeoMean (FC/100 mL): 4.3****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	09:53	Flood	10	28	1.8
01/03/2017	Regulatory	09:55	Flood	6	28	1.7
03/06/2017	Regulatory	09:49	Flood	8	27	11.0
05/17/2017	Regulatory	09:26	Flood	11	26	2.0
06/28/2017	Regulatory	10:40	Ebb	14	28	17.0
08/29/2017	Regulatory	11:45	Flood	16	29	1.7
10/10/2017	Regulatory	10:21	Flood	13	26	33.0
12/12/2017	Regulatory	09:42	Flood	8	29	4.5
01/23/2018	Regulatory	09:51	Flood	7	18	14.0
03/06/2018	Regulatory	09:51	Ebb	7	28	1.7
05/03/2018	Regulatory	09:17	Ebb	13	27	1.7
08/01/2018	Regulatory	09:17	Flood	16	29	7.8
09/13/2018	Regulatory	09:21	Flood	14	29	110.0
11/14/2018	Regulatory	09:57	Flood	11	30	2.0
02/28/2019	Regulatory	09:52	Flood	7	27	1.7
04/25/2019	Regulatory	09:47	Flood	11	28	1.7
06/25/2019	Regulatory	10:43	Flood	16	29	1.7
08/21/2019	Regulatory	09:37	Flood	18	29	1.7
10/16/2019	Regulatory	11:35	Ebb	14	29	49.0
12/18/2019	Regulatory	11:12	Flood	10	30	2.0
02/18/2020	Regulatory	12:51	Flood	9	27	1.7
03/30/2020	Regulatory	10:28	Ebb	9	28	17.0
05/05/2020	Regulatory	16:02	Flood	15	28	1.7
07/14/2020	Regulatory	14:59	Flood	21	28	1.7
09/10/2020	Regulatory	10:56	Flood	18	29	1.7
11/17/2020	Regulatory	09:15	Ebb	11	28	79.0
02/16/2021	Regulatory	10:06	Ebb	9	25	2.0
04/20/2021	Regulatory	10:37	Flood	13	27	1.7
06/15/2021	Regulatory	09:12	Ebb	14	28	6.8
08/03/2021	Regulatory	14:10	Flood	22	27	1.7

**Station: 209****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 7.8****E90th (FC/100 mL): 3.5****GeoMean (FC/100 mL): 2.0****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	09:50	Flood	10	26	1.7
01/03/2017	Regulatory	09:53	Flood	8	28	1.7
03/06/2017	Regulatory	09:47	Flood	8	28	1.8
05/17/2017	Regulatory	09:23	Flood	10	26	1.7
06/28/2017	Regulatory	10:43	Ebb	13	28	2.0
08/29/2017	Regulatory	11:48	Flood	16	29	4.5
10/10/2017	Regulatory	10:24	Flood	13	29	1.7
12/12/2017	Regulatory	09:39	Flood	9	29	1.7
01/23/2018	Regulatory	09:48	Flood	7	24	1.7
03/06/2018	Regulatory	09:48	Ebb	8	28	1.7
05/03/2018	Regulatory	09:14	Ebb	11	28	1.7
08/01/2018	Regulatory	09:14	Flood	15	29	2.0
09/13/2018	Regulatory	09:17	Flood	14	28	1.7
11/14/2018	Regulatory	09:54	Flood	11	30	2.0
02/28/2019	Regulatory	09:50	Flood	7	28	1.7
04/25/2019	Regulatory	09:44	Flood	11	28	1.7
06/25/2019	Regulatory	10:41	Flood	16	29	1.7
08/21/2019	Regulatory	09:35	Flood	17	29	6.8
10/16/2019	Regulatory	11:32	Ebb	14	30	1.7
12/18/2019	Regulatory	11:14	Flood	10	30	1.7
02/18/2020	Regulatory	12:54	Flood	8	27	1.7
03/30/2020	Regulatory	10:31	Ebb	9	28	7.8
05/05/2020	Regulatory	15:59	Flood	14	28	1.7
07/14/2020	Regulatory	14:57	Flood	22	28	1.7
09/10/2020	Regulatory	10:58	Flood	17	29	1.7
11/17/2020	Regulatory	09:13	Ebb	11	29	4.5
02/16/2021	Regulatory	10:10	Ebb	9	25	1.7
04/20/2021	Regulatory	10:35	Flood	13	27	1.7
06/15/2021	Regulatory	09:10	Ebb	14	29	2.0
08/03/2021	Regulatory	14:13	Flood	21	28	1.7

**Station: 698****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 6.8****E90th (FC/100 mL): 2.8****GeoMean (FC/100 mL): 1.9****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	09:48	Flood	10	21	1.7
01/03/2017	Regulatory	09:49	Flood	8	29	2.0
03/06/2017	Regulatory	09:44	Flood	8	27	1.7
05/17/2017	Regulatory	09:21	Flood	11	26	1.7
06/28/2017	Regulatory	10:46	Ebb	13	28	2.0
08/29/2017	Regulatory	11:52	Flood	16	29	1.7
10/10/2017	Regulatory	10:27	Flood	13	29	1.7
12/12/2017	Regulatory	09:35	Flood	9	28	1.7
01/23/2018	Regulatory	09:45	Flood	8	27	1.7
03/06/2018	Regulatory	09:45	Ebb	8	28	1.7
05/03/2018	Regulatory	09:09	Ebb	11	28	1.7
08/01/2018	Regulatory	09:11	Flood	15	28	1.7
09/13/2018	Regulatory	09:14	Flood	14	29	1.7
11/14/2018	Regulatory	09:50	Flood	11	30	6.8
02/28/2019	Regulatory	09:47	Flood	7	28	1.7
04/25/2019	Regulatory	09:41	Flood	11	28	1.7
06/25/2019	Regulatory	10:38	Flood	15	29	1.7
08/21/2019	Regulatory	09:32	Flood	16	30	2.0
10/16/2019	Regulatory	11:28	Ebb	14	30	2.0
12/18/2019	Regulatory	11:17	Flood	10	30	1.7
02/18/2020	Regulatory	12:57	Flood	9	28	1.7
03/30/2020	Regulatory	10:34	Ebb	9	28	4.5
05/05/2020	Regulatory	15:56	Flood	13	28	1.7
07/14/2020	Regulatory	14:53	Flood	17	29	1.7
09/10/2020	Regulatory	11:01	Flood	17	29	1.7
11/17/2020	Regulatory	09:10	Ebb	11	29	2.0
02/16/2021	Regulatory	10:13	Ebb	9	25	1.7
04/20/2021	Regulatory	10:32	Flood	12	27	1.7
06/15/2021	Regulatory	09:07	Ebb	14	29	2.0
08/03/2021	Regulatory	14:15	Flood	20	28	1.7

**Station: 723****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 79.0****E90th (FC/100 mL): 13.1****GeoMean (FC/100 mL): 3.2****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	10:40	Ebb	8	29	4.5
01/03/2017	Regulatory	11:04	Ebb	7	28	1.7
03/06/2017	Regulatory	10:43	Flood	7	26	2.0
05/17/2017	Regulatory	10:28	Flood	11	24	6.8
06/28/2017	Regulatory	09:35	Ebb	15	27	13.0
08/29/2017	Regulatory	10:30	Flood	18	28	1.7
10/10/2017	Regulatory	09:23	Flood	13	27	1.7
12/12/2017	Regulatory	10:42	Flood	8	28	2.0
01/23/2018	Regulatory	10:49	Ebb	8	25	4.5
03/06/2018	Regulatory	11:03	Ebb	7	27	1.7
05/03/2018	Regulatory	10:23	Ebb	13	26	4.0
08/01/2018	Regulatory	10:21	Ebb	17	29	2.0
09/13/2018	Regulatory	10:36	Ebb	14	30	2.0
11/14/2018	Regulatory	11:03	Flood	10	30	2.0
02/28/2019	Regulatory	11:05	Flood	7	27	1.7
04/25/2019	Regulatory	10:45	Ebb	11	26	1.7
06/25/2019	Regulatory	11:44	Flood	17	28	1.7
08/21/2019	Regulatory	10:35	Flood	18	28	1.7
10/16/2019	Regulatory	11:10	Ebb	14	29	1.7
12/18/2019	Regulatory	09:59	Flood	10	30	1.7
02/18/2020	Regulatory	11:36	Flood	9	28	1.7
03/30/2020	Regulatory	09:17	Flood	9	27	17.0
05/05/2020	Regulatory	17:10	Flood	13	28	1.7
07/14/2020	Regulatory	16:08	Ebb	19	28	1.7
09/10/2020	Regulatory	09:54	Flood	17	29	1.7
11/17/2020	Regulatory	10:21	Ebb	10	27	23.0
02/16/2021	Regulatory	09:06	Flood	8	22	49.0
04/20/2021	Regulatory	11:43	Flood	15	24	1.7
06/15/2021	Regulatory	10:14	Ebb	16	25	79.0
08/03/2021	Regulatory	12:58	Flood	18	28	1.7

**Station: 724****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 220.0****E90th (FC/100 mL): 17.2****GeoMean (FC/100 mL): 3.8****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	10:37	Ebb	8	30	1.8
01/03/2017	Regulatory	11:00	Ebb	7	28	4.5
03/06/2017	Regulatory	10:40	Flood	7	26	7.8
05/17/2017	Regulatory	10:24	Flood	11	24	11.0
06/28/2017	Regulatory	09:39	Ebb	15	27	14.0
08/29/2017	Regulatory	10:35	Flood	18	27	6.8
10/10/2017	Regulatory	09:28	Flood	13	29	4.0
12/12/2017	Regulatory	10:39	Flood	6	26	11.0
01/23/2018	Regulatory	10:46	Ebb	8	28	1.7
03/06/2018	Regulatory	10:59	Ebb	6	27	1.7
05/03/2018	Regulatory	10:19	Ebb	13	24	1.7
08/01/2018	Regulatory	10:18	Ebb	18	28	1.7
09/13/2018	Regulatory	10:33	Ebb	14	29	2.0
11/14/2018	Regulatory	11:00	Flood	10	30	13.0
02/28/2019	Regulatory	11:01	Flood	6	27	1.7
04/25/2019	Regulatory	10:42	Ebb	12	25	1.7
06/25/2019	Regulatory	11:41	Flood	17	28	1.7
08/21/2019	Regulatory	10:32	Flood	18	28	7.8
10/16/2019	Regulatory	11:07	Ebb	14	29	2.0
12/18/2019	Regulatory	10:01	Flood	10	29	1.7
02/18/2020	Regulatory	11:39	Flood	9	27	1.7
03/30/2020	Regulatory	09:20	Flood	9	27	2.0
05/05/2020	Regulatory	17:07	Flood	14	28	1.7
07/14/2020	Regulatory	16:05	Ebb	21	28	1.7
09/10/2020	Regulatory	09:57	Flood	18	29	1.7
11/17/2020	Regulatory	10:18	Ebb	10	25	220.0
02/16/2021	Regulatory	09:09	Flood	8	23	17.0
04/20/2021	Regulatory	11:41	Flood	16	24	1.7
06/15/2021	Regulatory	10:11	Ebb	16	26	23.0
08/03/2021	Regulatory	13:01	Flood	19	28	1.7



**Station: 767****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 4.5****E90th (FC/100 mL): 3.0****GeoMean (FC/100 mL): 2.0****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	09:45	Flood	10	27	1.7
01/03/2017	Regulatory	09:45	Flood	8	29	1.7
03/06/2017	Regulatory	09:41	Flood	8	27	1.7
05/17/2017	Regulatory	09:17	Flood	11	26	1.8
06/28/2017	Regulatory	10:50	Ebb	13	28	2.0
08/29/2017	Regulatory	11:56	Flood	16	29	1.7
10/10/2017	Regulatory	10:30	Flood	13	30	1.7
12/12/2017	Regulatory	09:30	Flood	9	28	1.7
01/23/2018	Regulatory	09:41	Flood	8	27	4.5
03/06/2018	Regulatory	09:40	Ebb	8	28	1.7
05/03/2018	Regulatory	09:06	Ebb	10	28	1.7
08/01/2018	Regulatory	09:08	Flood	15	29	1.7
09/13/2018	Regulatory	09:11	Flood	15	29	1.7
11/14/2018	Regulatory	09:46	Flood	11	30	2.0
02/28/2019	Regulatory	09:43	Flood	8	28	1.7
04/25/2019	Regulatory	09:35	Flood	11	28	1.7
06/25/2019	Regulatory	10:35	Flood	16	29	2.0
08/21/2019	Regulatory	09:23	Flood	16	29	1.7
10/16/2019	Regulatory	11:23	Ebb	14	30	4.5
12/18/2019	Regulatory	11:20	Flood	10	30	2.0
02/18/2020	Regulatory	13:01	Flood	9	28	1.7
03/30/2020	Regulatory	10:36	Ebb	9	28	4.0
05/05/2020	Regulatory	15:53	Flood	15	28	1.7
07/14/2020	Regulatory	14:50	Flood	20	28	1.7
09/10/2020	Regulatory	11:04	Flood	16	29	4.5
11/17/2020	Regulatory	09:03	Ebb	11	29	1.7
02/16/2021	Regulatory	10:16	Ebb	9	25	1.7
04/20/2021	Regulatory	10:29	Flood	11	27	1.7
06/15/2021	Regulatory	09:00	Flood	14	29	1.7
08/03/2021	Regulatory	14:19	Flood	19	28	1.7

**Station: 825****Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 08/03/2021****Range (FC/100 mL): 1.7 - 14.0****E90th (FC/100 mL): 4.9****GeoMean (FC/100 mL): 2.3****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	09:43	Flood	10	27	7.8
01/03/2017	Regulatory	09:43	Flood	8	29	1.7
03/06/2017	Regulatory	09:39	Flood	8	27	1.7
05/17/2017	Regulatory	09:12	Flood	11	24	1.7
06/28/2017	Regulatory	10:52	Ebb	13	29	1.7
08/29/2017	Regulatory	11:58	Flood	16	29	1.7
10/10/2017	Regulatory	10:31	Flood	13	29	1.7
12/12/2017	Regulatory	09:28	Flood	9	29	1.8
01/23/2018	Regulatory	09:38	Flood	8	25	2.0
03/06/2018	Regulatory	09:36	Ebb	8	28	1.7
05/03/2018	Regulatory	09:02	Ebb	11	28	1.7
08/01/2018	Regulatory	09:05	Flood	15	29	1.7
09/13/2018	Regulatory	09:06	Flood	15	29	2.0
11/14/2018	Regulatory	09:43	Flood	11	29	1.7
02/28/2019	Regulatory	09:39	Flood	7	28	1.7
04/25/2019	Regulatory	09:31	Flood	11	28	1.7
06/25/2019	Regulatory	10:32	Flood	14	29	2.0
08/21/2019	Regulatory	09:20	Flood	16	29	1.7
10/16/2019	Regulatory	11:21	Ebb	14	30	6.8
12/18/2019	Regulatory	11:22	Flood	10	30	1.7
02/18/2020	Regulatory	13:03	Flood	9	28	1.7
03/30/2020	Regulatory	10:39	Ebb	9	28	4.5
05/05/2020	Regulatory	15:51	Flood	14	28	1.7
07/14/2020	Regulatory	14:48	Flood	19	28	1.7
09/10/2020	Regulatory	11:06	Flood	17	29	2.0
11/17/2020	Regulatory	09:06	Ebb	11	28	11.0
02/16/2021	Regulatory	10:18	Ebb	9	24	14.0
04/20/2021	Regulatory	10:26	Flood	12	28	1.7
06/15/2021	Regulatory	09:02	Flood	14	29	1.7
08/03/2021	Regulatory	14:21	Flood	20	28	1.7

**Station: 185****Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 540.0****E90th (FC/100 mL): 132.8****GeoMean (FC/100 mL): 13.7****Meets Standard: N**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:32	Flood	6	18	1.8
03/12/2019	Regulatory	10:18	Ebb	8	20	12.0
04/25/2019	Regulatory	10:18	Flood	13	24	11.0
05/09/2019	Regulatory	09:39	Ebb	16	22	1.7
06/25/2019	Regulatory	11:14	Flood	18	27	4.5
07/08/2019	Regulatory	10:26	Flood	16	27	33.0
08/21/2019	Regulatory	10:07	Flood	18	25	31.0
09/17/2019	Regulatory	09:12	Ebb	15	25	33.0
10/16/2019	Regulatory	09:54	Ebb	13	27	17.0
11/07/2019	Regulatory	11:09	Flood	11	27	11.0
12/18/2019	Regulatory	10:29	Flood	9	24	17.0
02/03/2020	Regulatory	12:01	Flood	8	8	11.0
02/18/2020	Regulatory	12:09	Flood	8	24	2.0
03/30/2020	Regulatory	09:54	Flood	10	16	240.0
05/05/2020	Regulatory	16:37	Flood	17	25	1.7
06/03/2020	Regulatory	14:54	Flood	17	26	4.5
07/14/2020	Regulatory	15:39	Ebb	23	26	2.0
08/11/2020	Regulatory	11:03	Flood	18	28	2.0
09/10/2020	Regulatory	10:20	Flood	18	28	4.5
10/19/2020	Regulatory	12:15	Ebb	14	24	130.0
11/17/2020	Regulatory	09:55	Ebb	10	19	350.0
12/03/2020	Regulatory	11:22	Ebb	9	24	7.8
01/06/2021	Regulatory	12:08	Ebb	8	8	110.0
02/16/2021	Regulatory	09:34	Ebb	7	11	130.0
03/03/2021	Regulatory	11:08	Ebb	9	17	1.8
04/20/2021	Regulatory	11:13	Flood	16	18	13.0
05/17/2021	Regulatory	10:45	Ebb	17	20	130.0
06/15/2021	Regulatory	09:47	Ebb	16	13	540.0
07/06/2021	Regulatory	15:15	Flood	19	28	1.7
08/03/2021	Regulatory	13:38	Flood	21	26	6.8

**Station: 186****Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 01/02/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 240.0****E90th (FC/100 mL): 62.6****GeoMean (FC/100 mL): 9.5****Meets Standard: N**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
01/02/2019	Regulatory	09:50	Flood	6	20	23.0
03/12/2019	Regulatory	10:23	Ebb	8	25	4.5
04/25/2019	Regulatory	10:21	Flood	13	23	1.7
05/09/2019	Regulatory	09:42	Ebb	15	25	4.5
06/25/2019	Regulatory	11:18	Flood	18	26	11.0
07/08/2019	Regulatory	10:30	Flood	16	27	110.0
08/21/2019	Regulatory	10:10	Flood	18	29	7.8
09/17/2019	Regulatory	09:10	Ebb	15	25	13.0
10/16/2019	Regulatory	10:00	Ebb	13	27	7.8
11/07/2019	Regulatory	11:03	Flood	12	28	17.0
12/18/2019	Regulatory	10:25	Flood	9	29	1.8
02/03/2020	Regulatory	11:58	Flood	7	6	4.5
02/18/2020	Regulatory	12:06	Flood	8	24	2.0
03/30/2020	Regulatory	09:51	Flood	9	22	170.0
05/05/2020	Regulatory	16:41	Flood	16	27	1.7
06/03/2020	Regulatory	14:58	Flood	16	26	4.5
07/14/2020	Regulatory	15:36	Ebb	21	27	2.0
08/11/2020	Regulatory	11:00	Flood	18	28	4.5
09/10/2020	Regulatory	10:18	Flood	18	28	2.0
10/19/2020	Regulatory	12:11	Ebb	14	28	23.0
11/17/2020	Regulatory	09:52	Ebb	10	20	170.0
12/03/2020	Regulatory	11:19	Ebb	9	25	4.5
01/06/2021	Regulatory	12:05	Ebb	8	5	46.0
02/16/2021	Regulatory	09:31	Ebb	8	16	23.0
03/03/2021	Regulatory	11:06	Ebb	9	19	7.8
04/20/2021	Regulatory	11:09	Flood	15	20	4.5
05/17/2021	Regulatory	10:41	Ebb	17	22	33.0
06/15/2021	Regulatory	09:44	Ebb	16	13	240.0
07/06/2021	Regulatory	15:12	Flood	19	28	2.0
08/03/2021	Regulatory	13:35	Flood	21	26	4.0

**Station: 188****Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 350.0****E90th (FC/100 mL): 74.9****GeoMean (FC/100 mL): 10.6****Meets Standard: N**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:40	Flood	6	26	11.0
03/12/2019	Regulatory	10:27	Ebb	8	27	46.0
04/25/2019	Regulatory	10:26	Flood	13	26	2.0
05/09/2019	Regulatory	09:46	Ebb	16	27	4.5
06/25/2019	Regulatory	11:23	Flood	18	26	33.0
07/08/2019	Regulatory	10:35	Flood	16	28	22.0
08/21/2019	Regulatory	10:14	Flood	18	29	17.0
09/17/2019	Regulatory	09:15	Ebb	15	25	23.0
10/16/2019	Regulatory	10:07	Ebb	13	27	64.0
11/07/2019	Regulatory	11:18	Flood	11	27	4.5
12/18/2019	Regulatory	10:20	Flood	9	29	1.7
02/03/2020	Regulatory	11:52	Flood	7	8	4.5
02/18/2020	Regulatory	12:00	Flood	9	25	1.7
03/30/2020	Regulatory	09:46	Flood	9	23	79.0
05/05/2020	Regulatory	16:46	Flood	16	27	1.7
06/03/2020	Regulatory	15:05	Flood	17	26	4.5
07/14/2020	Regulatory	15:46	Ebb	22	27	1.7
08/11/2020	Regulatory	11:13	Flood	18	28	9.3
09/10/2020	Regulatory	10:13	Flood	18	28	2.0
10/19/2020	Regulatory	12:24	Ebb	14	29	7.8
11/17/2020	Regulatory	10:02	Ebb	10	17	350.0
12/03/2020	Regulatory	11:28	Ebb	8	24	7.8
01/06/2021	Regulatory	12:28	Ebb	8	7	49.0
02/16/2021	Regulatory	09:27	Ebb	8	20	130.0
03/03/2021	Regulatory	11:14	Ebb	9	16	33.0
04/20/2021	Regulatory	11:22	Flood	16	21	1.7
05/17/2021	Regulatory	10:36	Ebb	15	24	13.0
06/15/2021	Regulatory	09:54	Ebb	16	23	79.0
07/06/2021	Regulatory	15:22	Flood	18	29	4.5
08/03/2021	Regulatory	13:30	Flood	21	27	1.8

**Station: 212****Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 240.0****E90th (FC/100 mL): 58.0****GeoMean (FC/100 mL): 7.8****Meets Standard: N**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:38	Flood	6	23	1.7
03/12/2019	Regulatory	10:26	Ebb	8	27	2.0
04/25/2019	Regulatory	10:24	Flood	13	25	2.0
05/09/2019	Regulatory	09:44	Ebb	16	27	13.0
06/25/2019	Regulatory	11:21	Flood	18	24	13.0
07/08/2019	Regulatory	10:33	Flood	16	27	49.0
08/21/2019	Regulatory	10:12	Flood	18	29	4.5
09/17/2019	Regulatory	09:14	Ebb	15	27	17.0
10/16/2019	Regulatory	10:05	Ebb	13	27	2.0
11/07/2019	Regulatory	11:16	Flood	11	27	17.0
12/18/2019	Regulatory	10:22	Flood	9	29	6.8
02/03/2020	Regulatory	11:55	Flood	7	5	4.5
02/18/2020	Regulatory	12:02	Flood	8	25	4.5
03/30/2020	Regulatory	09:47	Flood	9	24	79.0
05/05/2020	Regulatory	16:44	Flood	16	27	1.7
06/03/2020	Regulatory	15:03	Flood	16	27	2.0
07/14/2020	Regulatory	15:44	Ebb	22	27	1.7
08/11/2020	Regulatory	11:11	Flood	19	28	2.0
09/10/2020	Regulatory	10:15	Flood	18	28	4.5
10/19/2020	Regulatory	12:21	Ebb	14	28	79.0
11/17/2020	Regulatory	09:59	Ebb	10	23	240.0
12/03/2020	Regulatory	11:27	Ebb	9	20	7.8
01/06/2021	Regulatory	12:24	Ebb	8	14	130.0
02/16/2021	Regulatory	09:28	Ebb	8	19	11.0
03/03/2021	Regulatory	11:12	Ebb	9	16	1.7
04/20/2021	Regulatory	11:20	Flood	16	21	1.7
05/17/2021	Regulatory	10:38	Ebb	16	22	33.0
06/15/2021	Regulatory	09:52	Ebb	16	26	110.0
07/06/2021	Regulatory	15:21	Flood	19	28	1.7
08/03/2021	Regulatory	13:32	Flood	20	27	1.7

**Station: 189****Classification: Restricted****Method: SRS****Total Samples: 30****Date Range: 02/28/2019 - 08/03/2021****Range (FC/100 mL): 1.7 - 350.0****E90th (FC/100 mL): 53.3****GeoMean (FC/100 mL): 7.1****Meets Standard: N**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
02/28/2019	Regulatory	10:42	Flood	6	22	1.8
03/12/2019	Regulatory	10:29	Ebb	8	27	4.0
04/25/2019	Regulatory	10:28	Flood	13	25	4.5
05/09/2019	Regulatory	09:48	Ebb	15	26	1.7
06/25/2019	Regulatory	11:26	Flood	17	28	4.0
07/08/2019	Regulatory	10:37	Flood	16	28	13.0
08/21/2019	Regulatory	10:16	Flood	18	28	17.0
09/17/2019	Regulatory	09:17	Ebb	15	25	7.8
10/16/2019	Regulatory	10:14	Ebb	13	27	13.0
11/07/2019	Regulatory	10:54	Flood	12	29	7.8
12/18/2019	Regulatory	10:17	Flood	9	29	2.0
02/03/2020	Regulatory	11:50	Flood	7	10	1.7
02/18/2020	Regulatory	11:58	Flood	9	24	1.7
03/30/2020	Regulatory	09:42	Flood	9	25	170.0
05/05/2020	Regulatory	16:49	Flood	16	27	1.7
06/03/2020	Regulatory	15:08	Flood	15	27	1.7
07/14/2020	Regulatory	15:49	Ebb	22	27	1.7
08/11/2020	Regulatory	11:15	Flood	19	28	1.7
09/10/2020	Regulatory	10:11	Flood	18	28	1.7
10/19/2020	Regulatory	12:26	Ebb	14	28	33.0
11/17/2020	Regulatory	10:04	Ebb	10	24	350.0
12/03/2020	Regulatory	11:13	Ebb	10	24	13.0
01/06/2021	Regulatory	12:31	Ebb	8	13	130.0
02/16/2021	Regulatory	09:25	Ebb	8	18	33.0
03/03/2021	Regulatory	11:16	Ebb	9	23	6.1
04/20/2021	Regulatory	11:24	Flood	16	24	1.7
05/17/2021	Regulatory	10:34	Ebb	16	24	17.0
06/15/2021	Regulatory	09:57	Ebb	16	24	79.0
07/06/2021	Regulatory	15:25	Flood	18	29	4.0
08/03/2021	Regulatory	13:28	Flood	21	26	2.0