

Marine Water Quality Summary

Growing Area: Nisqually Reach

Station: 222

Classification: Approved

Method: SRS

Total Samples: 30

Date Range: 12/05/2016 - 07/06/2021

Range (FC/100 mL): 1.7 - 49.0

E90th (FC/100 mL): 11.0

GeoMean (FC/100 mL): 3.1

Meets Standard: Y

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	11:11	Ebb	8	31	4.0
01/03/2017	Regulatory	11:46	Ebb	7	27	4.5
03/06/2017	Regulatory	11:18	Flood	8	26	1.7
05/17/2017	Regulatory	11:15	Ebb	10	27	1.7
07/13/2017	Regulatory	10:22	Ebb	14	28	49.0
09/12/2017	Regulatory	10:59	Flood	15	28	2.0
11/06/2017	Regulatory	10:55	Ebb	10	29	4.5
02/05/2018	Regulatory	10:58	Ebb	8	29	1.7
06/04/2018	Regulatory	10:28	Ebb	12	28	1.7
06/18/2018	Regulatory	11:04	Ebb	14	27	33.0
08/29/2018	Regulatory	10:10	Ebb	14	30	1.7
10/01/2018	Regulatory	10:58	Flood	14	29	1.7
12/04/2018	Regulatory	12:12	Flood	8	24	4.5
12/04/2018	Regulatory	13:08	Flood	10	30	1.7
01/02/2019	Regulatory	10:45	Flood	9	29	1.7
03/12/2019	Regulatory	11:11	Ebb	8	28	1.8
05/09/2019	Regulatory	10:32	Ebb	12	28	49.0
07/08/2019	Regulatory	12:07	Ebb	14	29	1.7
09/17/2019	Regulatory	09:50	Ebb	15	30	7.8
11/07/2019	Regulatory	11:54	Flood	12	28	2.0
02/03/2020	Regulatory	10:02	Flood	8	26	4.5
04/13/2020	Regulatory	10:15	Ebb	9	28	1.7
06/03/2020	Regulatory	15:56	Flood	14	28	1.7
08/11/2020	Regulatory	12:00	Flood	16	29	1.7
10/19/2020	Regulatory	09:42	Ebb	13	29	1.7
12/03/2020	Regulatory	09:09	Ebb	11	26	2.0
01/06/2021	Regulatory	09:51	Flood	9	24	4.5
03/03/2021	Regulatory	09:01	Ebb	9	25	1.7
05/17/2021	Regulatory	08:25	Flood	11	26	2.0
07/06/2021	Regulatory	16:05	Flood	17	29	1.7

Station: 223**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 23.0****E90th (FC/100 mL): 7.1****GeoMean (FC/100 mL): 2.7****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:23	Ebb	13	30	1.7
12/05/2016	Regulatory	11:13	Ebb	9	25	4.5
01/03/2017	Regulatory	11:48	Ebb	7	28	1.7
03/06/2017	Regulatory	11:20	Flood	8	27	1.7
05/17/2017	Regulatory	11:17	Ebb	10	26	2.0
07/13/2017	Regulatory	10:24	Ebb	14	28	1.7
09/12/2017	Regulatory	11:02	Flood	15	27	1.7
11/06/2017	Regulatory	10:57	Ebb	11	29	11.0
02/05/2018	Regulatory	11:01	Ebb	8	27	1.7
06/04/2018	Regulatory	10:31	Ebb	12	28	1.7
06/18/2018	Regulatory	11:06	Ebb	14	27	1.7
08/29/2018	Regulatory	10:12	Ebb	15	30	17.0
10/01/2018	Regulatory	11:01	Flood	14	30	11.0
12/04/2018	Regulatory	12:16	Flood	8	23	2.0
01/02/2019	Regulatory	10:48	Flood	9	29	7.8
03/12/2019	Regulatory	11:13	Ebb	8	25	2.0
05/09/2019	Regulatory	10:34	Ebb	12	28	2.0
07/08/2019	Regulatory	12:05	Ebb	14	29	1.7
09/17/2019	Regulatory	09:52	Ebb	15	30	23.0
11/07/2019	Regulatory	11:57	Flood	12	27	4.0
02/03/2020	Regulatory	10:06	Flood	8	25	1.8
04/13/2020	Regulatory	10:13	Ebb	9	28	1.7
06/03/2020	Regulatory	15:59	Flood	15	28	1.7
08/11/2020	Regulatory	12:02	Flood	16	29	1.7
10/19/2020	Regulatory	09:45	Ebb	13	30	1.7
12/03/2020	Regulatory	09:12	Ebb	11	26	1.7
01/06/2021	Regulatory	09:53	Flood	9	25	2.0
03/03/2021	Regulatory	09:03	Ebb	9	25	2.0
05/17/2021	Regulatory	08:28	Flood	11	26	2.0
07/06/2021	Regulatory	16:08	Flood	17	29	2.0

Station: 225**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 13.0****E90th (FC/100 mL): 4.6****GeoMean (FC/100 mL): 2.3****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:30	Ebb	13	30	2.0
12/05/2016	Regulatory	11:21	Ebb	10	30	1.7
01/03/2017	Regulatory	11:56	Ebb	6	27	1.7
03/06/2017	Regulatory	11:27	Flood	8	27	1.7
05/17/2017	Regulatory	11:23	Ebb	10	26	1.7
07/13/2017	Regulatory	10:32	Ebb	13	28	2.0
09/12/2017	Regulatory	11:10	Flood	15	28	1.7
11/06/2017	Regulatory	11:04	Ebb	11	30	1.8
02/05/2018	Regulatory	11:06	Ebb	8	28	2.0
06/04/2018	Regulatory	10:36	Ebb	12	28	1.7
06/18/2018	Regulatory	11:12	Ebb	13	27	4.5
08/29/2018	Regulatory	10:18	Ebb	14	30	4.5
10/01/2018	Regulatory	11:08	Flood	14	30	1.7
12/04/2018	Regulatory	12:23	Flood	8	26	4.5
01/02/2019	Regulatory	10:55	Flood	6	18	4.5
03/12/2019	Regulatory	11:20	Ebb	8	28	1.7
05/09/2019	Regulatory	10:41	Ebb	12	28	1.7
07/08/2019	Regulatory	11:59	Ebb	14	29	4.5
09/17/2019	Regulatory	10:04	Ebb	15	30	7.8
11/07/2019	Regulatory	12:07	Flood	12	26	1.7
02/03/2020	Regulatory	10:19	Flood	7	12	1.7
04/13/2020	Regulatory	10:05	Flood	10	28	1.7
06/03/2020	Regulatory	16:06	Flood	15	28	1.7
08/11/2020	Regulatory	12:10	Flood	16	29	1.7
10/19/2020	Regulatory	09:53	Ebb	13	30	1.7
12/03/2020	Regulatory	09:20	Ebb	11	27	1.7
01/06/2021	Regulatory	10:00	Flood	8	16	13.0
03/03/2021	Regulatory	09:11	Ebb	9	25	1.7
05/17/2021	Regulatory	08:37	Flood	12	26	1.7
07/06/2021	Regulatory	16:17	Flood	17	29	1.7

Station: 227**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 11.0****E90th (FC/100 mL): 3.3****GeoMean (FC/100 mL): 2.0****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:41	Ebb	13	31	1.7
12/05/2016	Regulatory	12:36	Ebb	8	31	1.7
01/03/2017	Regulatory	13:30	Ebb	8	29	1.7
03/06/2017	Regulatory	11:40	Flood	8	26	1.7
05/17/2017	Regulatory	12:47	Ebb	10	28	1.7
07/13/2017	Regulatory	11:09	Ebb	13	29	1.7
09/12/2017	Regulatory	11:23	Flood	15	29	1.7
11/06/2017	Regulatory	12:24	Ebb	9	18	11.0
02/05/2018	Regulatory	11:22	Ebb	8	30	1.7
06/04/2018	Regulatory	11:10	Ebb	12	28	1.7
06/18/2018	Regulatory	11:46	Ebb	12	28	1.7
08/29/2018	Regulatory	11:02	Ebb	14	30	2.0
10/01/2018	Regulatory	11:20	Flood	13	28	1.7
12/04/2018	Regulatory	12:35	Flood	10	31	2.0
01/02/2019	Regulatory	11:32	Flood	7	22	4.5
03/12/2019	Regulatory	11:32	Ebb	8	29	1.7
05/09/2019	Regulatory	11:15	Ebb	11	29	1.7
07/08/2019	Regulatory	11:49	Ebb	14	29	1.7
09/17/2019	Regulatory	10:41	Ebb	15	30	1.7
11/07/2019	Regulatory	12:23	Flood	12	30	1.7
02/03/2020	Regulatory	10:38	Flood	7	15	4.0
04/13/2020	Regulatory	09:17	Flood	9	20	1.7
06/03/2020	Regulatory	16:20	Flood	11	29	1.7
08/11/2020	Regulatory	13:27	Ebb	16	29	1.7
10/19/2020	Regulatory	11:10	Ebb	13	30	1.7
12/03/2020	Regulatory	10:30	Ebb	11	27	1.7
01/06/2021	Regulatory	10:15	Flood	9	26	2.0
03/03/2021	Regulatory	10:21	Ebb	9	25	1.7
05/17/2021	Regulatory	09:48	Ebb	11	26	2.0
07/06/2021	Regulatory	16:32	Flood	14	30	1.7

Station: 231**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 7.8****E90th (FC/100 mL): 4.2****GeoMean (FC/100 mL): 2.3****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:26	Ebb	13	30	1.7
12/05/2016	Regulatory	11:18	Ebb	9	30	1.7
01/03/2017	Regulatory	11:51	Ebb	5	26	4.5
03/06/2017	Regulatory	11:23	Flood	8	28	1.7
05/17/2017	Regulatory	11:20	Ebb	10	25	1.7
07/13/2017	Regulatory	10:27	Ebb	14	28	1.7
09/12/2017	Regulatory	11:04	Flood	15	28	6.1
11/06/2017	Regulatory	11:00	Ebb	11	29	1.7
02/05/2018	Regulatory	11:03	Ebb	8	29	4.0
06/04/2018	Regulatory	10:33	Ebb	12	28	1.8
06/18/2018	Regulatory	11:08	Ebb	13	26	1.7
08/29/2018	Regulatory	10:14	Ebb	14	30	4.5
10/01/2018	Regulatory	11:04	Flood	14	29	1.7
12/04/2018	Regulatory	12:18	Flood	8	25	7.8
01/02/2019	Regulatory	10:50	Flood	8	27	4.5
03/12/2019	Regulatory	11:16	Ebb	8	29	1.7
05/09/2019	Regulatory	10:37	Ebb	12	28	1.7
07/08/2019	Regulatory	12:02	Ebb	14	29	1.7
09/17/2019	Regulatory	09:54	Ebb	15	30	1.7
11/07/2019	Regulatory	12:01	Flood	12	28	2.0
02/03/2020	Regulatory	10:12	Flood	8	16	4.5
04/13/2020	Regulatory	10:10	Ebb	9	28	1.7
06/03/2020	Regulatory	16:01	Flood	14	28	1.7
08/11/2020	Regulatory	12:05	Flood	16	29	1.7
10/19/2020	Regulatory	09:48	Ebb	13	30	1.7
12/03/2020	Regulatory	09:14	Ebb	11	27	1.7
01/06/2021	Regulatory	09:56	Flood	9	19	4.5
03/03/2021	Regulatory	09:06	Ebb	9	25	1.7
05/17/2021	Regulatory	08:32	Flood	11	26	1.7
07/06/2021	Regulatory	16:11	Flood	16	29	1.7

Station: 233**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/09/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 4.5****E90th (FC/100 mL): 2.2****GeoMean (FC/100 mL): 1.8****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/09/2016	Regulatory	12:22	Ebb	14	30	1.7
10/04/2016	Regulatory	13:00	Ebb	12	31	1.7
12/05/2016	Regulatory	12:39	Ebb	9	30	1.7
01/03/2017	Regulatory	13:34	Ebb	8	30	1.7
03/06/2017	Regulatory	13:00	Ebb	8	27	1.7
05/17/2017	Regulatory	12:51	Ebb	10	28	1.7
07/13/2017	Regulatory	11:17	Ebb	13	29	1.7
09/12/2017	Regulatory	11:54	Ebb	15	29	1.7
11/06/2017	Regulatory	12:30	Ebb	11	30	1.7
02/05/2018	Regulatory	11:50	Ebb	8	29	1.7
06/04/2018	Regulatory	11:13	Ebb	12	29	1.7
06/18/2018	Regulatory	11:51	Ebb	12	28	1.7
08/29/2018	Regulatory	11:08	Ebb	14	30	1.7
10/01/2018	Regulatory	11:52	Flood	13	30	1.7
01/02/2019	Regulatory	11:36	Flood	7	21	2.0
03/12/2019	Regulatory	12:04	Ebb	8	29	1.7
05/09/2019	Regulatory	11:17	Ebb	11	29	1.7
07/08/2019	Regulatory	12:11	Ebb	14	29	1.7
09/17/2019	Regulatory	10:44	Ebb	15	30	1.7
11/07/2019	Regulatory	12:55	Flood	12	30	1.7
02/03/2020	Regulatory	11:07	Flood	7	12	4.5
04/13/2020	Regulatory	09:14	Flood	9	25	1.7
06/03/2020	Regulatory	16:49	Flood	14	28	1.7
08/11/2020	Regulatory	13:30	Ebb	16	29	1.7
10/19/2020	Regulatory	11:13	Ebb	13	30	1.7
12/03/2020	Regulatory	10:32	Ebb	11	27	1.7
01/06/2021	Regulatory	11:18	Flood	9	23	2.0
03/03/2021	Regulatory	10:23	Ebb	9	25	1.7
05/17/2021	Regulatory	09:51	Ebb	11	26	1.7
07/06/2021	Regulatory	17:33	Flood	14	30	1.7

Station: 237**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 4.5****E90th (FC/100 mL): 2.2****GeoMean (FC/100 mL): 1.8****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:11	Ebb	13	31	1.7
12/05/2016	Regulatory	11:00	Ebb	9	31	1.7
01/03/2017	Regulatory	11:29	Ebb	8	27	1.7
03/06/2017	Regulatory	11:05	Flood	8	28	1.7
05/17/2017	Regulatory	13:09	Ebb	10	22	1.7
07/13/2017	Regulatory	10:11	Ebb	14	28	1.7
09/12/2017	Regulatory	10:46	Flood	15	28	1.7
11/06/2017	Regulatory	10:44	Ebb	11	30	1.7
02/05/2018	Regulatory	10:48	Ebb	8	29	1.7
06/04/2018	Regulatory	10:22	Ebb	12	28	1.7
06/18/2018	Regulatory	12:05	Ebb	13	28	1.7
08/29/2018	Regulatory	10:02	Ebb	15	30	1.7
10/01/2018	Regulatory	10:48	Flood	14	30	1.7
12/04/2018	Regulatory	12:01	Flood	10	30	1.7
01/02/2019	Regulatory	10:36	Flood	9	29	1.7
03/12/2019	Regulatory	11:03	Ebb	8	29	1.7
05/09/2019	Regulatory	10:24	Ebb	13	29	2.0
07/08/2019	Regulatory	12:29	Ebb	15	29	1.7
09/17/2019	Regulatory	10:59	Ebb	15	30	1.7
11/07/2019	Regulatory	13:07	Flood	13	30	1.7
02/03/2020	Regulatory	11:17	Flood	8	27	1.7
04/13/2020	Regulatory	10:24	Ebb	10	28	1.7
06/03/2020	Regulatory	15:44	Flood	14	28	1.7
08/11/2020	Regulatory	11:50	Flood	16	29	1.7
10/19/2020	Regulatory	11:23	Ebb	14	30	1.7
12/03/2020	Regulatory	09:00	Ebb	11	27	1.7
01/06/2021	Regulatory	09:37	Flood	9	25	4.5
03/03/2021	Regulatory	08:50	Ebb	9	25	1.7
05/17/2021	Regulatory	10:02	Ebb	11	26	2.0
07/06/2021	Regulatory	15:55	Flood	16	30	1.7

Station: 240**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 4.5****E90th (FC/100 mL): 2.2****GeoMean (FC/100 mL): 1.8****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:15	Ebb	13	31	1.7
12/05/2016	Regulatory	11:06	Ebb	9	30	1.7
01/03/2017	Regulatory	11:39	Ebb	7	29	4.5
03/06/2017	Regulatory	11:11	Flood	8	28	1.7
05/17/2017	Regulatory	13:02	Ebb	10	27	1.7
07/13/2017	Regulatory	10:18	Ebb	14	28	1.7
09/12/2017	Regulatory	10:54	Flood	15	29	1.7
11/06/2017	Regulatory	10:50	Ebb	11	30	1.7
02/05/2018	Regulatory	10:52	Ebb	8	29	1.7
06/04/2018	Regulatory	10:25	Ebb	12	28	1.7
06/18/2018	Regulatory	12:01	Ebb	14	28	1.7
08/29/2018	Regulatory	10:06	Ebb	15	30	1.7
10/01/2018	Regulatory	10:52	Flood	14	29	1.7
12/04/2018	Regulatory	12:04	Flood	9	30	1.7
01/02/2019	Regulatory	10:40	Flood	9	29	1.7
03/12/2019	Regulatory	11:07	Ebb	8	29	1.7
05/09/2019	Regulatory	10:28	Ebb	12	29	1.7
07/08/2019	Regulatory	12:25	Ebb	15	29	2.0
09/17/2019	Regulatory	10:53	Ebb	15	30	1.7
11/07/2019	Regulatory	13:03	Flood	12	30	1.7
02/03/2020	Regulatory	11:14	Flood	8	27	1.7
04/13/2020	Regulatory	10:20	Ebb	10	28	1.7
06/03/2020	Regulatory	15:48	Flood	15	27	1.7
08/11/2020	Regulatory	11:54	Flood	16	29	1.7
10/19/2020	Regulatory	11:19	Ebb	13	30	1.7
12/03/2020	Regulatory	09:04	Ebb	11	26	1.7
01/06/2021	Regulatory	09:43	Flood	9	25	2.0
03/03/2021	Regulatory	08:55	Ebb	9	25	1.7
05/17/2021	Regulatory	09:57	Ebb	12	26	1.7
07/06/2021	Regulatory	15:59	Flood	18	29	1.7

Station: 242**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 8.3****E90th (FC/100 mL): 2.7****GeoMean (FC/100 mL): 1.8****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	12:45	Ebb	9	31	1.7
01/03/2017	Regulatory	13:40	Ebb	7	29	1.7
03/06/2017	Regulatory	13:06	Ebb	8	27	1.7
05/17/2017	Regulatory	12:58	Ebb	10	26	1.7
07/13/2017	Regulatory	11:24	Ebb	13	29	1.7
09/12/2017	Regulatory	10:56	Flood	16	29	1.7
11/06/2017	Regulatory	10:53	Ebb	11	30	1.7
11/06/2017	Regulatory	12:37	Ebb	11	30	1.7
02/05/2018	Regulatory	10:55	Ebb	8	29	2.0
06/04/2018	Regulatory	11:20	Ebb	12	28	1.7
06/18/2018	Regulatory	11:57	Ebb	13	28	1.7
08/29/2018	Regulatory	11:13	Ebb	15	30	1.7
10/01/2018	Regulatory	10:55	Flood	14	30	1.7
12/04/2018	Regulatory	12:07	Flood	10	30	1.7
01/02/2019	Regulatory	10:43	Flood	9	29	1.7
03/12/2019	Regulatory	12:08	Ebb	8	29	1.7
05/09/2019	Regulatory	11:23	Ebb	12	29	1.7
07/08/2019	Regulatory	12:22	Ebb	15	29	1.7
09/17/2019	Regulatory	10:49	Ebb	15	30	1.7
11/07/2019	Regulatory	13:00	Flood	12	29	1.8
02/03/2020	Regulatory	11:11	Flood	7	22	8.3
04/13/2020	Regulatory	09:05	Flood	10	26	2.0
06/03/2020	Regulatory	15:52	Flood	13	28	1.7
08/11/2020	Regulatory	11:58	Flood	16	29	1.7
10/19/2020	Regulatory	09:39	Ebb	13	30	1.7
12/03/2020	Regulatory	09:06	Ebb	11	27	1.7
01/06/2021	Regulatory	09:46	Flood	9	24	2.0
03/03/2021	Regulatory	08:58	Ebb	9	25	1.7
05/17/2021	Regulatory	08:21	Flood	12	26	2.0
07/06/2021	Regulatory	15:02	Flood	15	29	1.7

Station: 243**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 7.8****E90th (FC/100 mL): 3.3****GeoMean (FC/100 mL): 2.0****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	13:04	Ebb	13	31	1.7
12/05/2016	Regulatory	12:41	Ebb	9	31	4.5
01/03/2017	Regulatory	13:37	Ebb	8	30	1.7
03/06/2017	Regulatory	13:02	Ebb	8	27	1.7
05/17/2017	Regulatory	12:54	Ebb	10	28	1.7
07/13/2017	Regulatory	11:20	Ebb	13	29	1.7
09/12/2017	Regulatory	11:59	Ebb			1.7
11/06/2017	Regulatory	12:33	Ebb	11	30	2.0
02/05/2018	Regulatory	11:53	Ebb	8	29	1.7
06/04/2018	Regulatory	11:16	Ebb	12	28	1.7
06/18/2018	Regulatory	11:55	Ebb	13	28	1.7
08/29/2018	Regulatory	11:10	Ebb	14	30	1.7
10/01/2018	Regulatory	11:55	Flood	13	30	1.7
12/04/2018	Regulatory	13:10	Flood	10	31	4.5
01/02/2019	Regulatory	11:38	Flood	7	18	7.8
03/12/2019	Regulatory	12:06	Ebb	8	29	1.7
05/09/2019	Regulatory	11:20	Ebb	11	29	1.7
07/08/2019	Regulatory	12:09	Ebb	14	29	1.7
09/17/2019	Regulatory	09:49	Ebb	15	31	2.0
11/07/2019	Regulatory	12:57	Flood	12	27	1.7
02/03/2020	Regulatory	11:09	Flood	7	14	4.0
04/13/2020	Regulatory	09:10	Flood	9	25	2.0
06/03/2020	Regulatory	16:51	Flood	12	29	1.7
08/11/2020	Regulatory	13:33	Ebb	17	29	1.7
10/19/2020	Regulatory	11:15	Ebb	13	30	1.7
12/03/2020	Regulatory	10:35	Ebb	11	27	1.7
01/06/2021	Regulatory	11:22	Flood	9	25	2.0
03/03/2021	Regulatory	10:25	Ebb	9	25	1.7
05/17/2021	Regulatory	09:54	Ebb	11	26	1.7
07/06/2021	Regulatory	17:35	Flood	15	29	1.7

Station: 245**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/09/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 7.8****E90th (FC/100 mL): 3.1****GeoMean (FC/100 mL): 1.9****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/09/2016	Regulatory	11:17	Flood	13	31	2.0
10/04/2016	Regulatory	11:43	Ebb	13	31	1.7
12/05/2016	Regulatory	11:31	Ebb	9	30	1.7
01/03/2017	Regulatory	12:11	Ebb	8	29	1.7
03/06/2017	Regulatory	11:42	Flood	8	23	1.7
05/17/2017	Regulatory	12:44	Ebb	10	24	1.7
07/13/2017	Regulatory	11:07	Ebb	13	28	1.7
09/12/2017	Regulatory	11:25	Flood	14	29	1.7
11/06/2017	Regulatory	12:22	Ebb	9	17	7.8
02/05/2018	Regulatory	11:24	Ebb	7	20	1.7
06/04/2018	Regulatory	10:47	Ebb	12	24	1.7
06/18/2018	Regulatory	11:43	Ebb	13	26	1.7
08/29/2018	Regulatory	11:00	Ebb	14	30	1.7
10/01/2018	Regulatory	11:23	Flood	13	28	1.7
12/04/2018	Regulatory	12:37	Flood	10	31	1.7
01/02/2019	Regulatory	11:06	Flood	9	29	2.0
03/12/2019	Regulatory	11:34	Ebb	8	29	1.7
05/09/2019	Regulatory	11:12	Ebb	12	27	1.7
09/17/2019	Regulatory	10:38	Ebb	15	30	1.7
11/07/2019	Regulatory	12:25	Flood	12	30	1.7
02/03/2020	Regulatory	10:40	Flood	7	20	1.7
04/13/2020	Regulatory	09:24	Flood	9	21	1.7
06/03/2020	Regulatory	16:23	Flood	12	28	1.7
08/11/2020	Regulatory	12:26	Flood	15	28	2.0
10/19/2020	Regulatory	11:02	Ebb	13	30	1.7
12/03/2020	Regulatory	09:34	Ebb	11	26	1.7
01/06/2021	Regulatory	10:17	Flood	9	25	1.7
03/03/2021	Regulatory	09:24	Ebb	9	25	1.8
05/17/2021	Regulatory	09:45	Ebb	11	26	7.8
07/06/2021	Regulatory	16:35	Flood	14	29	1.7

Station: 246**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 12.7****GeoMean (FC/100 mL): 3.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	11:34	Ebb	8	25	17.0
01/03/2017	Regulatory	12:14	Ebb	6	24	2.0
03/06/2017	Regulatory	11:46	Flood	8	25	1.7
05/17/2017	Regulatory	11:52	Ebb	10	15	33.0
07/13/2017	Regulatory	10:43	Ebb	14	20	23.0
09/12/2017	Regulatory	11:28	Flood	14	29	1.7
11/06/2017	Regulatory	11:28	Ebb	10	23	13.0
02/05/2018	Regulatory	11:27	Ebb	7	18	4.5
06/04/2018	Regulatory	10:50	Ebb	13	10	11.0
06/18/2018	Regulatory	11:32	Ebb	15	19	2.0
08/29/2018	Regulatory	10:46	Ebb	15	20	13.0
10/01/2018	Regulatory	11:25	Flood	13	30	1.7
12/04/2018	Regulatory	12:40	Flood	10	31	1.7
01/02/2019	Regulatory	11:09	Flood	9	29	2.0
03/12/2019	Regulatory	11:37	Ebb	8	20	1.7
05/09/2019	Regulatory	11:09	Ebb	13	21	1.7
07/08/2019	Regulatory	11:20	Ebb	14	18	33.0
07/08/2019	Regulatory	11:47	Ebb	14	28	1.7
09/17/2019	Regulatory	10:36	Ebb	15	30	1.7
11/07/2019	Regulatory	12:29	Flood	12	30	1.7
02/03/2020	Regulatory	10:43	Flood	7	19	1.7
04/13/2020	Regulatory	09:29	Flood	9	29	1.7
06/03/2020	Regulatory	16:26	Flood	13	28	1.7
08/11/2020	Regulatory	12:40	Flood	17	17	1.7
10/19/2020	Regulatory	10:17	Ebb	13	24	4.0
12/03/2020	Regulatory	09:46	Ebb	10	20	4.5
01/06/2021	Regulatory	10:31	Flood	9	25	1.8
03/03/2021	Regulatory	09:39	Ebb	8	16	1.7
05/17/2021	Regulatory	08:56	Flood	11	21	4.5
07/06/2021	Regulatory	16:41	Flood	15	29	1.7

Station: 247**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/09/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 13.0****E90th (FC/100 mL): 4.7****GeoMean (FC/100 mL): 2.3****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/09/2016	Regulatory	11:33	Flood	13	26	4.5
10/04/2016	Regulatory	12:05	Ebb	13	30	4.5
12/05/2016	Regulatory	11:48	Ebb	8	29	1.7
01/03/2017	Regulatory	12:32	Ebb	7	28	1.7
03/06/2017	Regulatory	12:01	Ebb	7	25	1.7
07/13/2017	Regulatory	10:59	Ebb	14	23	2.0
09/12/2017	Regulatory	11:40	Flood	14	28	1.7
11/06/2017	Regulatory	11:31	Ebb	10	26	4.5
02/05/2018	Regulatory	11:38	Ebb	7	21	4.0
06/04/2018	Regulatory	11:01	Ebb	12	23	1.7
06/18/2018	Regulatory	11:34	Ebb	13	23	1.7
08/29/2018	Regulatory	10:49	Ebb	14	25	13.0
10/01/2018	Regulatory	11:37	Flood	13	29	1.7
12/04/2018	Regulatory	12:55	Flood	10	31	1.7
01/02/2019	Regulatory	11:22	Flood	9	29	1.7
03/12/2019	Regulatory	11:52	Ebb	8	22	4.0
05/09/2019	Regulatory	11:07	Ebb	12	23	1.7
07/08/2019	Regulatory	11:30	Ebb	13	29	1.7
09/17/2019	Regulatory	10:33	Ebb	14	29	4.5
11/07/2019	Regulatory	12:44	Flood	12	30	1.7
02/03/2020	Regulatory	10:45	Flood	7	18	1.7
04/13/2020	Regulatory	09:46	Flood	9	29	1.7
06/03/2020	Regulatory	16:28	Flood	13	28	1.7
08/11/2020	Regulatory	12:43	Flood	16	23	1.7
10/19/2020	Regulatory	10:19	Ebb	13	28	6.8
12/03/2020	Regulatory	09:48	Ebb	10	23	2.0
01/06/2021	Regulatory	10:34	Flood	9	25	2.0
03/03/2021	Regulatory	09:41	Ebb	8	20	2.0
05/17/2021	Regulatory	08:59	Flood	11	26	1.7
07/06/2021	Regulatory	16:52	Flood	15	29	1.7

Station: 248**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 11.0****E90th (FC/100 mL): 4.5****GeoMean (FC/100 mL): 2.3****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	12:08	Ebb	13	31	1.7
12/05/2016	Regulatory	11:51	Ebb	9	30	1.8
01/03/2017	Regulatory	12:35	Ebb	8	29	2.0
03/06/2017	Regulatory	12:04	Ebb	7	26	1.7
05/17/2017	Regulatory	11:58	Ebb	10	22	4.5
07/13/2017	Regulatory	11:02	Ebb	13	26	9.3
09/12/2017	Regulatory	11:43	Flood	15	29	1.7
11/06/2017	Regulatory	11:33	Ebb	11	29	1.7
02/05/2018	Regulatory	11:41	Ebb	7	22	4.0
06/04/2018	Regulatory	11:03	Ebb	12	23	1.7
06/18/2018	Regulatory	11:37	Ebb	14	26	2.0
08/29/2018	Regulatory	10:51	Ebb	14	28	4.5
10/01/2018	Regulatory	11:40	Flood	13	30	1.7
12/04/2018	Regulatory	12:59	Flood	10	30	1.7
01/02/2019	Regulatory	11:24	Flood	9	29	1.7
03/12/2019	Regulatory	11:55	Ebb	8	25	1.7
05/09/2019	Regulatory	11:04	Ebb	13	21	1.7
07/08/2019	Regulatory	11:32	Ebb	14	29	1.7
09/17/2019	Regulatory	10:29	Ebb	14	30	4.5
11/07/2019	Regulatory	12:47	Flood	12	30	1.7
02/03/2020	Regulatory	10:49	Flood	7	19	4.5
04/13/2020	Regulatory	09:49	Flood	9	29	1.7
06/03/2020	Regulatory	16:31	Flood	13	28	1.7
08/11/2020	Regulatory	12:47	Flood	15	29	1.7
10/19/2020	Regulatory	10:22	Ebb	13	29	1.8
12/03/2020	Regulatory	09:51	Ebb	10	26	1.7
01/06/2021	Regulatory	10:37	Flood	9	26	2.0
03/03/2021	Regulatory	09:43	Ebb	8	25	1.7
05/17/2021	Regulatory	09:02	Flood	11	25	11.0
07/06/2021	Regulatory	16:54	Flood	15	29	1.7

Station: 250**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 7.8****E90th (FC/100 mL): 2.8****GeoMean (FC/100 mL): 1.9****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:02	Ebb	14	30	2.0
12/05/2016	Regulatory	10:54	Ebb	8	31	4.5
01/03/2017	Regulatory	11:21	Ebb	8	29	1.7
03/06/2017	Regulatory	10:58	Flood	8	28	1.7
05/17/2017	Regulatory	11:03	Ebb	10	27	1.8
07/13/2017	Regulatory	10:04	Ebb	14	28	1.7
09/12/2017	Regulatory	10:39	Flood	15	29	1.7
11/06/2017	Regulatory	10:37	Ebb	11	30	1.7
02/05/2018	Regulatory	10:41	Ebb	8	29	1.7
06/04/2018	Regulatory	10:15	Ebb	12	28	1.7
06/18/2018	Regulatory	12:14	Ebb	14	28	1.7
08/29/2018	Regulatory	09:55	Ebb	14	30	7.8
10/01/2018	Regulatory	10:40	Flood	14	29	1.7
12/04/2018	Regulatory	11:46	Flood	10	30	1.7
01/02/2019	Regulatory	10:27	Flood	9	29	1.7
03/12/2019	Regulatory	10:56	Ebb	8	29	1.7
05/09/2019	Regulatory	10:16	Ebb	12	29	1.7
07/08/2019	Regulatory	11:04	Ebb	14	29	1.7
09/17/2019	Regulatory	11:09	Ebb	15	30	1.7
11/07/2019	Regulatory	13:18	Flood	13	30	1.7
02/03/2020	Regulatory	11:25	Flood	8	26	1.7
04/13/2020	Regulatory	10:37	Ebb	10	28	1.7
06/03/2020	Regulatory	15:31	Flood	15	28	1.7
08/11/2020	Regulatory	11:41	Flood	17	29	1.7
10/19/2020	Regulatory	11:36	Ebb	14	30	1.7
12/03/2020	Regulatory	08:49	Ebb	11	26	1.7
01/06/2021	Regulatory	09:28	Flood	9	25	2.0
03/03/2021	Regulatory	08:38	Flood	9	25	1.7
05/17/2021	Regulatory	10:10	Ebb	12	26	2.0
07/06/2021	Regulatory	15:47	Flood	17	29	1.7

Station: 251**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 4.5****E90th (FC/100 mL): 2.3****GeoMean (FC/100 mL): 1.8****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:06	Ebb	13	30	1.7
12/05/2016	Regulatory	10:57	Ebb	9	30	1.7
01/03/2017	Regulatory	11:24	Ebb	8	29	1.7
03/06/2017	Regulatory	11:01	Flood	8	28	1.7
05/17/2017	Regulatory	11:07	Ebb	10	27	1.7
07/13/2017	Regulatory	10:07	Ebb	14	28	1.7
09/12/2017	Regulatory	10:42	Flood	15	29	4.5
11/06/2017	Regulatory	10:40	Ebb	11	30	1.7
02/05/2018	Regulatory	10:44	Ebb	8	29	2.0
06/04/2018	Regulatory	10:18	Ebb	13	28	1.7
06/18/2018	Regulatory	12:09	Ebb	14	28	1.7
08/29/2018	Regulatory	09:59	Ebb	15	30	1.7
10/01/2018	Regulatory	10:44	Flood	14	30	1.7
12/04/2018	Regulatory	11:49	Flood	10	30	2.0
01/02/2019	Regulatory	10:31	Flood	9	29	1.7
03/12/2019	Regulatory	11:00	Ebb	8	29	1.7
05/09/2019	Regulatory	10:21	Ebb	12	29	1.7
07/08/2019	Regulatory	11:06	Ebb	14	29	1.7
09/17/2019	Regulatory	11:04	Ebb	15	30	1.7
11/07/2019	Regulatory	13:12	Flood	13	30	1.7
02/03/2020	Regulatory	11:21	Flood	8	27	1.7
04/13/2020	Regulatory	10:28	Ebb	10	28	1.7
06/03/2020	Regulatory	15:40	Flood	14	28	1.7
08/11/2020	Regulatory	11:47	Flood	17	29	2.0
10/19/2020	Regulatory	11:27	Ebb	13	30	2.0
12/03/2020	Regulatory	08:57	Ebb	11	26	1.7
01/06/2021	Regulatory	09:33	Flood	9	25	1.7
03/03/2021	Regulatory	08:45	Ebb	9	25	1.7
05/17/2021	Regulatory	10:05	Ebb	12	26	1.7
07/06/2021	Regulatory	15:52	Flood	17	29	1.7

Station: 252**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 6.1****E90th (FC/100 mL): 2.4****GeoMean (FC/100 mL): 1.8****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	10:52	Ebb	14	30	1.8
12/05/2016	Regulatory	10:47	Ebb	9	31	1.7
01/03/2017	Regulatory	11:13	Ebb	8	29	1.7
03/06/2017	Regulatory	10:50	Flood	8	28	1.7
05/17/2017	Regulatory	10:52	Ebb	10	27	1.7
07/13/2017	Regulatory	09:56	Ebb	14	28	1.7
09/12/2017	Regulatory	10:30	Flood	15	28	1.7
11/06/2017	Regulatory	10:29	Ebb	11	29	2.0
02/05/2018	Regulatory	10:33	Ebb	8	28	1.7
06/04/2018	Regulatory	10:08	Ebb	13	28	1.7
06/18/2018	Regulatory	12:23	Ebb	13	28	1.7
08/29/2018	Regulatory	09:48	Ebb	15	29	1.7
10/01/2018	Regulatory	10:33	Flood	14	29	1.7
12/04/2018	Regulatory	11:39	Flood	10	30	1.7
01/02/2019	Regulatory	10:16	Flood	9	29	1.7
03/12/2019	Regulatory	10:48	Ebb	8	29	1.7
05/09/2019	Regulatory	10:07	Ebb	11	29	1.7
07/08/2019	Regulatory	10:56	Flood	14	29	1.7
09/17/2019	Regulatory	11:16	Ebb	15	30	1.7
11/07/2019	Regulatory	13:25	Flood	13	30	1.7
02/03/2020	Regulatory	11:31	Flood	8	26	1.7
04/13/2020	Regulatory	10:44	Ebb	10	28	1.7
06/03/2020	Regulatory	14:00	Flood	13	28	1.7
08/11/2020	Regulatory	11:35	Flood	16	29	1.7
10/19/2020	Regulatory	11:41	Ebb	14	30	1.7
12/03/2020	Regulatory	10:47	Ebb	11	26	1.7
01/06/2021	Regulatory	11:35	Flood	9	24	6.1
03/03/2021	Regulatory	10:37	Ebb	9	25	1.7
05/17/2021	Regulatory	10:16	Ebb	11	26	1.7
07/06/2021	Regulatory	14:42	Flood	16	29	1.7

Station: 253**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 12.0****E90th (FC/100 mL): 4.9****GeoMean (FC/100 mL): 2.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:29	Ebb	13	31	4.0
12/05/2016	Regulatory	11:19	Ebb	9	30	2.0
01/03/2017	Regulatory	11:55	Ebb	5	26	2.0
03/06/2017	Regulatory	11:26	Flood	8	28	1.7
05/17/2017	Regulatory	11:22	Ebb	10	27	2.0
07/13/2017	Regulatory	10:30	Ebb	13	28	2.0
09/12/2017	Regulatory	11:08	Flood	15	28	1.8
11/06/2017	Regulatory	11:02	Ebb	11	30	4.0
02/05/2018	Regulatory	11:05	Ebb	8	29	2.0
06/04/2018	Regulatory	10:35	Ebb	12	28	1.7
06/18/2018	Regulatory	11:11	Ebb	13	28	1.7
08/29/2018	Regulatory	10:17	Ebb	14	30	4.5
10/01/2018	Regulatory	11:06	Flood	14	30	1.7
12/04/2018	Regulatory	12:21	Flood	8	26	4.5
01/02/2019	Regulatory	10:53	Flood	6	19	11.0
03/12/2019	Regulatory	11:18	Ebb	8	29	2.0
05/09/2019	Regulatory	10:39	Ebb	11	29	1.7
07/08/2019	Regulatory	12:00	Ebb	14	29	2.0
09/17/2019	Regulatory	10:02	Ebb	15	30	1.7
11/07/2019	Regulatory	12:05	Flood	12	27	1.7
02/03/2020	Regulatory	10:17	Flood	7	13	1.7
04/13/2020	Regulatory	10:07	Flood	10	28	1.7
06/03/2020	Regulatory	16:04	Flood	14	28	1.7
08/11/2020	Regulatory	12:08	Flood	15	29	1.7
10/19/2020	Regulatory	09:51	Ebb	13	30	1.7
12/03/2020	Regulatory	09:18	Ebb	11	26	2.0
01/06/2021	Regulatory	09:59	Flood	8	15	6.8
03/03/2021	Regulatory	09:09	Ebb	9	25	12.0
05/17/2021	Regulatory	08:35	Flood	12	26	2.0
07/06/2021	Regulatory	16:15	Flood	17	29	1.7

Station: 709**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 31.0****E90th (FC/100 mL): 9.9****GeoMean (FC/100 mL): 3.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:31	Ebb	13	30	1.7
12/05/2016	Regulatory	11:22	Ebb	9	29	4.5
01/03/2017	Regulatory	11:58	Ebb	6	25	1.7
03/06/2017	Regulatory	11:29	Flood	8	27	1.8
05/17/2017	Regulatory	11:25	Ebb	10	22	2.0
07/13/2017	Regulatory	10:33	Ebb	14	27	6.8
09/12/2017	Regulatory	11:12	Flood	15	29	2.0
11/06/2017	Regulatory	11:05	Ebb	10	30	6.8
02/05/2018	Regulatory	11:08	Ebb	8	27	2.0
06/04/2018	Regulatory	10:37	Ebb	13	26	4.5
06/18/2018	Regulatory	11:13	Ebb	13	27	7.8
08/29/2018	Regulatory	10:20	Ebb	15	29	4.5
10/01/2018	Regulatory	11:10	Flood	14	30	2.0
12/04/2018	Regulatory	12:24	Flood	9	28	6.8
01/02/2019	Regulatory	10:56	Flood	6	14	13.0
03/12/2019	Regulatory	11:21	Ebb	8	28	1.7
05/09/2019	Regulatory	10:42	Ebb	12	28	1.7
07/08/2019	Regulatory	11:57	Ebb	15	26	7.8
09/17/2019	Regulatory	10:06	Ebb	15	30	31.0
11/07/2019	Regulatory	12:09	Flood	12	27	2.0
02/03/2020	Regulatory	10:22	Flood	7	11	4.5
04/13/2020	Regulatory	10:04	Flood	9	27	1.7
06/03/2020	Regulatory	16:07	Flood	16	27	1.7
08/11/2020	Regulatory	12:12	Flood	16	29	2.0
10/19/2020	Regulatory	09:55	Ebb	13	29	1.7
12/03/2020	Regulatory	09:22	Ebb	11	26	1.7
01/06/2021	Regulatory	10:02	Flood	8	16	22.0
03/03/2021	Regulatory	09:12	Ebb	9	25	4.5
05/17/2021	Regulatory	08:38	Flood	12	27	1.7
07/06/2021	Regulatory	16:19	Flood	17	29	1.7

Station: 759**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 11.0****E90th (FC/100 mL): 4.8****GeoMean (FC/100 mL): 2.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:40	Ebb	13	31	1.7
12/05/2016	Regulatory	11:29	Ebb	9	31	1.7
01/03/2017	Regulatory	12:08	Ebb	7	27	2.0
03/06/2017	Regulatory	11:38	Flood	8	28	1.7
05/17/2017	Regulatory	11:32	Ebb	11	17	2.0
07/13/2017	Regulatory	11:11	Ebb	13	28	4.5
09/12/2017	Regulatory	11:20	Flood	15	29	1.7
11/06/2017	Regulatory	12:26	Ebb	9	15	11.0
02/05/2018	Regulatory	11:21	Ebb	7	20	2.0
06/04/2018	Regulatory	10:45	Ebb	12	28	1.7
06/18/2018	Regulatory	11:48	Ebb	13	26	2.0
08/29/2018	Regulatory	11:04	Ebb	15	28	7.8
10/01/2018	Regulatory	11:18	Flood	13	28	4.5
12/04/2018	Regulatory	12:33	Flood	10	31	1.7
01/02/2019	Regulatory	11:03	Flood	7	20	6.8
03/12/2019	Regulatory	11:30	Ebb	8	29	1.7
05/09/2019	Regulatory	10:50	Ebb	11	28	1.7
07/08/2019	Regulatory	12:14	Ebb	14	29	2.0
09/17/2019	Regulatory	10:15	Ebb	15	30	7.8
11/07/2019	Regulatory	12:20	Flood	11	28	2.0
02/03/2020	Regulatory	10:35	Flood	7	12	2.0
04/13/2020	Regulatory	09:20	Flood	9	22	2.0
06/03/2020	Regulatory	16:18	Flood	12	29	1.7
08/11/2020	Regulatory	12:23	Flood	16	29	1.7
10/19/2020	Regulatory	10:06	Ebb	13	30	2.0
12/03/2020	Regulatory	09:31	Ebb	11	26	2.0
01/06/2021	Regulatory	10:13	Flood	9	21	2.0
03/03/2021	Regulatory	09:21	Ebb	9	24	1.8
05/17/2021	Regulatory	08:46	Flood	11	26	1.7
07/06/2021	Regulatory	16:30	Flood	14	29	1.7

Station: 876

Classification: Approved

Method: SRS

Total Samples: 17

Date Range: 12/04/2018 - 07/06/2021

Range (FC/100 mL): 1.7 - 1.8

E90th (FC/100 mL): 1.7

GeoMean (FC/100 mL): 1.7

Meets Standard: *N/A

*N/A – SRS criteria require a minimum of 30 samples from each station.

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/04/2018	Regulatory	11:57	Flood	10	30	1.7
01/02/2019	Regulatory	10:30	Flood	9	29	1.7
03/12/2019	Regulatory	10:59	Ebb	8	29	1.7
05/09/2019	Regulatory	10:18	Ebb	11	29	1.7
07/08/2019	Regulatory	11:08	Ebb	14	29	1.7
09/17/2019	Regulatory	11:07	Ebb	15	30	1.7
11/07/2019	Regulatory	13:14	Flood	13	30	1.7
02/03/2020	Regulatory	11:22	Flood	8	27	1.7
04/13/2020	Regulatory	10:34	Ebb	10	28	1.7
06/03/2020	Regulatory	15:38	Flood	14	28	1.7
08/11/2020	Regulatory	11:45	Flood	17	29	1.7
10/19/2020	Regulatory	11:30	Ebb	13	30	1.7
12/03/2020	Regulatory	08:55	Ebb	11	26	1.7
01/06/2021	Regulatory	09:31	Flood	9	25	1.8
03/03/2021	Regulatory	08:42	Ebb	9	25	1.7
05/17/2021	Regulatory	10:07	Ebb	12	26	1.7
07/06/2021	Regulatory	15:50	Flood	17	29	1.7

Station: 224**Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 08/09/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 17.0****E90th (FC/100 mL): 10.6****GeoMean (FC/100 mL): 3.8****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/09/2016	Regulatory	11:07	Flood	14	28	4.5
10/04/2016	Regulatory	11:33	Ebb	13	29	4.0
12/05/2016	Regulatory	11:23	Ebb	9	29	4.0
01/03/2017	Regulatory	12:00	Ebb	6	24	11.0
03/06/2017	Regulatory	11:30	Flood	8	27	1.7
05/17/2017	Regulatory	11:26	Ebb	11	17	2.0
07/13/2017	Regulatory	10:34	Ebb	14	27	4.5
09/12/2017	Regulatory	11:14	Flood	15	23	1.7
11/06/2017	Regulatory	11:07	Ebb	10	29	7.8
02/05/2018	Regulatory	11:09	Ebb	8	24	2.0
06/04/2018	Regulatory	10:39	Ebb	13	24	7.8
06/18/2018	Regulatory	11:15	Ebb	13	26	11.0
08/29/2018	Regulatory	10:21	Ebb	14	27	13.0
10/01/2018	Regulatory	11:12	Flood	14	27	1.7
12/04/2018	Regulatory	12:26	Flood	9	27	1.8
01/02/2019	Regulatory	10:57	Flood	6	12	14.0
03/12/2019	Regulatory	11:23	Ebb	8	26	2.0
05/09/2019	Regulatory	10:44	Ebb	12	27	1.8
07/08/2019	Regulatory	11:50	Ebb	15	20	17.0
09/17/2019	Regulatory	10:08	Ebb	15	29	11.0
11/07/2019	Regulatory	12:12	Flood	11	12	1.7
02/03/2020	Regulatory	10:25	Flood	7	8	2.0
06/03/2020	Regulatory	16:10	Flood	14	19	2.0
08/11/2020	Regulatory	12:14	Flood	16	29	5.5
10/19/2020	Regulatory	09:59	Ebb	13	29	2.0
12/03/2020	Regulatory	09:24	Ebb	11	26	6.8
01/06/2021	Regulatory	10:05	Flood	8	16	7.8
03/03/2021	Regulatory	09:14	Ebb	9	23	1.7
05/17/2021	Regulatory	08:40	Flood	12	26	2.0
07/06/2021	Regulatory	16:21	Flood	16	29	1.7

Station: 234**Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 49.0****E90th (FC/100 mL): 18.4****GeoMean (FC/100 mL): 5.3****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:35	Ebb	13	28	13.0
12/05/2016	Regulatory	11:25	Ebb	9	28	4.5
01/03/2017	Regulatory	12:02	Ebb	6	26	7.8
03/06/2017	Regulatory	11:33	Flood	8	26	1.7
05/17/2017	Regulatory	11:28	Ebb	12	10	4.5
07/13/2017	Regulatory	10:36	Ebb	15	25	4.5
09/12/2017	Regulatory	11:16	Flood	15	21	17.0
11/06/2017	Regulatory	11:09	Ebb	10	28	2.0
02/05/2018	Regulatory	11:11	Ebb	8	24	4.5
06/04/2018	Regulatory	10:41	Ebb	13	22	7.8
06/18/2018	Regulatory	11:17	Ebb	14	26	23.0
08/29/2018	Regulatory	10:24	Ebb	15	27	13.0
10/01/2018	Regulatory	11:15	Flood	13	28	2.0
12/04/2018	Regulatory	12:28	Flood	8	22	7.8
01/02/2019	Regulatory	11:00	Flood	6	23	49.0
03/12/2019	Regulatory	11:26	Ebb	8	25	1.7
05/09/2019	Regulatory	10:46	Ebb	13	26	1.7
07/08/2019	Regulatory	11:54	Ebb	15	21	4.5
09/17/2019	Regulatory	10:11	Ebb	15	29	17.0
11/07/2019	Regulatory	12:15	Flood	11	18	2.0
02/03/2020	Regulatory	10:27	Flood	7	20	7.8
04/13/2020	Regulatory	09:59	Flood	9	26	1.7
06/03/2020	Regulatory	16:13	Flood	16	12	1.7
08/11/2020	Regulatory	12:17	Flood	16	28	7.8
10/19/2020	Regulatory	10:02	Ebb	13	29	1.7
12/03/2020	Regulatory	09:27	Ebb	11	25	6.8
01/06/2021	Regulatory	10:08	Flood	9	20	4.5
03/03/2021	Regulatory	09:17	Ebb	8	23	4.5
05/17/2021	Regulatory	08:42	Flood	13	25	33.0
07/06/2021	Regulatory	16:24	Flood	18	29	1.7

Station: 235**Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 10/04/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 49.0****E90th (FC/100 mL): 45.1****GeoMean (FC/100 mL): 12.6****Meets Standard: N**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
10/04/2016	Regulatory	11:54	Ebb	13	7	13.0
12/05/2016	Regulatory	11:40	Ebb	7	7	17.0
01/03/2017	Regulatory	12:21	Ebb	3	5	7.8
03/06/2017	Regulatory	11:52	Ebb	7	4	7.8
05/17/2017	Regulatory	11:43	Ebb	10	2	49.0
07/13/2017	Regulatory	10:50	Ebb	14	6	46.0
09/12/2017	Regulatory	11:34	Flood	15	2	23.0
11/06/2017	Regulatory	11:22	Ebb	9	17	7.8
02/05/2018	Regulatory	11:33	Ebb	7	3	13.0
06/04/2018	Regulatory	10:56	Ebb	11	5	33.0
06/18/2018	Regulatory	11:29	Ebb	13	7	33.0
08/29/2018	Regulatory	10:39	Ebb	15	7	49.0
10/01/2018	Regulatory	11:32	Flood	14	5	13.0
12/04/2018	Regulatory	12:47	Flood	5	2	49.0
01/02/2019	Regulatory	11:16	Flood	4	1	13.0
03/12/2019	Regulatory	11:44	Ebb	7	8	4.5
05/09/2019	Regulatory	10:57	Ebb	12	7	4.5
07/08/2019	Regulatory	11:25	Ebb	14	14	22.0
09/17/2019	Regulatory	10:23	Ebb	15	20	23.0
11/07/2019	Regulatory	12:37	Flood	11	1	4.5
02/03/2020	Regulatory	10:58	Flood	6	0	1.7
04/13/2020	Regulatory	09:38	Flood	8	3	23.0
06/03/2020	Regulatory	16:40	Flood	12	1	14.0
08/11/2020	Regulatory	12:34	Flood	16	3	13.0
10/19/2020	Regulatory	10:12	Ebb	13	8	27.0
12/03/2020	Regulatory	09:40	Ebb	10	6	7.8
01/06/2021	Regulatory	10:24	Flood	7	5	33.0
03/03/2021	Regulatory	09:31	Ebb	8	8	2.0
05/17/2021	Regulatory	08:51	Flood	12	13	1.7
07/06/2021	Regulatory	16:43	Flood	16		4.5

Station: 249**Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 12/05/2016 - 07/06/2021****Range (FC/100 mL): 1.7 - 6.8****E90th (FC/100 mL): 3.0****GeoMean (FC/100 mL): 1.9****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
12/05/2016	Regulatory	10:51	Ebb	9	30	1.7
01/03/2017	Regulatory	11:17	Ebb	8	29	1.7
03/06/2017	Regulatory	10:54	Flood	8	27	1.7
05/17/2017	Regulatory	10:58	Ebb	10	27	1.7
05/17/2017	Regulatory	11:55	Ebb	10	22	2.0
07/13/2017	Regulatory	10:01	Ebb	14	28	2.0
09/12/2017	Regulatory	10:35	Flood	15	29	1.7
11/06/2017	Regulatory	10:33	Ebb	11	29	1.7
02/05/2018	Regulatory	10:38	Ebb	8	29	1.7
06/04/2018	Regulatory	10:11	Ebb	13	28	1.7
06/18/2018	Regulatory	12:18	Ebb	14	28	2.0
08/29/2018	Regulatory	09:52	Ebb	15	30	1.7
10/01/2018	Regulatory	10:37	Flood	14	29	1.7
12/04/2018	Regulatory	11:42	Flood	10	29	1.7
01/02/2019	Regulatory	10:21	Flood	9	29	1.8
03/12/2019	Regulatory	10:52	Ebb	8	28	1.7
05/09/2019	Regulatory	10:12	Ebb	12	29	1.7
07/08/2019	Regulatory	11:00	Ebb	15	29	1.7
09/17/2019	Regulatory	11:13	Ebb	15	30	2.0
11/07/2019	Regulatory	13:29	Flood	13	30	1.7
02/03/2020	Regulatory	11:28	Flood	8	26	1.7
04/13/2020	Regulatory	10:41	Ebb	10	28	1.7
06/03/2020	Regulatory	13:56	Flood	13	28	6.8
08/11/2020	Regulatory	11:38	Flood	16	29	1.7
10/19/2020	Regulatory	09:28	Ebb	14	30	1.7
12/03/2020	Regulatory	08:43	Flood	11	26	1.7
01/06/2021	Regulatory	09:24	Flood	9	23	4.5
03/03/2021	Regulatory	08:34	Flood	9	25	1.7
05/17/2021	Regulatory	10:13	Ebb	12	26	4.0
07/06/2021	Regulatory	14:38	Flood	16	29	1.7