

Marine Water Quality Summary

Growing Area: Henderson Inlet

Station: 187

Classification: Approved

Method: SRS

Total Samples: 30

Date Range: 08/29/2017 - 02/03/2020

Range (FC/100 mL): 1.7 - 110.0

E90th (FC/100 mL): 27.5

GeoMean (FC/100 mL): 6.7

Meets Standard: Y

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	11:15	Flood	17	28	4.5
09/12/2017	Regulatory	09:55	Flood	16	28	13.0
10/10/2017	Regulatory	09:53	Flood	13	29	2.0
11/06/2017	Regulatory	09:51	Ebb	9	26	49.0
12/12/2017	Regulatory	10:12	Flood	7	22	9.3
01/23/2018	Regulatory	10:20	Flood	8	26	2.0
02/05/2018	Regulatory	10:01	Ebb	8	20	4.5
03/06/2018	Regulatory	10:21	Ebb	7	26	1.7
05/03/2018	Regulatory	09:49	Ebb	14	25	2.0
06/04/2018	Regulatory	09:39	Flood	15	26	22.0
06/18/2018	Regulatory	10:16	Ebb	16	26	4.5
08/01/2018	Regulatory	09:51	Ebb	18	27	110.0
08/29/2018	Regulatory	09:09	Ebb	17	28	7.8
09/13/2018	Regulatory	10:00	Ebb	15	27	17.0
10/01/2018	Regulatory	09:53	Flood	15	29	13.0
11/14/2018	Regulatory	10:31	Flood	10	30	1.7
12/04/2018	Regulatory	11:03	Flood	7	24	11.0
01/02/2019	Regulatory	09:44	Ebb	7	19	13.0
02/28/2019	Regulatory	10:28	Flood	6	22	1.8
03/12/2019	Regulatory	10:16	Ebb	7	25	1.7
04/25/2019	Regulatory	10:15	Flood	12	20	4.5
05/09/2019	Regulatory	09:36	Ebb	15	28	13.0
06/25/2019	Regulatory	11:11	Flood	17	28	4.5
07/08/2019	Regulatory	10:24	Flood	16	28	14.0
08/21/2019	Regulatory	10:05	Flood	18	29	11.0
09/17/2019	Regulatory	09:08	Ebb	15	25	23.0
10/16/2019	Regulatory	10:03	Ebb	13	27	17.0
11/07/2019	Regulatory	11:00	Flood	12	29	1.8
12/18/2019	Regulatory	10:33	Flood	9	29	2.0
02/03/2020	Regulatory	12:05	Flood	8	7	4.5

Station: 190**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 70.0****E90th (FC/100 mL): 18.9****GeoMean (FC/100 mL): 4.9****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	10:56	Flood	17	27	4.0
09/12/2017	Regulatory	10:11	Flood	16	27	2.0
10/10/2017	Regulatory	10:07	Flood	13	28	13.0
11/06/2017	Regulatory	10:09	Ebb	9	28	7.8
12/12/2017	Regulatory	10:27	Flood	7	28	7.8
01/23/2018	Regulatory	10:35	Ebb	7	23	2.0
02/05/2018	Regulatory	10:14	Ebb	8	28	70.0
03/06/2018	Regulatory	10:44	Ebb	7	27	1.7
05/03/2018	Regulatory	10:05	Ebb	12	25	1.7
06/04/2018	Regulatory	09:53	Flood	14	23	2.0
06/18/2018	Regulatory	10:40	Ebb	16	26	9.3
08/01/2018	Regulatory	10:06	Ebb	18	27	13.0
08/29/2018	Regulatory	09:31	Ebb	17	29	17.0
09/13/2018	Regulatory	10:18	Ebb	15	28	6.8
10/01/2018	Regulatory	10:07	Flood	15	29	2.0
11/14/2018	Regulatory	10:47	Flood	10	30	2.0
12/04/2018	Regulatory	11:19	Flood	8	28	4.5
01/02/2019	Regulatory	09:59	Flood	7	24	4.5
02/28/2019	Regulatory	10:47	Flood	7	27	1.7
03/12/2019	Regulatory	10:32	Ebb	8	27	1.7
04/25/2019	Regulatory	10:30	Flood	11	25	1.7
05/09/2019	Regulatory	09:52	Ebb	15	27	7.8
06/25/2019	Regulatory	11:28	Flood	18	28	2.0
07/08/2019	Regulatory	10:41	Flood	16	28	17.0
08/21/2019	Regulatory	10:19	Flood	19	28	13.0
09/17/2019	Regulatory	09:18	Ebb	15	27	49.0
10/16/2019	Regulatory	10:25	Ebb	13	29	4.0
11/07/2019	Regulatory	11:24	Flood	11	29	1.7
12/18/2019	Regulatory	10:14	Flood	10	29	7.8
02/03/2020	Regulatory	11:47	Flood	8	21	2.0

Station: 191**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 49.0****E90th (FC/100 mL): 10.6****GeoMean (FC/100 mL): 3.7****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	10:51	Flood	17	28	4.5
09/12/2017	Regulatory	10:14	Flood	16	27	4.5
10/10/2017	Regulatory	09:43	Flood	12	27	49.0
11/06/2017	Regulatory	10:10	Ebb	9	27	12.0
12/12/2017	Regulatory	10:28	Flood	7	27	2.0
01/23/2018	Regulatory	10:36	Ebb	7	26	4.5
02/05/2018	Regulatory	10:16	Ebb	8	28	1.7
03/06/2018	Regulatory	10:46	Ebb	7	27	1.7
05/03/2018	Regulatory	10:07	Ebb	12	26	11.0
06/04/2018	Regulatory	09:54	Flood	14	24	2.0
06/18/2018	Regulatory	10:42	Ebb	17	26	4.5
08/01/2018	Regulatory	10:08	Ebb	17	28	6.8
08/29/2018	Regulatory	09:32	Ebb	16	29	2.0
09/13/2018	Regulatory	10:20	Ebb	15	29	7.8
10/01/2018	Regulatory	10:13	Flood	15	29	2.0
11/14/2018	Regulatory	10:50	Flood	10	30	4.5
12/04/2018	Regulatory	11:21	Flood	8	28	2.0
01/02/2019	Regulatory	10:00	Flood	9	28	4.5
02/28/2019	Regulatory	10:49	Flood	7	27	1.7
03/12/2019	Regulatory	10:33	Ebb	8	26	1.7
04/25/2019	Regulatory	10:32	Ebb	12	27	1.7
05/09/2019	Regulatory	09:54	Ebb	15	28	2.0
06/25/2019	Regulatory	11:30	Flood	18	28	4.5
07/08/2019	Regulatory	10:43	Flood	17	27	13.0
08/21/2019	Regulatory	10:21	Flood	19	28	6.8
09/17/2019	Regulatory	09:19	Ebb	15	29	4.5
10/16/2019	Regulatory	10:27	Ebb	13	29	4.5
11/07/2019	Regulatory	11:26	Flood	11	29	1.8
12/18/2019	Regulatory	10:12	Flood	9	29	1.7
02/03/2020	Regulatory	11:45	Flood	8	20	1.7

Station: 192**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 03/10/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 11****GeoMean (FC/100 mL): 3.7****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
03/10/2015	Regulatory	09:30	Flood	10	26	1.7
05/11/2015	Regulatory	09:36	Flood	13	27	1.7
07/06/2015	Regulatory	09:45	Ebb	18	28	17.0
09/03/2015	Regulatory	09:39	Flood	16	27	4.5
12/17/2015	Regulatory	10:49	Ebb	9	27	1.7
02/17/2016	Regulatory	09:57	Flood	9	21	13.0
04/28/2016	Regulatory	09:13	Flood	13	25	7.8
06/09/2016	Regulatory	08:59	Flood	14	28	4.5
08/09/2016	Regulatory	09:43	Flood	16	29	33.0
10/04/2016	Regulatory	09:50	Ebb	14	30	1.7
12/05/2016	Regulatory	10:03	Flood	10	28	2.0
01/03/2017	Regulatory	10:05	Ebb	7	27	4.5
03/06/2017	Regulatory	09:58	Flood	8	27	1.8
05/17/2017	Regulatory	09:35	Flood	11	24	1.7
06/28/2017	Regulatory	09:48	Ebb	14	28	2.0
08/29/2017	Regulatory	10:44	Flood	17	28	1.7
10/10/2017	Regulatory	09:36	Flood	13	28	4.0
12/12/2017	Regulatory	09:55	Flood	7	27	6.8
01/23/2018	Regulatory	10:02	Flood	7	25	4.5
03/06/2018	Regulatory	10:01	Ebb	7	27	1.8
05/03/2018	Regulatory	09:28	Ebb	13	25	14.0
08/01/2018	Regulatory	09:29	Ebb	17	29	7.8
09/13/2018	Regulatory	09:34	Ebb	15	29	7.8
11/14/2018	Regulatory	10:09	Flood	11	30	1.7
02/28/2019	Regulatory	10:05	Flood	6	25	1.7
04/25/2019	Regulatory	09:55	Flood	12	27	4.5
06/25/2019	Regulatory	10:52	Flood	17	28	2.0
08/21/2019	Regulatory	09:45	Flood	18	29	6.8
10/16/2019	Regulatory	10:48	Ebb	14	29	1.7
12/18/2019	Regulatory	10:56	Flood	9	29	2.0

Station: 193**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 03/10/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 9.1****GeoMean (FC/100 mL): 3.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
03/10/2015	Regulatory	09:29	Flood	10	26	4.5
05/11/2015	Regulatory	09:34	Flood	13	27	4.5
07/06/2015	Regulatory	09:44	Ebb	17	28	7.8
09/03/2015	Regulatory	09:41	Flood	16	28	4.5
12/17/2015	Regulatory	10:51	Ebb	9	26	4.5
02/17/2016	Regulatory	09:56	Flood	9	21	6.8
04/28/2016	Regulatory	09:15	Flood	12	23	2.0
06/09/2016	Regulatory	09:01	Flood	14	25	2.0
08/09/2016	Regulatory	09:44	Flood	16	29	13.0
10/04/2016	Regulatory	09:52	Ebb	14	30	2.0
12/05/2016	Regulatory	10:02	Flood	9	26	7.8
01/03/2017	Regulatory	10:07	Ebb	6	28	1.7
03/06/2017	Regulatory	09:59	Flood	7	22	11.0
05/17/2017	Regulatory	09:38	Flood	11	16	2.0
06/28/2017	Regulatory	10:32	Ebb	15	27	9.3
08/29/2017	Regulatory	11:35	Flood	17	29	2.0
10/10/2017	Regulatory	10:13	Flood	13	29	1.7
12/12/2017	Regulatory	09:52	Flood	7	27	4.5
01/23/2018	Regulatory	10:00	Flood	7	23	2.0
03/06/2018	Regulatory	10:02	Ebb	7	27	1.7
05/03/2018	Regulatory	09:30	Ebb	13	27	1.7
08/01/2018	Regulatory	09:30	Ebb	17	27	33.0
09/13/2018	Regulatory	09:31	Flood	15	30	3.7
11/14/2018	Regulatory	10:07	Flood	11	30	2.0
02/28/2019	Regulatory	10:07	Flood	7	25	2.0
04/25/2019	Regulatory	09:57	Flood	12	24	1.7
06/25/2019	Regulatory	10:54	Flood	17	29	1.7
08/21/2019	Regulatory	09:47	Flood	18	29	2.0
10/16/2019	Regulatory	10:51	Ebb	13	29	2.0
12/18/2019	Regulatory	10:58	Flood	9	29	2.0

Station: 194**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 49.0****E90th (FC/100 mL): 10.7****GeoMean (FC/100 mL): 3.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	11:30	Flood	18	28	2.0
09/12/2017	Regulatory	09:43	Flood	16	28	2.0
10/10/2017	Regulatory	10:10	Flood	13	29	4.5
11/06/2017	Regulatory	09:35	Ebb	10	28	17.0
12/12/2017	Regulatory	10:02	Flood	8	29	1.7
01/23/2018	Regulatory	10:10	Flood	8	27	4.5
02/05/2018	Regulatory	09:50	Ebb	9	28	2.0
03/06/2018	Regulatory	10:11	Ebb	7	28	1.7
05/03/2018	Regulatory	09:38	Ebb	13	26	7.8
06/04/2018	Regulatory	09:25	Flood	14	27	4.5
06/18/2018	Regulatory	10:04	Ebb	16	27	4.5
08/01/2018	Regulatory	09:39	Ebb	17	29	1.7
08/29/2018	Regulatory	08:55	Ebb	16	29	2.0
09/13/2018	Regulatory	09:47	Ebb	15	29	6.8
10/01/2018	Regulatory	09:40	Flood	15	30	1.7
11/14/2018	Regulatory	10:18	Flood	11	30	4.5
12/04/2018	Regulatory	10:55	Flood	8	28	2.0
01/02/2019	Regulatory	09:30	Ebb	8	26	4.5
02/28/2019	Regulatory	10:17	Flood	6	27	1.7
03/12/2019	Regulatory	10:02	Flood	7	25	2.0
04/25/2019	Regulatory	10:05	Flood	12	28	2.0
05/09/2019	Regulatory	09:24	Ebb	15	28	2.0
06/25/2019	Regulatory	11:02	Flood	17	28	1.7
07/08/2019	Regulatory	10:14	Flood	16	28	49.0
08/21/2019	Regulatory	09:55	Flood	18	29	23.0
09/17/2019	Regulatory	08:55	Ebb	15	25	6.8
10/16/2019	Regulatory	10:32	Ebb	13	29	1.7
11/07/2019	Regulatory	10:46	Flood	12	29	7.8
12/18/2019	Regulatory	10:46	Flood	9	29	1.7
02/03/2020	Regulatory	12:18	Flood	8	26	1.7

Station: 195**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 14.6****GeoMean (FC/100 mL): 4.9****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	11:19	Flood	17	27	4.5
09/12/2017	Regulatory	09:53	Flood	16	27	4.5
10/10/2017	Regulatory	09:50	Flood	13	29	4.5
11/06/2017	Regulatory	09:48	Ebb	10	29	13.0
12/12/2017	Regulatory	10:10	Flood	7	27	13.0
01/23/2018	Regulatory	10:17	Flood	8	27	17.0
02/05/2018	Regulatory	09:58	Ebb	8	28	1.7
03/06/2018	Regulatory	10:19	Ebb	7	27	1.7
05/03/2018	Regulatory	09:46	Ebb	13	24	4.5
06/04/2018	Regulatory	09:36	Flood	15	24	7.8
06/18/2018	Regulatory	10:12	Ebb	18	22	17.0
08/01/2018	Regulatory	09:47	Ebb	18	28	4.5
08/29/2018	Regulatory	09:05	Ebb	17	29	13.0
09/13/2018	Regulatory	09:57	Ebb	15	29	11.0
10/01/2018	Regulatory	09:50	Flood	15	29	2.0
11/14/2018	Regulatory	10:28	Flood	10	30	4.5
12/04/2018	Regulatory	11:00	Flood	8	25	4.5
01/02/2019	Regulatory	09:41	Ebb	7	21	6.8
02/28/2019	Regulatory	10:26	Flood	6	23	1.7
03/12/2019	Regulatory	10:13	Ebb	7	26	11.0
04/25/2019	Regulatory	10:12	Flood	12	27	4.0
05/09/2019	Regulatory	09:33	Ebb	16	25	4.5
06/25/2019	Regulatory	11:08	Flood	18	27	4.5
07/08/2019	Regulatory	10:21	Flood	16	28	33.0
08/21/2019	Regulatory	10:02	Flood	18	28	7.8
09/17/2019	Regulatory	09:06	Ebb	15	29	2.0
10/16/2019	Regulatory	10:11	Ebb	13	29	1.7
11/07/2019	Regulatory	10:58	Flood	12	29	1.7
12/18/2019	Regulatory	10:36	Flood	9	29	1.7
02/03/2020	Regulatory	12:08	Flood	8	15	1.7

Station: 196**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 09/12/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 23.0****E90th (FC/100 mL): 9.6****GeoMean (FC/100 mL): 3.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
09/12/2017	Regulatory	09:40	Flood	16	28	13.0
10/10/2017	Regulatory	10:11	Flood	13	29	2.0
11/06/2017	Regulatory	09:27	Ebb	9	27	7.8
12/12/2017	Regulatory	10:00	Flood	8	29	4.5
01/23/2018	Regulatory	10:07	Flood	8	27	1.7
02/05/2018	Regulatory	09:47	Flood	9	27	7.8
03/06/2018	Regulatory	10:05	Ebb	7	28	1.7
05/03/2018	Regulatory	09:32	Ebb	13	26	2.0
06/04/2018	Regulatory	09:22	Flood	14	27	4.5
06/18/2018	Regulatory	09:57	Ebb	17	27	13.0
08/29/2018	Regulatory	08:53	Ebb	16	29	1.7
09/13/2018	Regulatory	09:39	Ebb	15	29	23.0
10/01/2018	Regulatory	09:36	Flood	15	29	2.0
11/14/2018	Regulatory	10:15	Flood	11	30	4.5
11/27/2018	Regulatory	09:30	Ebb	11	29	11.0
12/04/2018	Regulatory	10:46	Flood	9	28	7.8
01/02/2019	Regulatory	09:27	Ebb	8	26	1.7
02/28/2019	Regulatory	10:10	Flood	6	26	1.7
02/28/2019	Regulatory	10:36	Flood	5	19	1.7
03/12/2019	Regulatory	10:00	Flood	8	28	1.7
04/25/2019	Regulatory	10:00	Flood	12	27	1.7
05/09/2019	Regulatory	09:22	Ebb	15	28	1.7
06/25/2019	Regulatory	10:57	Flood	17	28	4.5
07/08/2019	Regulatory	10:08	Flood	16	29	7.8
08/21/2019	Regulatory	09:50	Flood	17	29	2.0
09/17/2019	Regulatory	08:50	Flood	15	30	2.0
10/16/2019	Regulatory	10:35	Ebb	13	29	1.7
11/07/2019	Regulatory	10:38	Flood	12	29	4.5
12/18/2019	Regulatory	10:49	Flood	9	29	4.0
02/03/2020	Regulatory	12:21	Flood	8	25	1.7

Station: 197**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 16.2****GeoMean (FC/100 mL): 4.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	11:23	Flood	17	29	2.0
09/12/2017	Regulatory	09:50	Flood	16	28	33.0
10/10/2017	Regulatory	09:48	Flood	13	28	4.5
11/06/2017	Regulatory	09:44	Ebb	10	28	17.0
12/12/2017	Regulatory	10:08	Flood	8	29	11.0
01/23/2018	Regulatory	10:15	Flood	8	27	1.7
02/05/2018	Regulatory	09:55	Ebb	8	28	1.7
03/06/2018	Regulatory	10:15	Ebb	7	28	1.7
05/03/2018	Regulatory	09:43	Ebb	13	20	4.5
06/04/2018	Regulatory	09:32	Flood	14	26	1.7
06/18/2018	Regulatory	10:08	Ebb	16	27	11.0
08/01/2018	Regulatory	09:44	Ebb	17	29	1.7
08/29/2018	Regulatory	09:03	Ebb	16	29	7.8
09/13/2018	Regulatory	09:53	Ebb	15	30	1.7
10/01/2018	Regulatory	09:47	Flood	15	29	4.5
11/14/2018	Regulatory	10:25	Flood	10	30	6.1
12/04/2018	Regulatory	10:58	Flood	7	25	17.0
01/02/2019	Regulatory	09:38	Ebb	8	24	4.5
02/28/2019	Regulatory	10:23	Flood	7	25	1.7
03/12/2019	Regulatory	10:11	Flood	7	26	2.0
04/25/2019	Regulatory	10:09	Flood	12	21	1.7
05/09/2019	Regulatory	09:30	Ebb	15	27	2.0
06/25/2019	Regulatory	11:06	Flood	18	28	11.0
07/08/2019	Regulatory	10:19	Flood	16	28	33.0
08/21/2019	Regulatory	09:59	Flood	18	28	33.0
09/17/2019	Regulatory	09:02	Ebb	15	28	4.5
10/16/2019	Regulatory	10:17	Ebb	13	29	2.0
11/07/2019	Regulatory	10:51	Flood	12	29	1.7
12/18/2019	Regulatory	10:39	Flood	9	29	4.5
02/03/2020	Regulatory	12:11	Flood	8	22	1.7

Station: 198**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 21.0****E90th (FC/100 mL): 6.6****GeoMean (FC/100 mL): 2.7****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	10:53	Flood	17	27	2.0
09/12/2017	Regulatory	09:45	Flood	17	27	1.7
10/10/2017	Regulatory	09:45	Flood	13	27	1.7
11/06/2017	Regulatory	09:38	Ebb	10	28	17.0
12/12/2017	Regulatory	10:04	Flood	8	28	4.5
01/23/2018	Regulatory	10:11	Flood	8	26	1.7
02/05/2018	Regulatory	09:51	Ebb	8	28	1.7
03/06/2018	Regulatory	10:09	Ebb	7	28	1.7
05/03/2018	Regulatory	09:36	Ebb	13	27	4.5
06/04/2018	Regulatory	09:27	Flood	14	27	1.7
06/18/2018	Regulatory	10:02	Ebb	17	26	4.5
08/01/2018	Regulatory	09:37	Ebb	17	29	2.0
08/29/2018	Regulatory	08:57	Ebb	17	28	4.5
09/13/2018	Regulatory	09:45	Ebb	15	29	7.8
10/01/2018	Regulatory	09:42	Flood	15	29	2.0
11/14/2018	Regulatory	10:20	Flood	11	29	1.7
12/04/2018	Regulatory	10:53	Flood	9	28	2.0
01/02/2019	Regulatory	09:31	Ebb	9	27	2.0
02/28/2019	Regulatory	10:19	Flood	7	27	1.7
03/12/2019	Regulatory	10:05	Flood	7	27	1.7
04/25/2019	Regulatory	10:03	Flood	12	27	1.8
05/09/2019	Regulatory	09:27	Ebb	15	28	2.0
06/25/2019	Regulatory	11:00	Flood	17	28	1.7
07/08/2019	Regulatory	10:15	Flood	16	28	21.0
08/21/2019	Regulatory	09:53	Flood	18	28	6.1
09/17/2019	Regulatory	08:57	Ebb	15	29	2.0
10/16/2019	Regulatory	10:30	Ebb	13	29	4.5
11/07/2019	Regulatory	10:44	Flood	12	29	1.7
12/18/2019	Regulatory	10:43	Flood	9	29	2.0
02/03/2020	Regulatory	12:16	Flood	8	24	1.7

Station: 199**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 7.4****GeoMean (FC/100 mL): 2.7****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	10:46	Flood	17	28	1.7
09/12/2017	Regulatory	09:34	Flood	16	27	2.0
10/10/2017	Regulatory	09:38	Flood	13	28	4.5
11/06/2017	Regulatory	09:23	Ebb	9	27	6.1
12/12/2017	Regulatory	09:58	Flood	8	28	2.0
01/23/2018	Regulatory	10:04	Flood	8	26	1.7
02/05/2018	Regulatory	09:41	Flood	9	26	11.0
03/06/2018	Regulatory	10:07	Ebb	7	28	1.7
05/03/2018	Regulatory	09:34	Ebb	13	25	2.0
06/04/2018	Regulatory	09:20	Flood	14	26	1.7
06/18/2018	Regulatory	10:00	Ebb	16	27	2.0
08/01/2018	Regulatory	09:35	Ebb	17	29	2.0
08/29/2018	Regulatory	08:51	Ebb	17	29	7.8
09/13/2018	Regulatory	09:36	Ebb	15	29	6.8
10/01/2018	Regulatory	09:31	Flood	15	28	1.7
11/14/2018	Regulatory	10:12	Flood	11	30	1.8
12/04/2018	Regulatory	10:50	Flood	9	29	2.0
01/02/2019	Regulatory	09:24	Ebb	9	27	1.8
02/28/2019	Regulatory	10:13	Flood	7	26	1.7
03/12/2019	Regulatory	09:58	Flood	8	27	1.7
04/25/2019	Regulatory	10:02	Flood	12	28	1.7
05/09/2019	Regulatory	09:18	Ebb	16	28	1.7
06/25/2019	Regulatory	10:59	Flood	17	28	2.0
07/08/2019	Regulatory	10:02	Flood	16	28	33.0
08/21/2019	Regulatory	09:51	Flood	18	29	13.0
09/17/2019	Regulatory	08:53	Ebb	15	28	2.0
10/16/2019	Regulatory	10:38	Ebb	13	29	1.7
11/07/2019	Regulatory	10:41	Flood	11	29	4.5
12/18/2019	Regulatory	10:52	Flood	9	29	1.7
02/03/2020	Regulatory	12:23	Ebb	8	26	1.7

Station: 200**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 10****GeoMean (FC/100 mL): 3.5****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	11:26	Flood	17	29	1.7
09/12/2017	Regulatory	09:47	Flood	16	28	1.7
10/10/2017	Regulatory	09:46	Flood	13	28	1.7
11/06/2017	Regulatory	09:42	Ebb	9	27	17.0
12/12/2017	Regulatory	10:06	Flood	8	29	2.0
01/23/2018	Regulatory	10:13	Flood	8	27	11.0
02/05/2018	Regulatory	09:53	Ebb	8	28	1.7
03/06/2018	Regulatory	10:13	Ebb	7	28	1.7
05/03/2018	Regulatory	09:41	Ebb	13	25	4.5
06/04/2018	Regulatory	09:29	Flood	14	27	2.0
06/18/2018	Regulatory	10:07	Ebb	16	28	4.0
08/01/2018	Regulatory	09:42	Ebb	17	28	2.0
08/29/2018	Regulatory	09:00	Ebb	16	29	7.8
09/13/2018	Regulatory	09:49	Ebb	15	29	4.5
10/01/2018	Regulatory	09:44	Flood	15	28	4.5
11/14/2018	Regulatory	10:23	Flood	11	29	2.0
12/04/2018	Regulatory	10:57	Flood	8	27	4.5
01/02/2019	Regulatory	09:35	Ebb	8	26	4.0
02/28/2019	Regulatory	10:21	Flood	7	26	2.0
03/12/2019	Regulatory	10:07	Flood	8	27	1.7
04/25/2019	Regulatory	10:06	Flood	12	27	2.0
05/09/2019	Regulatory	09:28	Ebb	15	25	7.8
06/25/2019	Regulatory	11:04	Flood	17	29	4.0
07/08/2019	Regulatory	10:17	Flood	16	28	33.0
08/21/2019	Regulatory	09:57	Flood	18	28	1.7
09/17/2019	Regulatory	09:00	Ebb	15	28	17.0
10/16/2019	Regulatory	10:20	Ebb	13	29	4.0
11/07/2019	Regulatory	10:48	Flood	12	29	4.0
12/18/2019	Regulatory	10:41	Flood	9	29	1.7
02/03/2020	Regulatory	12:14	Flood	8	24	1.7

Station: 201**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 13.0****E90th (FC/100 mL): 7.1****GeoMean (FC/100 mL): 3.1****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	10:48	Flood	17	27	1.8
09/12/2017	Regulatory	10:16	Flood	16	26	5.6
10/10/2017	Regulatory	09:41	Flood	13	28	4.5
11/06/2017	Regulatory	10:13	Ebb	8	27	2.0
12/12/2017	Regulatory	10:31	Flood	7	26	1.7
01/23/2018	Regulatory	10:38	Ebb	7	24	1.8
02/05/2018	Regulatory	10:18	Ebb	8	27	2.0
03/06/2018	Regulatory	10:49	Ebb	6	27	1.7
05/03/2018	Regulatory	10:09	Ebb	13	25	2.0
06/04/2018	Regulatory	09:56	Flood	14	26	1.7
06/18/2018	Regulatory	10:43	Ebb	17	26	2.0
08/01/2018	Regulatory	10:10	Ebb	18	28	13.0
08/29/2018	Regulatory	09:35	Ebb	17	29	4.5
09/13/2018	Regulatory	10:23	Ebb	15	29	4.0
10/01/2018	Regulatory	10:16	Flood	15	29	4.5
11/14/2018	Regulatory	10:51	Flood	10	29	13.0
12/04/2018	Regulatory	11:26	Flood	8	29	4.5
01/02/2019	Regulatory	10:03	Flood	8	28	4.5
02/28/2019	Regulatory	10:52	Flood	6	27	1.7
03/12/2019	Regulatory	10:35	Ebb	8	26	1.7
04/25/2019	Regulatory	10:34	Ebb	12	26	2.0
05/09/2019	Regulatory	09:56	Ebb	15	28	1.8
06/25/2019	Regulatory	11:33	Flood	18	28	2.0
07/08/2019	Regulatory	10:45	Flood	16	28	11.0
08/21/2019	Regulatory	10:22	Flood	19	28	7.8
09/17/2019	Regulatory	09:21	Ebb	15	29	4.5
10/16/2019	Regulatory	10:41	Ebb	14	29	2.0
11/07/2019	Regulatory	11:28	Flood	11	28	2.0
12/18/2019	Regulatory	10:09	Flood	9	29	1.7
02/03/2020	Regulatory	11:43	Flood	8	22	4.5

Station: 202**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 03/10/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 33.0****E90th (FC/100 mL): 16.1****GeoMean (FC/100 mL): 4.4****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
03/10/2015	Regulatory	10:07	Ebb	10	26	1.7
05/11/2015	Regulatory	10:13	Flood	13	26	7.8
07/06/2015	Regulatory	10:23	Ebb	19	28	4.5
09/03/2015	Regulatory	10:12	Flood	16	29	2.0
12/17/2015	Regulatory	11:12	Ebb	9	26	4.5
02/17/2016	Regulatory	10:32	Flood	9	17	12.0
04/28/2016	Regulatory	09:49	Flood	13	25	4.5
06/09/2016	Regulatory	09:38	Ebb	14	28	33.0
08/09/2016	Regulatory	10:16	Flood	16	29	17.0
10/04/2016	Regulatory	10:35	Ebb	14	29	7.8
12/05/2016	Regulatory	10:32	Flood	9	27	4.5
01/03/2017	Regulatory	10:53	Ebb	6	27	1.7
03/06/2017	Regulatory	10:35	Flood	7	26	13.0
05/17/2017	Regulatory	10:18	Flood	11	20	23.0
06/28/2017	Regulatory	09:46	Ebb	15	27	33.0
08/29/2017	Regulatory	10:41	Flood	18	28	1.7
10/10/2017	Regulatory	09:35	Flood	13	29	4.5
12/12/2017	Regulatory	10:32	Flood	7	27	1.7
01/23/2018	Regulatory	10:41	Ebb	8	27	1.7
03/06/2018	Regulatory	10:53	Ebb	6	27	1.7
05/03/2018	Regulatory	10:12	Ebb	13	26	2.0
08/01/2018	Regulatory	10:12	Ebb	18	28	6.8
09/13/2018	Regulatory	10:26	Ebb	15	29	2.0
11/14/2018	Regulatory	10:54	Flood	10	29	1.8
02/28/2019	Regulatory	10:55	Flood	6	18	1.7
04/25/2019	Regulatory	10:36	Ebb	12	27	1.7
06/25/2019	Regulatory	11:35	Flood	18	27	4.5
08/21/2019	Regulatory	10:24	Flood	18	28	23.0
10/16/2019	Regulatory	10:45	Ebb	14	29	1.8
12/18/2019	Regulatory	10:07	Flood	9	29	1.8

Station: 203**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 03/10/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 11.0****E90th (FC/100 mL): 5.6****GeoMean (FC/100 mL): 2.6****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
03/10/2015	Regulatory	09:25	Flood	10	27	1.7
05/11/2015	Regulatory	09:30	Flood	12	27	1.7
07/06/2015	Regulatory	09:40	Ebb	17	28	4.5
09/03/2015	Regulatory	09:35	Flood	16	29	2.0
12/17/2015	Regulatory	10:46	Ebb	9	27	7.8
02/17/2016	Regulatory	09:51	Flood	9	20	7.8
04/28/2016	Regulatory	09:09	Flood	13	27	1.7
06/09/2016	Regulatory	08:55	Flood	14	29	4.5
08/09/2016	Regulatory	09:39	Flood	15	30	11.0
10/04/2016	Regulatory	09:46	Ebb	14	30	1.7
12/05/2016	Regulatory	09:58	Flood	10	28	1.7
01/03/2017	Regulatory	10:01	Ebb	8	28	1.7
03/06/2017	Regulatory	09:54	Flood	8	27	6.8
05/17/2017	Regulatory	09:31	Flood	11	25	1.7
06/28/2017	Regulatory	10:36	Ebb	14	28	2.0
08/29/2017	Regulatory	11:39	Flood	16	29	1.7
10/10/2017	Regulatory	10:17	Flood	13	29	1.7
12/12/2017	Regulatory	09:48	Flood	8	29	1.7
01/23/2018	Regulatory	09:55	Flood	8	24	2.0
03/06/2018	Regulatory	09:56	Ebb	7	28	1.7
05/03/2018	Regulatory	09:22	Ebb	12	27	4.0
08/01/2018	Regulatory	09:22	Flood	16	29	4.5
09/13/2018	Regulatory	09:26	Flood	15	29	2.0
11/14/2018	Regulatory	10:03	Flood	11	30	1.8
02/28/2019	Regulatory	10:00	Flood	6	27	1.7
04/25/2019	Regulatory	09:52	Flood	12	28	1.7
06/25/2019	Regulatory	10:48	Flood	17	29	1.7
08/21/2019	Regulatory	09:41	Flood	17	29	4.5
10/16/2019	Regulatory	10:57	Ebb	14	29	4.5
12/18/2019	Regulatory	11:05	Flood	10	29	1.7

Station: 204**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 03/10/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 11.0****E90th (FC/100 mL): 4.1****GeoMean (FC/100 mL): 2.2****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
03/10/2015	Regulatory	09:26	Flood	10	26	2.0
05/11/2015	Regulatory	09:32	Flood	13	26	2.0
07/06/2015	Regulatory	09:42	Ebb	17	28	2.0
09/03/2015	Regulatory	09:37	Flood	16	29	1.7
12/17/2015	Regulatory	10:47	Ebb	9	27	2.0
02/17/2016	Regulatory	09:54	Flood	9	24	4.5
04/28/2016	Regulatory	09:11	Flood	13	26	11.0
06/09/2016	Regulatory	08:57	Flood	14	30	1.7
08/09/2016	Regulatory	09:41	Flood	16	30	2.0
10/04/2016	Regulatory	09:48	Ebb	14	30	1.7
12/05/2016	Regulatory	10:00	Flood	10	28	2.0
01/03/2017	Regulatory	10:03	Ebb	7	28	1.7
03/06/2017	Regulatory	09:56	Flood	8	27	2.0
05/17/2017	Regulatory	09:33	Flood	11	24	1.7
06/28/2017	Regulatory	10:34	Ebb	14	28	1.7
08/29/2017	Regulatory	11:37	Flood	16	28	2.0
10/10/2017	Regulatory	10:15	Flood	13	29	2.0
12/12/2017	Regulatory	09:50	Flood	8	28	2.0
01/23/2018	Regulatory	09:57	Flood	8	26	1.7
03/06/2018	Regulatory	09:58	Ebb	7	28	2.0
05/03/2018	Regulatory	09:25	Ebb	12	27	1.7
08/01/2018	Regulatory	09:26	Ebb	16	29	4.5
09/13/2018	Regulatory	09:29	Flood	15	29	2.0
11/14/2018	Regulatory	10:05	Flood	11	30	1.8
02/28/2019	Regulatory	10:03	Flood	7	27	1.7
04/25/2019	Regulatory	09:54	Flood	12	28	2.0
06/25/2019	Regulatory	10:50	Flood	17	29	1.7
08/21/2019	Regulatory	09:43	Flood	17	29	9.3
10/16/2019	Regulatory	10:54	Ebb	13	29	1.7
12/18/2019	Regulatory	11:02	Flood	9	29	1.7

Station: 205**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 03/10/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 49.0****E90th (FC/100 mL): 11.9****GeoMean (FC/100 mL): 3.7****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
03/10/2015	Regulatory	10:09	Ebb	10	26	4.5
05/11/2015	Regulatory	10:15	Flood	13	27	2.0
07/06/2015	Regulatory	10:25	Ebb	19	27	1.7
09/03/2015	Regulatory	10:14	Flood	16	29	11.0
12/17/2015	Regulatory	11:16	Ebb	10	27	4.0
02/17/2016	Regulatory	10:34	Flood	9	13	13.0
04/28/2016	Regulatory	09:52	Flood	13	25	2.0
06/09/2016	Regulatory	09:41	Ebb	14	28	1.7
08/09/2016	Regulatory	10:18	Flood	16	29	49.0
10/04/2016	Regulatory	10:37	Ebb	14	29	7.8
12/05/2016	Regulatory	10:34	Ebb	8	29	2.0
01/03/2017	Regulatory	10:56	Ebb	7	28	1.8
03/06/2017	Regulatory	10:37	Flood	7	26	2.0
05/17/2017	Regulatory	10:21	Flood	11	19	4.5
06/28/2017	Regulatory	09:44	Ebb	15	27	13.0
08/29/2017	Regulatory	10:39	Flood	18	27	2.0
10/10/2017	Regulatory	09:32	Flood	13	28	1.7
12/12/2017	Regulatory	10:35	Flood	7	26	4.5
01/23/2018	Regulatory	10:43	Ebb	8	27	2.0
03/06/2018	Regulatory	10:55	Ebb	7	27	1.7
05/03/2018	Regulatory	10:14	Ebb	13	25	1.7
08/01/2018	Regulatory	10:15	Ebb	18	28	13.0
09/13/2018	Regulatory	10:29	Ebb	15	29	7.8
11/14/2018	Regulatory	10:56	Flood	10	29	2.0
02/28/2019	Regulatory	10:57	Flood	6	26	1.7
04/25/2019	Regulatory	10:39	Ebb	12	26	1.7
06/25/2019	Regulatory	11:38	Flood	17	28	11.0
08/21/2019	Regulatory	10:28	Flood	18	29	7.8
10/16/2019	Regulatory	11:02	Ebb	14	29	1.7
12/18/2019	Regulatory	10:05	Flood	9	29	4.5

Station: 206**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 03/10/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 46.0****E90th (FC/100 mL): 7****GeoMean (FC/100 mL): 2.5****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
03/10/2015	Regulatory	09:23	Flood	10	27	1.7
05/11/2015	Regulatory	09:28	Flood	12	28	1.7
07/06/2015	Regulatory	09:38	Ebb	17	27	2.0
09/03/2015	Regulatory	09:33	Flood	16	29	1.7
12/17/2015	Regulatory	10:45	Ebb	9	26	4.5
02/17/2016	Regulatory	09:48	Flood	9	26	1.7
04/28/2016	Regulatory	09:07	Flood	13	27	2.0
06/09/2016	Regulatory	08:53	Flood	13	29	13.0
08/09/2016	Regulatory	09:37	Flood	16	30	46.0
10/04/2016	Regulatory	09:44	Ebb	14	30	2.0
12/05/2016	Regulatory	09:55	Flood	10	28	2.0
01/03/2017	Regulatory	09:58	Flood	8	28	1.7
03/06/2017	Regulatory	09:52	Flood	8	27	1.7
05/17/2017	Regulatory	09:29	Flood	11	25	1.8
06/28/2017	Regulatory	10:38	Ebb	14	28	2.0
08/29/2017	Regulatory	11:42	Flood	16	29	1.7
10/10/2017	Regulatory	10:19	Flood	13	29	1.7
12/12/2017	Regulatory	09:46	Flood	8	28	2.0
01/23/2018	Regulatory	09:53	Flood	8	26	1.7
03/06/2018	Regulatory	09:54	Ebb	7	28	1.7
05/03/2018	Regulatory	09:21	Ebb	12	27	6.8
08/01/2018	Regulatory	09:20	Flood	16	29	14.0
09/13/2018	Regulatory	09:23	Flood	15	30	1.7
11/14/2018	Regulatory	10:00	Flood	11	30	4.0
02/28/2019	Regulatory	09:56	Flood	7	27	1.7
04/25/2019	Regulatory	09:49	Flood	12	28	1.7
06/25/2019	Regulatory	10:46	Flood	17	29	2.0
08/21/2019	Regulatory	09:39	Flood	17	29	2.0
10/16/2019	Regulatory	11:39	Ebb	14	29	1.7
12/18/2019	Regulatory	11:09	Flood	10	30	1.7

Station: 207**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 03/10/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 13.0****E90th (FC/100 mL): 4.4****GeoMean (FC/100 mL): 2.2****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
03/10/2015	Regulatory	10:20	Ebb	10	27	1.7
05/11/2015	Regulatory	10:25	Flood	13	27	4.5
07/06/2015	Regulatory	10:34	Ebb	18	29	2.0
09/03/2015	Regulatory	10:23	Flood	15	29	1.7
12/17/2015	Regulatory	11:27	Ebb	10	28	4.5
02/17/2016	Regulatory	10:44	Flood	9	27	1.7
04/28/2016	Regulatory	10:01	Flood	12	24	2.0
06/09/2016	Regulatory	09:52	Ebb	14	29	1.7
08/09/2016	Regulatory	10:27	Flood	14	31	1.7
10/04/2016	Regulatory	10:47	Ebb	14	30	1.7
12/05/2016	Regulatory	10:43	Ebb	8	30	2.0
01/03/2017	Regulatory	11:08	Ebb	8	29	1.7
03/06/2017	Regulatory	10:46	Flood	7	27	1.8
05/17/2017	Regulatory	10:31	Ebb	11	25	4.5
06/28/2017	Regulatory	09:31	Flood	13	28	7.8
08/29/2017	Regulatory	10:25	Flood	17	29	2.0
10/10/2017	Regulatory	09:19	Flood	13	29	1.7
12/12/2017	Regulatory	10:45	Flood	8	29	1.7
01/23/2018	Regulatory	10:53	Ebb	8	28	4.0
03/06/2018	Regulatory	11:05	Ebb	7	28	1.8
05/03/2018	Regulatory	10:26	Ebb	12	27	1.7
08/01/2018	Regulatory	10:24	Ebb	17	28	2.0
09/13/2018	Regulatory	10:40	Ebb	14	30	1.7
11/14/2018	Regulatory	11:06	Flood	10	30	1.7
02/28/2019	Regulatory	11:07	Flood	8	28	1.7
04/25/2019	Regulatory	10:48	Ebb	11	27	1.7
06/25/2019	Regulatory	11:50	Flood	16	29	1.7
08/21/2019	Regulatory	10:38	Flood	18	29	13.0
10/16/2019	Regulatory	11:14	Ebb	14	29	1.7
12/18/2019	Regulatory	09:55	Flood	10	30	1.7

Station: 208**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 03/10/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 110.0****E90th (FC/100 mL): 18.9****GeoMean (FC/100 mL): 4.1****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
03/10/2015	Regulatory	09:21	Flood	10	27	2.0
05/11/2015	Regulatory	09:26	Flood	12	27	1.7
07/06/2015	Regulatory	09:35	Ebb	16	29	2.0
09/03/2015	Regulatory	09:30	Flood	16	29	1.7
12/17/2015	Regulatory	10:42	Ebb	9	27	9.3
02/17/2016	Regulatory	09:46	Flood	9	16	2.0
04/28/2016	Regulatory	09:05	Flood	12	27	7.8
06/09/2016	Regulatory	08:51	Flood	14	29	13.0
08/09/2016	Regulatory	09:35	Flood	16	30	4.5
10/04/2016	Regulatory	09:41	Ebb	14	30	1.7
12/05/2016	Regulatory	09:53	Flood	10	28	1.8
01/03/2017	Regulatory	09:55	Flood	6	28	1.7
03/06/2017	Regulatory	09:49	Flood	8	27	11.0
05/17/2017	Regulatory	09:26	Flood	11	26	2.0
06/28/2017	Regulatory	10:40	Ebb	14	28	17.0
08/29/2017	Regulatory	11:45	Flood	16	29	1.7
10/10/2017	Regulatory	10:21	Flood	13	26	33.0
12/12/2017	Regulatory	09:42	Flood	8	29	4.5
01/23/2018	Regulatory	09:51	Flood	7	18	14.0
03/06/2018	Regulatory	09:51	Ebb	7	28	1.7
05/03/2018	Regulatory	09:17	Ebb	13	27	1.7
08/01/2018	Regulatory	09:17	Flood	16	29	7.8
09/13/2018	Regulatory	09:21	Flood	14	29	110.0
11/14/2018	Regulatory	09:57	Flood	11	30	2.0
02/28/2019	Regulatory	09:52	Flood	7	27	1.7
04/25/2019	Regulatory	09:47	Flood	11	28	1.7
06/25/2019	Regulatory	10:43	Flood	16	29	1.7
08/21/2019	Regulatory	09:37	Flood	18	29	1.7
10/16/2019	Regulatory	11:35	Ebb	14	29	49.0
12/18/2019	Regulatory	11:12	Flood	10	30	2.0

Station: 209**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 03/10/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 7.8****E90th (FC/100 mL): 4****GeoMean (FC/100 mL): 2.2****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
03/10/2015	Regulatory	09:17	Flood	10	27	1.7
05/11/2015	Regulatory	09:22	Flood	12	28	4.5
07/06/2015	Regulatory	09:33	Ebb	16	29	1.7
09/03/2015	Regulatory	09:28	Flood	16	27	2.0
12/17/2015	Regulatory	10:40	Ebb	10	27	1.7
02/17/2016	Regulatory	09:41	Flood	9	26	1.7
04/28/2016	Regulatory	09:02	Flood	11	28	7.8
06/09/2016	Regulatory	08:48	Flood	13	29	7.8
08/09/2016	Regulatory	09:33	Flood	15	30	1.7
10/04/2016	Regulatory	09:38	Ebb	14	30	1.7
12/05/2016	Regulatory	09:50	Flood	10	26	1.7
01/03/2017	Regulatory	09:53	Flood	8	28	1.7
03/06/2017	Regulatory	09:47	Flood	8	28	1.8
05/17/2017	Regulatory	09:23	Flood	10	26	1.7
06/28/2017	Regulatory	10:43	Ebb	13	28	2.0
08/29/2017	Regulatory	11:48	Flood	16	29	4.5
10/10/2017	Regulatory	10:24	Flood	13	29	1.7
12/12/2017	Regulatory	09:39	Flood	9	29	1.7
01/23/2018	Regulatory	09:48	Flood	7	24	1.7
03/06/2018	Regulatory	09:48	Ebb	8	28	1.7
05/03/2018	Regulatory	09:14	Ebb	11	28	1.7
08/01/2018	Regulatory	09:14	Flood	15	29	2.0
09/13/2018	Regulatory	09:17	Flood	14	28	1.7
11/14/2018	Regulatory	09:54	Flood	11	30	2.0
02/28/2019	Regulatory	09:50	Flood	7	28	1.7
04/25/2019	Regulatory	09:44	Flood	11	28	1.7
06/25/2019	Regulatory	10:41	Flood	16	29	1.7
08/21/2019	Regulatory	09:35	Flood	17	29	6.8
10/16/2019	Regulatory	11:32	Ebb	14	30	1.7
12/18/2019	Regulatory	11:14	Flood	10	30	1.7

Station: 698**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 05/11/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 6.8****E90th (FC/100 mL): 3****GeoMean (FC/100 mL): 2****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
05/11/2015	Regulatory	09:19	Flood	12	28	4.5
07/06/2015	Regulatory	09:29	Flood	15	29	1.7
09/03/2015	Regulatory	09:25	Flood	16	29	1.7
12/17/2015	Regulatory	10:37	Ebb	10	28	2.0
02/17/2016	Regulatory	09:38	Flood	10	26	4.5
04/28/2016	Regulatory	08:59	Flood	11	28	1.7
06/09/2016	Regulatory	08:44	Flood	14	29	1.7
07/26/2016	Regulatory	09:22	Flood	17	31	1.7
08/09/2016	Regulatory	09:29	Flood	15	30	1.7
10/04/2016	Regulatory	09:35	Ebb	14	30	2.0
12/05/2016	Regulatory	09:48	Flood	10	21	1.7
01/03/2017	Regulatory	09:49	Flood	8	29	2.0
03/06/2017	Regulatory	09:44	Flood	8	27	1.7
05/17/2017	Regulatory	09:21	Flood	11	26	1.7
06/28/2017	Regulatory	10:46	Ebb	13	28	2.0
08/29/2017	Regulatory	11:52	Flood	16	29	1.7
10/10/2017	Regulatory	10:27	Flood	13	29	1.7
12/12/2017	Regulatory	09:35	Flood	9	28	1.7
01/23/2018	Regulatory	09:45	Flood	8	27	1.7
03/06/2018	Regulatory	09:45	Ebb	8	28	1.7
05/03/2018	Regulatory	09:09	Ebb	11	28	1.7
08/01/2018	Regulatory	09:11	Flood	15	28	1.7
09/13/2018	Regulatory	09:14	Flood	14	29	1.7
11/14/2018	Regulatory	09:50	Flood	11	30	6.8
02/28/2019	Regulatory	09:47	Flood	7	28	1.7
04/25/2019	Regulatory	09:41	Flood	11	28	1.7
06/25/2019	Regulatory	10:38	Flood	15	29	1.7
08/21/2019	Regulatory	09:32	Flood	16	30	2.0
10/16/2019	Regulatory	11:28	Ebb	14	30	2.0
12/18/2019	Regulatory	11:17	Flood	10	30	1.7

Station: 723**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 05/11/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 13.0****E90th (FC/100 mL): 5.7****GeoMean (FC/100 mL): 2.6****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
05/11/2015	Regulatory	09:16	Flood	12	28	1.7
05/11/2015	Regulatory	10:23	Flood	13	27	4.5
07/06/2015	Regulatory	10:32	Ebb	18	28	1.8
09/03/2015	Regulatory	10:21	Flood	16	29	1.7
12/17/2015	Regulatory	11:24	Ebb	10	27	7.8
02/17/2016	Regulatory	10:41	Flood	9	17	7.8
04/28/2016	Regulatory	09:58	Flood	12	23	6.8
06/09/2016	Regulatory	09:49	Ebb	14	28	1.7
08/09/2016	Regulatory	10:24	Flood	15	30	2.0
10/04/2016	Regulatory	10:45	Ebb	14	30	2.0
12/05/2016	Regulatory	10:40	Ebb	8	29	4.5
01/03/2017	Regulatory	11:04	Ebb	7	28	1.7
03/06/2017	Regulatory	10:43	Flood	7	26	2.0
05/17/2017	Regulatory	10:28	Flood	11	24	6.8
06/28/2017	Regulatory	09:35	Ebb	15	27	13.0
08/29/2017	Regulatory	10:30	Flood	18	28	1.7
10/10/2017	Regulatory	09:23	Flood	13	27	1.7
12/12/2017	Regulatory	10:42	Flood	8	28	2.0
01/23/2018	Regulatory	10:49	Ebb	8	25	4.5
03/06/2018	Regulatory	11:03	Ebb	7	27	1.7
05/03/2018	Regulatory	10:23	Ebb	13	26	4.0
08/01/2018	Regulatory	10:21	Ebb	17	29	2.0
09/13/2018	Regulatory	10:36	Ebb	14	30	2.0
11/14/2018	Regulatory	11:03	Flood	10	30	2.0
02/28/2019	Regulatory	11:05	Flood	7	27	1.7
04/25/2019	Regulatory	10:45	Ebb	11	26	1.7
06/25/2019	Regulatory	11:44	Flood	17	28	1.7
08/21/2019	Regulatory	10:35	Flood	18	28	1.7
10/16/2019	Regulatory	11:10	Ebb	14	29	1.7
12/18/2019	Regulatory	09:59	Flood	10	30	1.7

Station: 724**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 03/10/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 70.0****E90th (FC/100 mL): 15****GeoMean (FC/100 mL): 4.1****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
03/10/2015	Regulatory	10:13	Ebb	10	27	1.7
05/11/2015	Regulatory	10:19	Flood	13	27	7.8
07/06/2015	Regulatory	10:29	Ebb	18	28	1.7
09/03/2015	Regulatory	10:18	Flood	16	28	2.0
12/17/2015	Regulatory	11:20	Ebb	10	28	7.8
02/17/2016	Regulatory	10:38	Flood	9	14	4.5
04/28/2016	Regulatory	09:55	Flood	13	24	4.5
06/09/2016	Regulatory	09:45	Ebb	15	29	1.7
08/09/2016	Regulatory	10:21	Flood	16	28	70.0
10/04/2016	Regulatory	10:41	Ebb	14	29	33.0
12/05/2016	Regulatory	10:37	Ebb	8	30	1.8
01/03/2017	Regulatory	11:00	Ebb	7	28	4.5
03/06/2017	Regulatory	10:40	Flood	7	26	7.8
05/17/2017	Regulatory	10:24	Flood	11	24	11.0
06/28/2017	Regulatory	09:39	Ebb	15	27	14.0
08/29/2017	Regulatory	10:35	Flood	18	27	6.8
10/10/2017	Regulatory	09:28	Flood	13	29	4.0
12/12/2017	Regulatory	10:39	Flood	6	26	11.0
01/23/2018	Regulatory	10:46	Ebb	8	28	1.7
03/06/2018	Regulatory	10:59	Ebb	6	27	1.7
05/03/2018	Regulatory	10:19	Ebb	13	24	1.7
08/01/2018	Regulatory	10:18	Ebb	18	28	1.7
09/13/2018	Regulatory	10:33	Ebb	14	29	2.0
11/14/2018	Regulatory	11:00	Flood	10	30	13.0
02/28/2019	Regulatory	11:01	Flood	6	27	1.7
04/25/2019	Regulatory	10:42	Ebb	12	25	1.7
06/25/2019	Regulatory	11:41	Flood	17	28	1.7
08/21/2019	Regulatory	10:32	Flood	18	28	7.8
10/16/2019	Regulatory	11:07	Ebb	14	29	2.0
12/18/2019	Regulatory	10:01	Flood	10	29	1.7

Station: 767**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/05/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 13.0****E90th (FC/100 mL): 4****GeoMean (FC/100 mL): 2.1****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/05/2015	Regulatory	09:30	Flood	16	29	1.7
09/03/2015	Regulatory	09:22	Flood	16	30	1.7
10/19/2015	Regulatory	10:17	Flood	14	30	13.0
11/23/2015	Regulatory	10:25	Flood	11	27	7.8
02/17/2016	Regulatory	09:34	Flood	10	27	1.7
03/03/2016	Regulatory	09:25	Flood	10	27	2.0
04/28/2016	Regulatory	08:56	Flood	11	27	1.7
06/09/2016	Regulatory	08:41	Flood	14	29	2.0
08/09/2016	Regulatory	09:26	Flood	15	30	1.7
10/04/2016	Regulatory	09:32	Ebb	14	30	1.7
12/05/2016	Regulatory	09:45	Flood	10	27	1.7
01/03/2017	Regulatory	09:45	Flood	8	29	1.7
03/06/2017	Regulatory	09:41	Flood	8	27	1.7
05/17/2017	Regulatory	09:17	Flood	11	26	1.8
06/28/2017	Regulatory	10:50	Ebb	13	28	2.0
08/29/2017	Regulatory	11:56	Flood	16	29	1.7
10/10/2017	Regulatory	10:30	Flood	13	30	1.7
12/12/2017	Regulatory	09:30	Flood	9	28	1.7
01/23/2018	Regulatory	09:41	Flood	8	27	4.5
03/06/2018	Regulatory	09:40	Ebb	8	28	1.7
05/03/2018	Regulatory	09:06	Ebb	10	28	1.7
08/01/2018	Regulatory	09:08	Flood	15	29	1.7
09/13/2018	Regulatory	09:11	Flood	15	29	1.7
11/14/2018	Regulatory	09:46	Flood	11	30	2.0
02/28/2019	Regulatory	09:43	Flood	8	28	1.7
04/25/2019	Regulatory	09:35	Flood	11	28	1.7
06/25/2019	Regulatory	10:35	Flood	16	29	2.0
08/21/2019	Regulatory	09:23	Flood	16	29	1.7
10/16/2019	Regulatory	11:23	Ebb	14	30	4.5
12/18/2019	Regulatory	11:20	Flood	10	30	2.0

Station: 825**Classification: Approved****Method: SRS****Total Samples: 30****Date Range: 08/05/2015 - 12/18/2019****Range (FC/100 mL): 1.7 - 11.0****E90th (FC/100 mL): 3.8****GeoMean (FC/100 mL): 2.1****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/05/2015	Regulatory	09:24	Flood	16	28	2.0
09/03/2015	Regulatory	09:20	Flood	15	29	1.7
10/19/2015	Regulatory	10:18	Flood	14	30	2.0
11/23/2015	Regulatory	10:22	Flood	11	29	11.0
02/17/2016	Regulatory	09:27	Flood	10	27	1.7
03/03/2016	Regulatory	09:23	Flood	9	26	1.7
04/28/2016	Regulatory	08:53	Flood	14	26	2.0
06/09/2016	Regulatory	08:38	Flood	15	28	1.7
08/09/2016	Regulatory	09:24	Flood	15	30	2.0
10/04/2016	Regulatory	09:30	Ebb	14	30	1.7
12/05/2016	Regulatory	09:43	Flood	10	27	7.8
01/03/2017	Regulatory	09:43	Flood	8	29	1.7
03/06/2017	Regulatory	09:39	Flood	8	27	1.7
05/17/2017	Regulatory	09:12	Flood	11	24	1.7
06/28/2017	Regulatory	10:52	Ebb	13	29	1.7
08/29/2017	Regulatory	11:58	Flood	16	29	1.7
10/10/2017	Regulatory	10:31	Flood	13	29	1.7
12/12/2017	Regulatory	09:28	Flood	9	29	1.8
01/23/2018	Regulatory	09:38	Flood	8	25	2.0
03/06/2018	Regulatory	09:36	Ebb	8	28	1.7
05/03/2018	Regulatory	09:02	Ebb	11	28	1.7
08/01/2018	Regulatory	09:05	Flood	15	29	1.7
09/13/2018	Regulatory	09:06	Flood	15	29	2.0
11/14/2018	Regulatory	09:43	Flood	11	29	1.7
02/28/2019	Regulatory	09:39	Flood	7	28	1.7
04/25/2019	Regulatory	09:31	Flood	11	28	1.7
06/25/2019	Regulatory	10:32	Flood	14	29	2.0
08/21/2019	Regulatory	09:20	Flood	16	29	1.7
10/16/2019	Regulatory	11:21	Ebb	14	30	6.8
12/18/2019	Regulatory	11:22	Flood	10	30	1.7

Station: 185**Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 130.0****E90th (FC/100 mL): 57.3****GeoMean (FC/100 mL): 11.2****Meets Standard: N**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	11:10	Flood	17	28	4.5
09/12/2017	Regulatory	09:59	Flood	16	26	13.0
10/10/2017	Regulatory	09:55	Flood	12	26	33.0
11/06/2017	Regulatory	09:54	Ebb	8	19	130.0
12/12/2017	Regulatory	10:15	Flood	7	26	2.0
01/23/2018	Regulatory	10:22	Flood	7	14	7.8
02/05/2018	Regulatory	10:04	Ebb	8	17	4.5
03/06/2018	Regulatory	10:24	Ebb	6	17	2.0
05/03/2018	Regulatory	09:52	Ebb	14	17	22.0
06/04/2018	Regulatory	09:42	Flood	15	14	7.8
06/18/2018	Regulatory	10:18	Ebb	18	23	11.0
08/01/2018	Regulatory	09:53	Ebb	18	23	79.0
08/29/2018	Regulatory	09:13	Ebb	17	25	70.0
09/13/2018	Regulatory	10:04	Ebb	14	21	130.0
10/01/2018	Regulatory	09:56	Flood	15	28	2.0
11/14/2018	Regulatory	10:35	Flood	10	29	2.0
12/04/2018	Regulatory	11:06	Flood	7	22	4.5
01/02/2019	Regulatory	09:47	Flood	7	16	17.0
02/28/2019	Regulatory	10:32	Flood	6	18	1.8
03/12/2019	Regulatory	10:18	Ebb	8	20	12.0
04/25/2019	Regulatory	10:18	Flood	13	24	11.0
05/09/2019	Regulatory	09:39	Ebb	16	22	1.7
06/25/2019	Regulatory	11:14	Flood	18	27	4.5
07/08/2019	Regulatory	10:26	Flood	16	27	33.0
08/21/2019	Regulatory	10:07	Flood	18	25	31.0
09/17/2019	Regulatory	09:12	Ebb	15	25	33.0
10/16/2019	Regulatory	09:54	Ebb	13	27	17.0
11/07/2019	Regulatory	11:09	Flood	11	27	11.0
12/18/2019	Regulatory	10:29	Flood	9	24	17.0
02/03/2020	Regulatory	12:01	Flood	8	8	11.0

Station: 186**Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 07/13/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 130.0****E90th (FC/100 mL): 49.2****GeoMean (FC/100 mL): 10.5****Meets Standard: N**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
07/13/2017	Regulatory	09:28	Ebb	18	24	49.0
08/29/2017	Regulatory	11:06	Flood	18	27	17.0
09/12/2017	Regulatory	10:02	Flood	16	26	21.0
10/10/2017	Regulatory	09:57	Flood	13	28	2.0
11/06/2017	Regulatory	09:58	Ebb	8	22	33.0
12/12/2017	Regulatory	10:18	Flood	7	25	14.0
01/23/2018	Regulatory	10:26	Flood	7	18	4.5
02/05/2018	Regulatory	10:06	Ebb	8	25	4.5
03/06/2018	Regulatory	10:26	Ebb	6	14	1.8
05/03/2018	Regulatory	09:55	Ebb	13	13	13.0
06/04/2018	Regulatory	09:44	Flood	15	25	4.5
06/18/2018	Regulatory	10:21	Ebb	17	24	11.0
08/01/2018	Regulatory	09:56	Ebb	18	27	79.0
08/29/2018	Regulatory	09:17	Ebb	16	26	33.0
09/13/2018	Regulatory	10:08	Ebb	15	29	130.0
10/01/2018	Regulatory	09:58	Flood	15	27	11.0
11/14/2018	Regulatory	10:37	Flood	10	29	2.0
12/04/2018	Regulatory	11:09	Flood	7	24	14.0
01/02/2019	Regulatory	09:50	Flood	6	20	23.0
03/12/2019	Regulatory	10:23	Ebb	8	25	4.5
04/25/2019	Regulatory	10:21	Flood	13	23	1.7
05/09/2019	Regulatory	09:42	Ebb	15	25	4.5
06/25/2019	Regulatory	11:18	Flood	18	26	11.0
07/08/2019	Regulatory	10:30	Flood	16	27	110.0
08/21/2019	Regulatory	10:10	Flood	18	29	7.8
09/17/2019	Regulatory	09:10	Ebb	15	25	13.0
10/16/2019	Regulatory	10:00	Ebb	13	27	7.8
11/07/2019	Regulatory	11:03	Flood	12	28	17.0
12/18/2019	Regulatory	10:25	Flood	9	29	1.8
02/03/2020	Regulatory	11:58	Flood	7	6	4.5

Station: 188**Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 130.0****E90th (FC/100 mL): 52.6****GeoMean (FC/100 mL): 12.3****Meets Standard: N**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	11:01	Flood	17	27	13.0
09/12/2017	Regulatory	10:07	Flood	16	27	11.0
10/10/2017	Regulatory	10:03	Flood	13	29	33.0
11/06/2017	Regulatory	10:02	Ebb	7	17	130.0
12/12/2017	Regulatory	10:23	Flood	6	18	6.8
01/23/2018	Regulatory	10:30	Ebb	7	19	7.8
02/05/2018	Regulatory	10:10	Ebb	8	18	11.0
03/06/2018	Regulatory	10:30	Ebb	6	20	1.7
05/03/2018	Regulatory	10:00	Ebb	13	20	6.8
06/04/2018	Regulatory	09:48	Flood	15	20	23.0
06/18/2018	Regulatory	10:36	Ebb	18	22	17.0
08/01/2018	Regulatory	10:01	Ebb	18	27	23.0
08/29/2018	Regulatory	09:22	Ebb	16	29	4.5
09/13/2018	Regulatory	10:12	Ebb	15	29	49.0
10/01/2018	Regulatory	10:03	Flood	15	23	11.0
11/14/2018	Regulatory	10:42	Flood	10	29	33.0
12/04/2018	Regulatory	11:14	Flood	7	25	33.0
01/02/2019	Regulatory	09:54	Flood	7	23	1.8
02/28/2019	Regulatory	10:40	Flood	6	26	11.0
03/12/2019	Regulatory	10:27	Ebb	8	27	46.0
04/25/2019	Regulatory	10:26	Flood	13	26	2.0
05/09/2019	Regulatory	09:46	Ebb	16	27	4.5
06/25/2019	Regulatory	11:23	Flood	18	26	33.0
07/08/2019	Regulatory	10:35	Flood	16	28	22.0
08/21/2019	Regulatory	10:14	Flood	18	29	17.0
09/17/2019	Regulatory	09:15	Ebb	15	25	23.0
10/16/2019	Regulatory	10:07	Ebb	13	27	64.0
11/07/2019	Regulatory	11:18	Flood	11	27	4.5
12/18/2019	Regulatory	10:20	Flood	9	29	1.7
02/03/2020	Regulatory	11:52	Flood	7	8	4.5

Station: 212**Classification: Prohibited****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 240.0****E90th (FC/100 mL): 39.1****GeoMean (FC/100 mL): 8.3****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	11:04	Flood	17	28	7.8
09/12/2017	Regulatory	10:05	Flood	16	28	13.0
10/10/2017	Regulatory	10:00	Flood	13	29	4.5
11/06/2017	Regulatory	10:00	Ebb	8	22	70.0
12/12/2017	Regulatory	10:21	Flood	7	23	7.8
01/23/2018	Regulatory	10:28	Flood	8	28	1.7
02/05/2018	Regulatory	10:09	Ebb	8	23	6.8
03/06/2018	Regulatory	10:29	Ebb	7	24	2.0
05/03/2018	Regulatory	09:58	Ebb	13	14	11.0
06/04/2018	Regulatory	09:47	Flood	15	19	13.0
06/18/2018	Regulatory	10:24	Ebb	17	26	2.0
08/01/2018	Regulatory	09:59	Ebb	18	25	49.0
08/29/2018	Regulatory	09:20	Ebb	16	24	240.0
09/13/2018	Regulatory	10:10	Ebb	15	27	23.0
10/01/2018	Regulatory	10:01	Flood	15	29	4.0
11/14/2018	Regulatory	10:40	Flood	10	29	4.5
12/04/2018	Regulatory	11:12	Flood	7	25	7.8
01/02/2019	Regulatory	09:52	Flood	7	22	13.0
02/28/2019	Regulatory	10:38	Flood	6	23	1.7
03/12/2019	Regulatory	10:26	Ebb	8	27	2.0
04/25/2019	Regulatory	10:24	Flood	13	25	2.0
05/09/2019	Regulatory	09:44	Ebb	16	27	13.0
06/25/2019	Regulatory	11:21	Flood	18	24	13.0
07/08/2019	Regulatory	10:33	Flood	16	27	49.0
08/21/2019	Regulatory	10:12	Flood	18	29	4.5
09/17/2019	Regulatory	09:14	Ebb	15	27	17.0
10/16/2019	Regulatory	10:05	Ebb	13	27	2.0
11/07/2019	Regulatory	11:16	Flood	11	27	17.0
12/18/2019	Regulatory	10:22	Flood	9	29	6.8
02/03/2020	Regulatory	11:55	Flood	7	5	4.5

Station: 189**Classification: Restricted****Method: SRS****Total Samples: 30****Date Range: 08/29/2017 - 02/03/2020****Range (FC/100 mL): 1.7 - 110.0****E90th (FC/100 mL): 28.5****GeoMean (FC/100 mL): 6.7****Meets Standard: Y**

Sample Date	Event Type	Time	Tide	SWT	Salinity	Fecal Coliform
08/29/2017	Regulatory	10:59	Flood	17	28	4.5
09/12/2017	Regulatory	10:08	Flood	16	28	33.0
10/10/2017	Regulatory	10:05	Flood	13	28	4.5
11/06/2017	Regulatory	10:06	Ebb	8	24	110.0
12/12/2017	Regulatory	10:25	Flood	6	20	4.5
01/23/2018	Regulatory	10:32	Ebb	8	27	2.0
02/05/2018	Regulatory	10:12	Ebb	8	17	6.1
03/06/2018	Regulatory	10:32	Ebb	7	24	1.7
05/03/2018	Regulatory	10:02	Ebb	13	22	2.0
06/04/2018	Regulatory	09:50	Flood	15	21	7.8
06/18/2018	Regulatory	10:38	Ebb	18	22	14.0
08/01/2018	Regulatory	10:03	Ebb	18	23	49.0
08/29/2018	Regulatory	09:23	Ebb	16	29	4.5
09/13/2018	Regulatory	10:15	Ebb	15	28	13.0
10/01/2018	Regulatory	10:04	Flood	15	29	2.0
11/14/2018	Regulatory	10:44	Flood	10	29	49.0
12/04/2018	Regulatory	11:16	Flood	8	27	4.0
01/02/2019	Regulatory	09:56	Flood	7	20	23.0
02/28/2019	Regulatory	10:42	Flood	6	22	1.8
03/12/2019	Regulatory	10:29	Ebb	8	27	4.0
04/25/2019	Regulatory	10:28	Flood	13	25	4.5
05/09/2019	Regulatory	09:48	Ebb	15	26	1.7
06/25/2019	Regulatory	11:26	Flood	17	28	4.0
07/08/2019	Regulatory	10:37	Flood	16	28	13.0
08/21/2019	Regulatory	10:16	Flood	18	28	17.0
09/17/2019	Regulatory	09:17	Ebb	15	25	7.8
10/16/2019	Regulatory	10:14	Ebb	13	27	13.0
11/07/2019	Regulatory	10:54	Flood	12	29	7.8
12/18/2019	Regulatory	10:17	Flood	9	29	2.0
02/03/2020	Regulatory	11:50	Flood	7	10	1.7