

Thurston County Environmental Health 3000 Pacific Ave SE, Suite 225, Olympia, WA 98501 (360) 867-2673 / (360) 867-2660 (Fax) TDD Line (800) 658-6384

Environmental Health@co.thurston.wa.gov

## **Supplemental Application** WELL SITE

	WELLOII					
STAFF U	SE ONLY	DATE STAMP				
	PLEASE NOTE: APPLICATIONS AND SITE PLANS T BE COMPLETED IN BLACK OR BLUE INK ONLY	Reset Form  Intake by:				
This s	unnlication connect he submitted alone. In addition t	o this form a complete postrogo includes:				
Applicant Use	pplication cannot be submitted alone. In addition t SUBMITTAL CHECKI	Staff Usa	2			
	Master Application.					
	Supplemental Checklist.					
	Applicable processing fees. Refer to current fee schedules structure, additional fees may occur if base hours/fees at it					
	PROJECTS ASSOCIATED WITH T	THIS APPLICATION	$\neg$			
FOLD	ER/SEQUENCE NUMBER PROJECT NUMB					
			$\dashv$			
	<u> </u>	·	<u> </u>			
Residen	TYPE OF PROJECT:  Residential-Single Family Residential-Multifamily # of Units: Non-Residential					
TYPE OF PERMIT:  Single Family Residential						
	Water System Name: ID# (if existing)					
Subdivision Name (if applicable):						
Thurston County Coordinated Water System Plan Service Area Inside Service Area Outside Service Area WORK TYPE:						
_	Proposed Well Site Proposed Replacement W	ell Site Existing Well	ı			

Form No. SA020 Revised 3-16-15

	TAX PARCELS TO	) BE SERVED BY THIS	S WATER SYSTEM			
Well Site or Spring Property Tax Parcel Number:						
Well Site or Spring Property Address:						
Property Tax Parcel Numbers To Receive Water Service (list below):						

## **Water System Classifications:**

- **Group A Public Water System** is classified as a community system with 15 or more service connections or serves greater than 25 or more people per day for 60 days per year
- **Group B Public Water System** is classified as a community system serving 3 to 14 service connections and less than 25 people per day (such as a workplace) or 25 or more people per day for fewer than 60 days per year.
- **Group B Exempt Public Water System** is classified as a community system serving a maximum of 2 service connections and less than 25 people per day (such as a workplace) or 25 or more people per day for fewer than 60 days per year that is considered exempt from design review providing they can obtain well site and source approval and do not serve a connection with a use listed under WAC 246-291-010(a) through (h).
- Two Single Family Residential Water Supply is classified as a non-public water supply with one well serving two single-family residential connections. Three or more connections are regulated by Article III of the Thurston County Sanitary Code as a Group B public water system.
- **Single Family Residential Water Supply** is classified as a non-public water supply with one well serving one single-family residential connection.

The following must be submitted with the well site application to the Thurston County Permit Assistance Center:

Applicant Use	SUPPLEMENTAL CHECKLIST	Staff Use Only		
NEW PROPOSED OR REPLACEMENT WELL SITE:				
	Project site plan with the new proposed or replacement well site, the 100 foot sanitary control area around the well, any structures, all onsite-sewage system components, drainage ditches, stormwater infiltration ponds, and public roads within 200 feet shown to scale on the map (11 X 17 inches maximum size, 1"=20' or 1"=30' scale).			
	The new proposed or replacement well site flagged on the property.			
EXISTING WELL SITE:				
	Project site plan with the exiting well site, the 100 foot sanitary control area around the well, location of waterlines serving each connection (distribution system), any structures, all onsite-sewage system components, drainage ditches, stormwater infiltration ponds, and public roads within 200 feet shown to scale on the map (11 X 17 inches maximum size, 1"=20' or 1"=30' scale).			
	Any available information regarding the system, such as well log, water quantity and quality results, water system components (pumps, pressure tanks, etc.), recorded easements or covenants, and other pertinent information.			
	Any arrangements made for access to the pump house.			

**APPEAL:** Any person aggrieved by a decision, an inspection, or notice made by the Health Officer shall have the right to appeal the matter as specified in Article I of the Thurston County Sanitary Code.

For additional guidance and fact sheets visit our web site at <a href="https://www.thurstoncountywa.gov/departments/public-health-and-social-services/environmental-health/water/drinking-water-wells">https://www.thurstoncountywa.gov/departments/public-health-and-social-services/environmental-health/water/drinking-water-wells</a>

Revised 3-16-15 Form No. SA020

## WELL SITE APPLICATION INSPECTION FORM (FOR DEPARTMENTAL USE ONLY)

TAX PARCEL IDENTIFICATION		
Well Tax Parcel Number:		
Well Property Address:		
Property Owner Name:		
PROPOSED WELL	YES	NO
Is map provided accurate, based on-site visit?		
Does the ground slope away from immediate well site area to avoid possible well contamination?		
Is the designated isolation area free of existing sources of contamination?		
If private roads pass within 100' feet of the well, are they ditched or drained to safely conduct surface run-off away from well and outside the 100-foot SCA? (No public roads allowed in the 100-foot SCA)		
Is there a landfill within 1,000 feet of the well or well site?		
Is the well or well site within the Thurston County Coordinated Water System Area?		
Is the well within a mapped flood zone?		
Aquifer information utilized to determine degree of protection:	<u> </u>	
USGS Data	П	П
Area Well Logs	Ħ	П
Depth to water (feet below ground level):		
Located in area of known contamination? If yes, type.		
EXISTING WELL	YES	NO
EMB III (6 WEEL	IES	М
Is map provided accurate, based on-site visit?		
Is map provided accurate, based on-site visit?		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:  USGS Data  Area Well Logs		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:  USGS Data  Area Well Logs  Depth to water (feet below ground level):		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:  USGS Data  Area Well Logs		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:  USGS Data  Area Well Logs  Depth to water (feet below ground level):  Located in area of known contamination? If yes type:		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:  USGS Data  Area Well Logs  Depth to water (feet below ground level):  Located in area of known contamination? If yes type:		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:  USGS Data  Area Well Logs  Depth to water (feet below ground level):  Located in area of known contamination? If yes type:  Person(s) met on site for inspection:  Is the proposed or existing well site satisfactory?  YES NO		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:  USGS Data  Area Well Logs  Depth to water (feet below ground level):  Located in area of known contamination? If yes type:  Person(s) met on site for inspection:  Is the proposed or existing well site satisfactory?  YES NO  Is this a replacement well?  YES NO If yes, reason for replacement:		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:  USGS Data  Area Well Logs  Depth to water (feet below ground level):  Located in area of known contamination? If yes type:  Person(s) met on site for inspection:  Is the proposed or existing well site satisfactory? YES NO  Is this a replacement well? YES NO If yes, reason for replacement:  Minimum isolation radius required: 100 feet Other:		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:  USGS Data  Area Well Logs  Depth to water (feet below ground level):  Located in area of known contamination? If yes type:  Person(s) met on site for inspection:  Is the proposed or existing well site satisfactory?  YES NO  Is this a replacement well?  YES NO If yes, reason for replacement:		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:  USGS Data  Area Well Logs  Depth to water (feet below ground level):  Located in area of known contamination? If yes type:  Person(s) met on site for inspection:  Is the proposed or existing well site satisfactory? YES NO  Is this a replacement well? YES NO If yes, reason for replacement:  Minimum isolation radius required: 100 feet Other:		
Is map provided accurate, based on-site visit?  Does the ground slope away from immediate well site area to avoid possible well contamination?  Is well adequately sealed (sanitary seal)?  Is visible construction in sound condition (such as floor, piping, electrical, and building)?  Is there a substantial concrete slab poured around the well casing?  Does the casing extend at least 12 inches above the slab and 24 inches above any flood zone evaluation?  Aquifer information utilized to determine degree of protection:  USGS Data  Area Well Logs  Depth to water (feet below ground level):  Located in area of known contamination? If yes type:  Person(s) met on site for inspection:  Is the proposed or existing well site satisfactory? YES NO  Is this a replacement well? YES NO If yes, reason for replacement:  Minimum isolation radius required: 100 feet Other:		

Revised 3-16-15 Form No. SA020